


APPLICATION EXAMPLES FOR FLOOR TREATMENT AND MAINTENANCE



Hard coverings • Wooden floors •
Stone floors • Carpets


APPLICATION OVERVIEW

APPLICATION EXAMPLES FOR FLOOR TREATMENT AND MAINTENANCE



46

STONE FLOORS • STRUCTURED
TILES • CLAY TILES • SANITARY TILES •
INDUSTRIAL FLOORS



12

HARD COVERINGS • RUBBER
FLOORING • LINOLEUM FLOORS •
VINYL FLOORS • EPOXY RESIN
FLOORS • PVC

54

CARPET



33

WOODEN FLOORS • PARQUET
FLOORS • FLOOR BOARDING •
STAIRS • WAXED WOODEN FLOORS



58

OTHERS

JÖST ABRASIVES

SANDING- AND CLEANING MACHINES FOR FLOOR TREATMENT AND MAINTENANCE

JÖST FLOOR SANDER

The Jöst Floor Sander combines high quality workmanship with easy handling. Thanks to its quiet running performance and the ergonomically adjustable steering handle, it can be used continuously without any shoulder or arm tension afterwards. It is particularly suitable for processing structured surfaces and hard coverings. The Jöst Floor Sander can be used for dry sanding and for wet cleaning.

TECHNICAL DATA: FS-315/460

Power consumption:	1500 Watt
Vacuum cleaner:	1000 Watt
Motor speed:	2800 1/min
Sanding area:	335x485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	57 - 83 kg
Additional weight:	6,5 kg
Sanding stroke:	7 mm



TECHNICAL DATA: FC-315/460

Power consumption:	1500 Watt
Motor speed:	2800 1/min
Sanding area:	335x485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Filling capacity of water tank:	10 l
Weight:	48 kg
Additional weight:	6,5 kg
Sanding stroke:	7 mm



JÖST FLOOR CLEANER

After the successful introduction of the Floor Sander and the Floor Sander Junior series, both versions are now available with an integrated water tank to wet down the surfaces to be cleaned. One of the outstanding features of these machines is their simple operation. One-step cleaning can be done right up to edges and into corners. The Floor Cleaner and Floor Cleaner Junior offer a wide range of applications - from simple maintenance work to basic cleaning and the removal of old coating.

TECHNICAL DATA: FSJ-180/330

Power consumption:	350 Watt
Motor speed:	2800 1/min
Sanding area:	190x340 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	21 - 26 kg
Additional weight:	5 kg
Tube connection:	27mm
Sanding stroke:	5 mm



JÖST FLOOR SANDER JUNIOR

The Floor Sander Junior is a true multi-functional solution for perfect floor treatment. With no integrated vacuum cleaner, the Floor Sander Junior is perfectly suited for narrow and low areas where space is tight. Edges, corners and stairs can be sanded with almost no effort. The machine for floor treatment is equipped with a tube connection for an external vacuum cleaner. Used in conjunction with the JÖST abrasives, the Floor Sander Junior guarantees dust-free working.

JÖST FLOOR CLEANER JUNIOR

After the successful introduction of the Floor Sander and the Floor Sander Junior series, both versions are now available with an integrated water tank to wet down the surfaces to be cleaned. One of the outstanding features of these machines is their simple operation. One-step cleaning can be done right up to edges and into corners. The Floor Cleaner and Floor Cleaner Junior offer a wide range of applications - from simple maintenance work to basic cleaning and the removal of old coating.

TECHNICAL DATA: FCJ-180/330

Power consumption:	350 Watt
Motor speed:	2800 1/min
Sanding area:	190x340 mm
Supply voltage:	230 V
Filling capacity of water tank:	3 l
Network voltage frequency:	50 Hz
Weight:	22 - 27 kg
Additional weight:	5 kg
Sanding stroke:	5 mm



JÖST FLOOR SANDER MULTI

The Floor Sander Multi is a combination of our Floor Sander and Floor Cleaner machines. It's equipped with an integrated suction cup for wet and dry suction tasks. Whether you have to sand down old wooden floors, remove coatings, or wet-clean elastic hard coverings, the JÖST Floor Sander Multi cuts a fine figure no matter what you throw at it! An additional water tank supports the wet cleaning operation, which is often indispensable when basic cleaning or a high degree of soiling is involved. A suction lip is also available as an accessory for retrofitting.

TECHNICAL DATA: FSCM-315/460

Power consumption:	2500 Watt
Motor speed:	2800 1/min
Sanding area:	335x485 mm
Supply voltage:	230 V
Filling capacity of water tank:	10 l
Network voltage frequency:	50 Hz
Weight:	57 - 83 kg
Additional weight:	6,5 kg
Sanding stroke:	7 mm



TECHNICAL DATA: FCJ-18

Item number heavy:	FCJ/18/2
Power consumption:	300 Watt
Motor speed:	2800 1/min
Sanding area:	190x340 mm
Accumulator period run-time:	45 bis 60 min. (Depends on the soil texture and pads)
Battery voltage:	18V
Filling capacity of water tank:	3 l
Weight:	17,5 kg
Weight heavy:	20 kg
Weight 18V battery:	1 kg
Sanding stroke:	5 mm
Installation height:	14 cm



JÖST FLOOR CLEANER 18

Our new FCJ machine with its integrated water tank is even easier to operate. It cleans even edges and corners of floors in just one effortless and reliable operation. Our Floor Cleaner Junior 18 will tackle and master a wide variety of cleaning tasks on almost all types of floor coverings, such as hard coverings, oiled or sealed wooden floors, structured surfaces, stone and carpets, with no problems at all. We have now found the ideal complement to our innovative cleaning systems – the CAS rechargeable battery system – guaranteeing cleaning work that's fatigue-free and fast.

JÖST BIG BOY

The Big Boy orbital sander: the efficient, dust-free sanding system especially for large surfaces and stairs. Its sanding surface is 8 times higher than that of conventional 150 mm diameter orbital sanders. It is perfectly suited for the efficient and high-quality sanding of large worktops, door panels and even small rooms. Thanks to the machine's own weight, hardly any energy is needed to run it easily over an entire surface.

TECHNICAL DATA: BB-315/460

Power consumption:	1500 Watt
Motor speed:	2800 1/min
Sanding area:	335x485 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
weight:	22 kg
Tube connection:	27 mm
Sanding stroke:	7 mm



TECHNICAL DATA: BBJ-180/330

Item number heavy:	BBJ-180/330/2
Power consumption:	350 Watt
Motor speed:	2800 1/min
Sanding area:	190x340 mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight version 1:	10 kg
Weight version 2:	18 kg
Tube connection:	27mm
Sanding stroke:	5 mm



JÖST BIG BOY JUNIOR

Like its big brother, the Big Boy Junior offers the full processing spectrum, from coarse sanding and polishing to the cleaning of almost any surface. It is especially suitable for the cleaning of stairs and the sanding of smaller surfaces. As for all other machines developed by JÖST we offer a wide range of innovative sanding and cleaning pads. Processing solid surface materials, wood, lacquer, stainless steel, NF-metals, parquet/ laminate surfaces and hard flooring is a breeze with the Big Boy Junior.

P1 DUST FREE SANDING SYSTEM

With the P1 dust-free Sanding System, you can sand paints, varnishes and wood, you can process metals, plastics and mineral materials using any process from coarse sanding to high-gloss finishes, you can remove rust and also polish a wide variety of materials in combination with the useit®-Superpads P and the Superfinishing-Pads – and all in the shortest possible time, with no dust pollution for humans and the environment.

TECHNICAL DATA: P1-MAX/3

Power consumption:	1200 Watt
Idle speed:	600 - 2800 1/min
Spindle thread:	M14
Weight:	2,9 kg

EP 2 611 573
US 9,132,527



TECHNICAL DATA: P1-MORITZ/2

Power consumption:	1200 Watt
Idle speed:	800 - 3600 1/min
Spindle thread:	M14
Weight:	2,1 kg

EP 2 611 573
US 9,132,527



P1 DUST FREE SANDING SYSTEM

Thanks to its special gearbox support, the MORITZ gives you high torque, even in the lower rpm range. Equipped with a constant electronics system with "soft start", it maintains a constant speed even under load. The restart protection prevents unintentional switching on after a power outage. MORITZ is equipped with a spindle lock for quick and easy tool changing. Its dustproof engine and gearbox bearing gives it a long service life, and the vibration-damped additional handle reduces vibration by up to 45% thanks to thermoplastic elastomers and a special ergonomic grip.



SANDING AND CLEANING PADS

ABRANOPP® CLEANING PADS

Our Abranopp® cleaning pads have been specially developed for structured floor coverings. They get right down to the deeper zones of structured surfaces. The size and shape of the Abranopp® cleaning pads nubs and abrasive particles can also be adapted to match your structured flooring, so they meet your cleaning requirements perfectly time after time.



ABRAFLEX® SUPERPADS

Whether basic cleaning or maintenance cleaning, the Abraflex®-Superpad cleaning non-woven comes in several versions with different sizes. It is longer lasting, faster in the application, extends the life of floor coverings and protects your floor cleaning machines. The Abraflex® pads guarantee better cleaning results and offer a longer lifetime, improved performance and an excellent machine stability. Abraflex® Maroon pads: The chemical-free solution for the partial or complete removal of floor coatings.



JÖST MICROFIBER PADS

The JÖST high-quality microfiber pads – made in Germany – give you outstanding cleaning results with an unsurpassed price-performance ratio. When the pads are used in combination with the JÖST Floor Sander and Floor Sander Junior eccentric cleaning machines, the treatment is intensive and results in a very clean surface. You can clean different materials using only water – no chemical agents.



ABRAFLEXNOPP®

AbraflexNopp® has been especially developed to carry out basic cleaning on structured surfaces, using almost any cleaning chemistry. This patented, robust pad even penetrates into the deep zones of structured surface coverings and - just like the Abranopp® cleaning pads - gives you a truly thorough and deep cleaning of all hard coverings.





BLUE WAVE MELAMINE PAD

The difference between the Blue Wave sponge and conventional sponges is in the Blue Wave's unique structure. This reinforced structure is significantly extending its service life. Thanks to its rubber eraser effect, all kinds of stubborn stains and dirt such as heel marks on floors, pen marks on desks, calcified surfaces, car windows and much more can be removed easily from smooth and hard surfaces - and no chemical agents are needed, only water!



JÖST SHEEP WOOL PADS

The sheep wool pad is suitable for polishing sealed oiled parquet, marble, granite and vinyl and for working polishing paste into matt marble, granite lacquer and wood surfaces to achieve a high gloss after polishing. It is made of pure new wool and is free of binding agents and synthetic fibers. Our sheep wool pad is bio-degradable and compostable. It creates a fantastic gloss and shiny surfaces. It is only to be used for finishes.



USEIT®-DUST PADS

Thanks to the useit®-dust disc, the dust goes where it belongs... in the vacuum cleaner! Although our useit®-abrasives provide a virtually dust-free environment in combination with a dust extraction system, antistatic charging can cause a very small amount of residual dust to be attracted to the sanded surfaces.



TAKEIT® NORMALPAD

Thanks to its open structure the takeit® normal pad has an extremely high intake capacity for dirt - so it is especially suitable as a dust storage pad for our multihole Superpad P abrasive for machines without dust extraction. It is also excellently suited for the oiling and waxing of wooden surfaces - during sanding, the oil or wax is equally distributed over the surface and staining is prevented. The incorporate grains also smooth the wooden surface - and the results are truly superb.



ABRAFLEX® MAROON PAD

The Abraflex® Maroon pad is the chemical-free solution for the partial or complete removal of floor coatings. The Abraflex® Maroon pad easily removes floor coatings using only water and no chemicals – on almost all surfaces and especially on light-colored floors. This pad is ideal for preparing worn, sealed and painted areas (such as sports halls) for a new coat of sealant. It's robust and can be used both wet and dry.



USEIT®-ABRAFILM®

The newly developed useit®-Abrafilm® offers excellent cutting performances and has an extremely durable and tearproof film carrier. The finest sanding up to grit 3000 is possible with the useit®-Abrafilm®. This results in smoother sanding and therefore finer results. The multihole perforation of the abrasive in combination with the multilayer structure of the Velcro-type system guarantees the exact alignment of the abrasive grain. This leads to continuous dust extraction over the entire surface, optimum sanding results and a much higher service life. The useit®-Abrafilm® is suitable for both wet and dry sanding.

USEIT®-SUPERFINISHING PADS SG

The special design combined with the modern production technology make the useit®-Superfinishing Pads SG a reliable product for the highest surface quality. Diverse materials and floors can be worked specifically in a minimal amount of time. The useit®-Superfinishing Pads are especially suitable for decoating and cleaning of all hard floorings (linoleum, PVC plastic and LVT-floors), for the removal of graphite-stains, to balance different glow-levels on wood, to process parquet and laminate floors, or on tiles and fine stoneware. The pad can be used both wet and dry.

USEIT®-SUPERFINISHING PADS SG2

The special design combined with the modern production technology make the useit®-Superfinishing Pads SG a reliable product for the highest surface quality. Diverse materials and floors can be worked specifically in a minimal amount of time. The useit®-Superfinishing Pads are especially suitable for decoating and cleaning of all hard floorings (linoleum, PVC, plastic and LVT-floors), for the removal of graphite-stains, to balance different glow-levels on wood, to process parquet and laminate floors, or on tiles and fine stoneware. The pad can be used both wet and dry.

USEIT®-SUPERPAD P YELLOW

The useit®-Superpad P Yellow for Jöst orbital sanders is ideal for use on parquet floors and wooden surfaces thanks to its robust backing paper, semi-open scatter and special Velcro coating. Thanks to its special grain bonding, the risk of a grain break-out is minimized and the formation of curls on the surface is more or less impossible. The narrow multi-perforation in conjunction with the specially designed back coating ensures optimum removal of the grinding dust on machines with dust extraction.

USEIT®-SUPERPAD P GOLD

Thanks to their full-surface perforation, the multi-perforation useit® Superpad P gold sanding discs are ideal for use on all manual grinding machines with and without suction. They guarantee 100% capability with minimum storage costs. Thanks to its stearate coating and unique design, clogging of the sanding disc is effectively avoided. Dust pollution for humans and the environment is reduced to a minimum. Compared to conventional perforated sandpaper from other manufacturers, the gold quality achieves a much higher level of sanding performance.

APPLICATION EXAMPLES

HARD COVERINGS

NUBBED FLOORING

Wet cleaning with Jöst Floor Sander and the grey Abranopp® pad. Originally, the floor was supposed to be renewed - after cleaning, this was not necessary!





NUBBED FLOORING

Cleaned with Jöst Floor Sander, green Abranopp® pad and water.



NUBBED FLOORING

Cleaned with Jöst Floor Sander, water and Abranopp® pad green. Without detergents!




Cleaned with Jöst Floor Sander and
Abranopp® Pad grey.



Cleaned with single disc machine and
Superpad green.

NUBBED FLOORING

The floor is about 40 years old and has just been cleaned by hand, so far. Easy maintenance & cleaning using only Abranopp® pads and water. Reconditioning – **grey, green and violet Abranopp® pads** = completely processed twice



Machine: RA43/B20 • Chemical: Ultranzetzer • High-gloss: with high-speed machine • Other pads: ultra-high-speed pad, Blue Ice pad or white pad.

NUBBED FLOORING

Pastilly-type floor cleaned with Jöst Floor Sander Junior and grey Abranopp®-pad.



LINO FLOOR

Cleaning and coating of a 120qm lino floor with the Jöst Floor Sander machine, the Jöst Abraflex® Maroon pad and clear water.



NUBBED FLOORING

Hard flooring cleaned with Jöst Floor Sander, Blue Wave melamine pad and water.



PLASTIC FLOORING

Plastic flooring cleaned with Jöst Floor Sander Junior and microfiber pad blue/melange



PLASTIC FLOORING

Graphite stains cleaned with Jöst Floor Sander Multi, useit®-Superfinishing Pad SG600 and water.



PVC-FLOOR

PVC floor approx. 25 years old, heavily soiled, deep scratches and highly adhesive residues. Rough sanding (dry) with Jöst Floor Sander (without weight) and useit®-Abrafilm® Z40. Finishing with Abraflex® Maroon pad and two weights.



PVC-FLOOR

PVC-floor cleaned with Jöst Floor Sander, useit®-Superfinishing Pad SG 600 and water.



LINO FLOOR

Lino floor cleaned with useit®-Superfinishing SG 600 and water.



PVC-FLOOR

PVC-floor cleaned with Jöst Floor Sander, useit®-Superfinishing Pad SG 600 and water. For stubborn stains: useit®-Superfinishing Pad SG 240



RUBBER FLOORING

Removal of old coatings on rubber flooring with Jöst Floor Sander and useit®-Superfinishing Pad SG 600, dry.



PVC-FLOOR

PVC-floor cleaned with Jöst Floor Sander, Blue Wave melamine pad and water.



EPOXY RESIN FLOOR

Removes footmarks on epoxy resin floor with useit®-Abrafilm® Z120 and water. Afterwards: The entire surface has been cleaned and processed with useit®-Superfinishing Pad SG 240.



EPOXY RESIN FLOOR

Epoxy resin floor wet cleaned with Jöst Floor Sander and useit®-Superfinishing Pad SG 600. Stubborn stains have been removed with useit®-Superfinishing Pad SG 240, only with water.



VINYL FLOOR

Cleaning of a vinyl floor with the Jöst Floor Sander Junior and the grey microfiber pad. The cleaning was done only with water and a small amount of surfactant-free cleaner.




LINO FLOOR


Removal of coating with Jöst Floor Sander and useit®-Abrafilm® Z120.



LINO FLOOR



Basic cleaning only with water and useit®-Superfinishing Pad SG2 2000



30 years old linoleum floor. Cleaned only with water and Abraflex® Maroon pad.

RUBBER FLOOR

Cleaning of rubber floor. Wet cleaning with Jöst Floor Sander and useit®-Superfinishing Pad SG 600.



PLASTIC FLOOR

Plastic floor cleaned with Jöst Floor Cleaner, Blue Wave melamine pad and water.





PVC-FLOOR

Cleaning of homogeneous PVC-floor. Wet cleaning with Jöst Floor Sander and useit®-Superfinishing Pad SG 600. Afterwards: Treatment with Abraflex® Maroon pad.




PVC-FLOOR

Cleaning of a coloured & renovated PVC floor with Jöst Floor Sander.



EPOXY RESIN FLOOR

Basic cleaning of a warehouse floor made of epoxy resin. Cleaning with the Jöst Floor Sander, useit® Superfinishing Pad SG 600 and clear water.



LINO FLOOR

Cleaning of linoleum floor (Artoleum): Dry sanding with Floor Sander and useit®-Abrafilm® Z120. Afterwards wet cleaning with useit®-Superfinishing Pad SG 600.



PVC-FLOOR

Cleaning of a homogeneous PVC floor: Wet cleaning with the Jöst Floor Sander and useit®-Superfinishing Pad SG 600. Subsequently: Processing with Abraflex® Maroon pad.





RUBBER FLOOR

Cleaning of rubber floor: Dry sanding with Jöst Floor Sander and Abraflex® Maroon pad. Afterwards: Wet cleaning with useit®-Superfinishing Pad SG 600.



LINO FLOOR

Cleaning of linoleum floor with Jöst Floor Sander.



LINO FLOOR

Cleaning of linoleum floor. Dry sanding with Jöst Floor Sander and useit®-Abrafilm® Z100. Afterwards: wet cleaning with Abraflex® Maroon pad.



RUBBER FLOORING

Cleaning a rubber floor: Wet cleaning with the Jöst Floor Sander Junior and Abraflex® Superpad green without chemicals.




RUBBER FLOORING

Basic cleaning of a rubber floor with Jöst Floor Cleaner and Abraflex® Superpad red. Cleaning solution used 1:10, then neutralized with clear water by wiping.



EPOXY RESIN FLOOR

Cleaning of an epoxy resin floor with Jöst Floor Cleaner Junior and clear water. Pads used: Abranopp® pad grey and Microfiber pad grey.



PVC-FLOOR

Cleaning of PVC-floor: Wet cleaning with Jöst Floor Sander and useit®-Superfinishing Pad SG 600. Afterwards: Abraflex® Maroon pad.



Sanding down the old linoleum with the useit®-Superpad P 80, plus wet cleaning with the grey Abranopp® pad and a basic cleaner with a pH value of 9.5.



Then 2x neutralisation with clear water and the red Abraflex® Superpad. After drying for 24 hours, the floor is coated with PU lacquer (transparent).




APPLICATION EXAMPLE WOODEN FLOORS



WOOD-PLASTIC COMPOSITES

Cleaning of WPC terrace boards with the Jöst Floor Sander Junior and microfiber pad blue/melange




INDUSTRIAL PARQUET FLOORING

Ten years old oiled floor: Processing with the yellow useit®-Superpad P40, P80, P120, followed by useit®-dust pad, then oiling with takeit®-normal pad.



WOOD STAIRS

Sanding stairs with Jöst Big Boy orbital sander and useit®-Superpad P40 yellow.



BEECH PARQUET FLOOR

useit®-Superpad P40 and P150. Oiling: takeit®-normal pad.



EDGE SANDING

Straight-edge sanding with the Jöst Floor Sander and P1 dust-free sanding system.



WOODEN FLOORS

Sanding of old wooden floors with the Jöst Floor Sander and the useit®-Superpad P40.



PARQUET FLOOR

Renovation of an old parquet floor: Cleaned with the Jöst Floor Sander and useit®-Superpad P40 and Interface pad 15mm thickness.



WAXED WOODEN FLOOR

Waxed wooden floor sanded with the Jöst Floor Sander.



Application of intensive cleaning agent, cleaning with useit®-Superfinishing Pad SG240.

Intermediate sanding with the useit®-Superpad P150. Then application of primer with hard oil and if necessary another intermediate sanding with useit®-Superpad P220.

Complex hard oil wax "Strong".

With Jöst Floor Sander and useit®-Superpad P40 and P220. Then the floor was repainted. Costs for the entire procedure from sanding to new lacquering: 30,00 € per sqm. incl. machine + pads



WOOD STAIRS

Sanding with the Jöst Floor Sander Junior and useit®-Superpad P40 and P120.



OILED SPRUCE WOOD FLOOR

Sanded with Jöst Floor Sander and useit®-Superpad P80.



Sanded with useit®-Superfinishing Pad SG 600. Intermediate sanding with useit-Superpad P180. Oiled with a colourless hard oil.



Basic cleaning with an intensive cleaner and with useit®-Superfinishing Pad SG 240.



Cleaning an oiled wooden floor with Jöst Floor Sander and useit®-Superfinishing Pad SG 600



Basic cleaning of a heavily soiled, sealed parquet floor with useit®-Superfinishing Pad SG 240 (left) and SG 600 (right).

OAK PARQUET FLOOR

Processing heavily overtreated oak parquet flooring.



Sanding by using our Jöst Floor Sander and the useit®-Superpad P 40. Use the useit®-dust pad after each sanding procedure.

Final sanding with the yellow useit®-Superpad P120 and oiling with the takeit®-normal pad purple.

FLOORBOARDS

Cleaning floorboards.



Cleaning with the Jöst Floor Sander and the useit®-Superpad P 24. Next step: useit®-Superpad P 40, P 80 and P120. After each sanding process removal of dust with the useit®-dust pad. Then sanding of the remaining coating with useit®-Abrafilm® Z40. After that: oiling with the takeit®-normal pad green (coarse).



Remove the dust with the Blue Magic dust binding cloth before priming.



Oil application: (1) Complex hard oil "Strong" (2) Complex hard oil "Grund" (2x before oiling) Cleaning recommendation: (3) Complex oil wiping care.

PARQUET FLOOR

Cleaning and refurbishment of a parquet floor with Floor Sander and useit®-Abrafilm® Z40, Z80 and Z120.



MOSAIC PARQUET FLOORING

Cleaning of a mosaic parquet flooring.



Cleaning with Jöst Floor Sander and the useit®-Superpad P 24, P80 and P120. After each sanding process removal of dust with the useit®-dust pad.

Then sanding of the remaining coating with useit®-Abrafilm Z40.



After that oiling with the takeit®- normal pad green (coarse). Dust removal with the Blue Magic dust binding cloth before priming.

Oil application: (1) Complex hard oil "Strong" (2) Complex hard oil "Grund" (2x before oiling) (3) Complex oil wiping care.



PARQUET FLOOR

Cleaning of a varnished and heavily damaged parquet floor. Rough sanding with useit®-Superpad blue K24, followed by useit®-Abrafilm® Z40, Z80 and Z120.



WOODEN FLOORBOARDS

Dry cleaning and re-oiling of wooden floorboards.



Wooden floorboards sanded/cleaned with the useit®-Superfinishing Pad SG 240, followed by the removal of dust with the Blue Magic dust binding cloth. Oil application: Complex premium oil. Drying time approx. 1-2 hours.



APPLICATION EXAMPLES

STONE FLOORS • TILES

TILES

Removal of lime deposits with the Jöst Floor Sander Junior, the Blue Wave melamine pad, the Abranopp® pad grey and the useit®-Superfinishing Pad SG 600.



STONE/CONCRETE TILES

Removal of crystallization/calcifications with the Abranopp® cleaning pad special.



INDUSTRIAL FLOOR

2K-coated industrial floor cleaned with the Jöst Floor Sander and useit®-Superfinishing Pad SG1200



SAFETY TILES

Safety tiles cleaned with Jöst Floor Sander and Blue Wave melamine pad.



PORCELAIN STONEWARE TILES

Cleaning dirty, heavily textured porcelain stoneware tiles, without chemicals. First use microfiber pad grey to loosen grout and deep-lying dirt. Then use useit® Superfinishing Pad SG 240 to remove the abrasions still adhering.



SAFETY TILES

Oil stains removed with the Floor Sander Junior and the Blue Wave melamine pad.



Cleaning a concrete floor with the Jöst Floor Sander Junior and Blue Wave melamine pad.

INDUSTRIAL FLOOR

Cleaning of an old industrial floor with Blue Wave melamine pad.



SAFETY TILES

Cleaning of safety tiles with Jöst Floor Sander Junior and microfiber pad grey.



CONCRETE FLOOR

Cleaning of painted and coated concrete floor with the Jöst Floor Sander



Cleaning and removal of paint and rubber abrasions with the useit®-Superfinishing Pad SG2 1800.

Followed by decoating with the useit®-Superfinishing Pad SG 1200.

SAFETY TILES

Safety tiles cleaned with Jöst Floor Sander Junior, 1 weight and microfiber pad grey.



CONCRETE FLOOR

Concrete floor cleaned with the Jöst Floor Sander Multi incl. suction, the useit®-Superfinishing Pad SG 600 and water.




APPLICATION EXAMPLES

CARPETS


CARPET

Carpet cleaned with Jöst Floor Sander Junior and microfiber pad blue/melange.



CARPET

Carpet cleaning with Jöst Floor Sander Junior and microfiber pad blue/melange.



Carpet cleaning with Jöst Floor Sander Junior, microfiber pad blue/melange and surfactant-free cleaner.

CARPET




CARPET



CARPET



CARPET



APPLICATION EXAMPLES

OTHERS

SOLID SURFACE MATERIAL

Sanded with Jöst Big Boy and various grits of useit®-Superpad P and useit®-Superfinishing pads SG and SG2.




AWNING CLEANING

Cleaning with a cordless drill and the Jöst microfiber pad blue/melange in Ø 128mm incl. sanding disc and surfactan-free cleaner.



UPHOLSTERY CLEANING

Cleaning of the upholstery with a cordless drill and the Jöst microfiber pad blue/melange in 128mm Ø incl. sanding disc and surfactant-free cleaner.



STAINLESS STEEL CLEANING

Stainless steel cleaning with the Jöst CRUSTY® sponge. Without chemicals!



STAINLESS STEEL CLEANING

Stainless steel cleaning with the Jöst CRUSTY® sponge. Without chemicals!



STAINLESS STEEL CLEANING

Brushed stainless steel cleaning with the Jöst CRUSTY® sponge. Without chemicals!



STAINLESS STEEL CLEANING

Stainless steel cleaning in the hotel and catering industry with the CRUSTY® pad and the Jöst CLINI holder. Without chemicals!



GLASS CLEANING

Cleaning of glass in the hotel and catering industry with the CRUSTY® pad and the Jöst CLINI holder. Without chemicals!



GLASS CLEANING

Cleaning a shower partition in a hotel with the Jöst CRUSTY® sponge. Without chemicals!



GLASS CLEANING

Cleaning of dried lime on a window pane with the Jöst CRUSTY® sponge. Without chemicals!



Silver cleaning

Cleaning a silver coin with the Jöst CRUSTY® sponge. Without chemistry!



Silver cleaning

Cleaning silver cutlery with the Jöst CRUSTY® sponge. Without chemistry!



Chrome cleaning

Cleaning a sink stopper made of chrome with the Jöst Crusty® sponge. Without chemicals!



