


FLOOR PROGRAM



Optimal floor care and maintenance

Hard coverings • Wooden flooring • Stone floors • Carpets

PARQUET SANDING SYSTEM

AN IDEA IS NOW SETTING BENCHMARKS

The **multi-perforation useit® Superpad P** sanding pad together with the takeit® Normal pad (which is also a great dust collector) guarantee a 'Grade A' sanding performance and much improved results when using a single-disc sanding machine on parquet flooring.

Thanks to its open structure, the **takeit® Normal pad** has an extremely high capacity for dirt and dust absorption, so it's ideally suited as a dust storage pad for machines that have no dust extraction function – and the takeit® abrasive disc can't become clogged with grit and dust, guaranteeing the best possible sanding performance.



WORKING EFFECTIVELY - IN JUST ONE STEP

The **useit® Superpad P Yellow** is ideal for parquet flooring and wood applications thanks to its robust backing paper, half-open scatter and special Velcro coating. The tightly-spaced multi-perforations and the specially designed backing layer ensure the permanent removal of the sanding dust. The machined rooms will stay clean – and this is also an essential aspect in terms of work safety and low dust exposure.

RENOVATING OILED FLOORS

THE SCENARIO: An oiled floor - 10 years old

1 Sanding with the **useit® Superpad P** grit 40 – in this first step, the wooden floor is carefully sanded with the useit® Superpad P grit 40 and the grit 80 pad if required.



2 Sanding with the **useit® Superpad P** grit 120 – when the old oil has been removed from the surface, the floor is then re-smoothed with a useit® Superpad P 100-150, following the recommendations of the oil manufacturer.



3 Oiling the floor with the **takeit® Normal pad**. The oil is evenly distributed on the surface during the process – spotting is minimized. The incorporated abrasive grain smooths the wooden surface during the sanding process, ensuring the best possible results.



4 For the best possible finish: the **Sheep Wool Pad** for polishing and absorbing any residual oil. This pad will give your floor a fantastic-looking surface that shines like new.




NO MORE DUST RESIDUE

The **useit® Dust Pad** binds any static-charged dust that has remained on the floor after sanding – and removes it all from the surface by suction. Now your floor is ready for painting or sealing. This all-round floor treatment avoids cost-intensive reworking due to dust entrapments.



MACHINES WITHOUT DUST EXTRACTION
The **takeit®-Normal pad** also collects dust




MACHINES WITH DUST EXTRACTION
useit®-Superpad P guarantees sanding dust extraction over the whole surface – with no clogging thanks to the Superpad P's effective extraction

CLEANING SYSTEMS

WET OR DRY

The **useit® Superfinishing Pad SG** is great for decoating and cleaning all hard floor coverings such as lino, PVC, rubber and LVT.

It's also ideal for removing paint and graphite soiling, compensating differences in gloss levels on wooden floors and for reconditioning parquet, laminate, tiled and porcelain stoneware flooring. Thanks to its consistently open structure, the useit® fine-grinding and cleaning disc will never clog up. The useit® Superfinishing Pad SG also gives your flooring a dry and thorough cleaning – without damaging sealed finishes.



MICROFIBER PADS

CLEANING A HEAVILY SOILED CARPET WITH THE MICROFIBER PAD BLUE MELANGE


Each of the four different **JÖST microfiber pads** has its own unique characteristics: Thanks to its small, integrated bristles, the gray microfiber pad is great for cleaning structured surfaces, while the white pad is ideal for scratch-sensitive surfaces. The microfiber pad white/blue is perfect for smooth and slightly structured floors. Our all-rounder is the blue/melange microfiber pad – it's top-class when it comes to cleaning carpets and coarser dirt and soiling on linoleum, parquet, rubber, stone and laminate floors.



USEIT®-SUPERFINISHING PAD SG

WET CLEANING AN EPOXY RESIN FLOOR WITH THE SG 600 AND WATER

A unique construction combined with state-of-the-art production techniques makes the useit® Superfinishing Pad SG a superbly reliable product to give your flooring the highest surface quality. It processes a wide variety of materials and floors in no time at all!



USEIT®-ABRAFILM®

DRY SANDING A LINO FLOOR WITH USEIT®-ABRAFILM® Z-80

Thanks to the zirconium and ceramic grit sizes, the **useit®-Abrafilm®** masters hard coatings and scratch-resistant paint systems with ease. It's also great at removing epoxy resin contamination and removing PU coatings on hard surfaces – and thanks to the wide range of available grit sizes, marble floors and screed coverings can also be quickly processed. The pads are suitable for wet and dry sanding.

BLUE WAVE MELAMINE CLEANING PAD

THE CLEANING PAD WITH AN UNIQUE WAFFLE

The **Blue Wave cleaning pad** will amaze you with its deep cleaning power and unbeatable results! The reinforced structure of the melamine sponge essentially increases its service life during cleaning work. Thanks to its eraser effect, this cleaning pad will easily remove all the stubborn dirt on smooth and hard surfaces using only water – without any chemicals.



JÖST SANDING AND CLEANING PADS

Available for JÖST orbital sanders and single-disc machines



Patent-No.: EP 2 353 484

ABRANOPP® CLEANING PADS

WET CLEANING WITH THE JÖST ABRANOPP® CLEANING PAD GRAY

Our **Abranopp® cleaning pads** have been specially developed for structured floor coverings. They get right down to the deeper zones of structured surfaces. The size and shape of the Abranopp® Cleaning Pads' nubs and abrasive particles can also be adapted to match your structured flooring, so they meet your cleaning requirements perfectly time after time.



Other brush systems are plagued with problems here: Hard bristles will remove the dirt, but their inherent rigidity means they can't adapt to dive down into those deeper-lying areas, so they just more or less remain on the surface – and if the bristles are too soft, they will adapt to the floor profile, but they don't have enough cleaning power to remove the deep-seated dirt effectively.

ABRANOPP® WHITE

WITHOUT grain - This is an abrasive-free pad for removing light dirt during polishing and waxing – and it will also level the surface after a floor care product has been applied.

ABRANOPP® GRAY

The cleaning pad for the maintenance cleaning of heavily over-cleaned floors.

ABRANOPP® PURPLE

A pad with a very fine abrasive grain for removing adhering dirt and light traces of footprints. Suitable for grinding to remove layers of release agent from new floor coverings before applying sealants. Excellent for routine care & maintenance.

ABRANOPP® GREEN

This is a pad with a coarse abrasive grain that's really aggressive – perfect for the fast and thorough removal of old coatings. A superb pad for basic cleaning (but please do not use any cleaning agents containing solvents!)

ABRANOPP® SPECIAL

This pad is exceptionally abrasive – it's perfect for cleaning very dirty floors and for preparing a floor's surface before applying new sealants.



BLUE MAGIC DUST-BINDING CLOTH

THE TEST WINNER AMONG THE DUST-BINDING CLOTHS!

The **Blue Magic dust-binding cloth's** special coating makes it ideal for collecting dust and loose dirt. In combination with our floor wiper, it's your ideal partner for removing dust and cleaning parquet and hard flooring. It's not called Blue Magic because it's a pretty name – this cloth DOES remove dust as if by magic! These oil-free dust-binding cloths are available in various sizes and forms – for wiping by hand, as tear-off roll goods or for floor wiping in a “mop design”. Dust motes all tremble in fear when they see the Blue Magic dust-binding cloths coming at them!

DEDUSTING WITH BLUE MAGIC

JÖST STANDALONE-MOP



THE MOP STAYS UPRIGHT • YOU DON'T HAVE TO LEAN IT AGAINST ANYTHING • OR BEND DOWN YOURSELF

Thanks to its upright function, the mop can be placed anywhere in the room. With the simple click system, the telescopic handle can be easily adjusted to the desired size – for perfect wiping results!

USAGE SCENARIOS:

- Natural stone floors
- Parquet
- Rubber
- Wood
- Marble
- Industrial floors
- Hard coverings
- Plastics
- Solid surface materials
- Stainless steel
- Tiles



ABRAFLEX® MAROON PAD

THE ENVIRONMENTALLY-FRIENDLY SOLUTION!

A 30-year-old lino floor cleaned with the Abraflex® Maroon Pad and water

The **Abraflex® Maroon Pad** is the chemical-free solution for the partial or complete removal of floor coatings. The Abraflex® Maroon Pad easily removes floor coatings using only water and no chemicals – on almost all surfaces and especially on light-colored floors. This pad is ideal for preparing worn, sealed and painted areas (such as sports halls) for a new coat of sealant. It's robust and can be used both wet and dry.

Thanks to its stable and hard-wearing structure, the **Abraflex® Maroon Pad** has a longer life span and gives you excellent machine stability.



ABRAFLEXNOPP®

The **AbraflexNopp®** is excellently suited for basic cleaning on structured surfaces using almost any cleaning chemical. This tough pad even penetrates right into the core of all structured surface coverings, giving you truly thorough and deep cleaning.

Patent-No.: EP 2 353 484

ABRAFLEX® SUPERPADS

These are superb pads for basic or maintenance cleaning. The **Abraflex® Superpad** cleaning non-woven comes in several versions with different sizes and degrees of toughness. It's longer-lasting, faster to use, extends the life of your floor coverings – and it even protects your floor cleaning machines.



CLEANING & RECONDITIONING LAMINATE FLOORS HAS NEVER BEEN SO EASY!

The useit® multi-perforation abrasive - a clean solution!
Do you want to renovate your laminate flooring? No problem! Our useit® products will recondition it perfectly – and you can achieve almost any gloss level in combination with the useit® Superfinishing Pad SG.



Round or square
Cleaning and reconditioning laminate floors is easy with our useit® abrasives and just a standard single disc machine or the JÖST orbital sander.

**IF YOU WANT A GLOSSER FINISH
YOU CAN USE AN EVEN FINER PAD
UP TO AND INCLUDING THE USEIT®
SUPERFINISHING PAD SG3 3000**































STEP-BY-STEP:
First sand the surface, using either our **useit® Superpad P gold** with a 220 or 360 grit (depending on the floor's condition). When the scratches have been removed, sand the floor again with the useit® Superpad P 400 or P 500, both of which smooth it all beautifully. Your laminate flooring now has a matt to silky gloss. In the third easy step, polish the floor again using either the Superfinishing Pad SG 600 or SG 1500 (depending on how much shine you want).



RANGE OF USAGE SCENARIOS:



PAD
MATRIX

PAD MATRIX		ELASTIC COVERINGS					HARD COVERINGS					WOOD			CARPETS	
		Stubbed floor	Vinyl smooth	Vinyl structured	rubber floor	lino floors	Tiles smooth	Tiles structured	Clay tiles	Concrete, screed, concrete stones	Artificial/ natural stone	Epoxi resin floors	Laminate floor	Parquet	Floor boards	Loop, velours
Abranopp® Cleaning with chemistry up to max. PH 10			C, BC	C, BC		C, BC										
AbraflexNopp® Chemical resistant			C, BC													
Microfiber pad gray					C	C	C, BC	C	C	C	C	C	C	C	C	C
Microfiber pad blue melange			P	C		C	C	C	C	C	C	C	C	C	C	C
Blue wave melamine pad				BC	BC	BC	BC	BC	BC	BC	BC					
Abraflex® Maroon pad	 			CR		BC	BC,CR	BC			BC	BC	BC		BC	
Abraflex® Superpad red				C		C	C	C		C	C	C	C		C	
Abraflex® Superpad green				BC		BC	BC	BC			BC	BC	BC		BC	
Wimbledon lawn pad					C					C	C	C	C			
useit® Superfinishing Pad SG 240/600	 			CR,BC		BC	CR				BC	BC	BC		BC	BC
useit® Superfinishing Pad SG 1200-3000	 			C, P		C, P	C, P	C		C	C	C	BC	P	BC	BC
useit®-Superpad P yellow														S	S	S
useit®-Abrafilm®	 			S, BE		S	S, CR				S, BC	S, BC	S, BC		S	S


Key: C = Cleaning (wet) / BC = Basic cleaning (wet) / S = Sanding (dry) / CR = Coating removal (dry) P= Polishing
Always test on an inconspicuous area in advance. No liability is assumed for damage caused by improper use. Please ask us in advance!



Jöst GmbH

Beerfeldener Str. 77
D-69483 Wald-Michelbach

phone: +49 (0) 6207 / 9410-0
fax: +49 (0) 6207 / 2463
www.joest-abrasives.com
info@joest-abrasives.de



www.joest-abrasives.com