




PRODUCT CATALOGUE



**ABRASIVES
SANDING SYSTEMS
CLEANING PADS
CLEANING SYSTEMS**

With heart and soul


After many years of gaining experience at the Freudenberg company as Product Manager for Abrasive Nonwovens, Peter Jöst started his own company in 1981 based on his in-depth knowledge, personal commitment and innovative ideas. Today, JÖST abrasives is a medium-sized family business that special-



Company founders Peter Jöst and Sabine Jöst (†)

izes in the development, manufacture and sale of abrasives and abrasive systems. Close cooperation with users from industry, trade and with specialist trade partners has resulted in a comprehensive, practice-oriented product range that is continu-

ously being expanded and enhanced. Professionals all over the world recognize our company's unique, innovative and patented products as extremely advantageous solutions for common problems in the industry. Products from JÖST abrasives make the surface treatment of metals, alloys, wood-based materials, natural & artificial stone, plastics, mineral materials, rubber & coating materials and lacquers & paints much more productive. Thanks to the pioneering ideas that produced a higher level of availability, longer service lives and shorter machining times JÖST abrasives innovative products make a significant contribution towards increasing the customers' productivity. Our company's strengths include reliable employees with specialist knowledge and commitment, widely recognized competence in consulting and constantly high quality, flexible production processes, sensible storage and stockpiling, strict adherence to deadlines, a high level of cost efficiency and rapid and efficient decision-making. These corporate qualities benefit our customers in the metal, woodworking & plastics processing industries, in the painting & varnishing trades, in vehicle construction, carpentry & interior design – and of course the DIY specialists in the home.



Christian and Dominic Jöst run the company together with their father Peter Jöst.

Leading a company involves responsibility towards customers & suppliers, our own employees, their families and our own family. We at Jöst abrasives are very much aware of this. We try to live up to this responsibility through our commitment and daily actions, continuing to write the Jöst success story together with all those who accompany us on our path through life.

Innovative abrasives & abrasive systems

Sanding work and abrasives are common in almost every company that is involved in manual and industrial work – and our high-quality abrasives meet the stringent requirements of these companies. Highly accurate and first-class results are demanded by the market in the sanding sector. The manufacturing process is an important step in the value chain and it's also a decisive factor in the quality of the finished product. JÖST abrasives produces and sells sanding discs, abrasive belts and the accessories for craftsmen and the industry need for sophisticated and demanding sanding tasks. Since our company was founded in 1981, we have been working continuously to enhance our range of abrasives – and we can look back on many successful innovations and patent applications. The demands for a perfect surface finish are steadily growing. New materials and varnishing & coating systems constantly provide tough



challenges for abrasive manufacturers. To ensure that you have the right abrasive to hand for any task, JÖST abrasives regularly expands and enhances its wide range of products for angle grinders, random orbital sanders, sanding belts and all the other sanding equipment used in the market today. Our products and developments prove themselves again and again on a daily basis. They meet only the highest standards and are ideal for all the processing needs of painters, automobile paint spray-ers, carpenters, locksmiths, fitters, mechanics, metal workers and craftsmen who work with metal, stone, mineral materials,

wood, plastics, rubber, paint and varnishes. Innovations, new procedures and high-quality requirements are integral components of our corporate culture. Our primary goal is to offer our customers top-class products and systems that create the maximum benefits for them. JÖST abrasives has always done its



utmost to identify and understand requirements before problems arise... and we have left no stone unturned until we have found the perfect solution. We are well aware that we bear a high degree of responsibility for our current actions, and consequently for future development. That's why we have a high level of commitment to society, the environment and our customers, employees and suppliers – a commitment that not only justifies the best possible performance, it demands it. Peak performance is an ongoing journey, not just a destination. It's also dynamic, because we enhance and optimize our performance on a daily basis. We at Jöst are highly aware of this and we act accordingly, ensuring that our partners also benefit from our approach, which is just one of the many reasons why our customers all over the world have long-term confidence in our sustainable performance, ranging from the advice we give them to individual problem-solving and service.



"I've always tried to run the company in the same way as I would wish for myself if I were an employee" Peter Jöst

INDEX



abrasive paper

useit®-Superpad P gold
useit®-Superpad P yellow
White Star
Other sanding paper


page 8
page 21
page 26
page 26



abrasive film

useit®-Abrafilm®
Crystal Green

page 28
page 34



high-performance abrasives

useit®-Superfinishing-Pad SG
useit®-Superfinishing-Pad SG2
useit®-Superfinishing-Pad SG3

page 35
page 41
page 48



abraflex® non-woven

Abraflex® High Performance
Abraflex® Soft Automotive
Abraflex® E-Type
Texflex®
non-woven for long-neck sander

page 51
page 55
page 55
page 56
page 56



mesh abrasive

mesh abrasives
useit®-Superpad G for long-neck sander
Green Cut®

page 57
page 58
page 58



abrasive belts

- | | |
|---------------------------|---------|
| sanding & polishing belts | page 59 |
| Abrasive drum | page 60 |



cleaning pads

- | | |
|-------------------------------|---------|
| Abranopp® cleaning pads | page 61 |
| Blue Wave melam inpads | page 63 |
| Microfibre pads | page 64 |
| Blue Magic dust-binding cloth | page 66 |
| takeit® Normalpad | page 67 |
| Sheep wool pad | page 68 |
| Wimbledon lawn pad | page 65 |
| useit®- dust pad | page 69 |
| Abraflex® Superpad | page 70 |
| AbraflexNopp® | page 72 |
| Abraflex® Maroonpad | page 71 |




sanding & cleaning system


- | | |
|-----------------------------|---------|
| Floor Sander | page 73 |
| Floor Sander Multi | page 74 |
| Floor Sander Junior | page 75 |
| Big Boy | page 77 |
| Big Boy Junior | page 77 |
| Floor Cleaner | page 76 |
| Floor Cleaner Junior | page 76 |
| Floor Cleaner Junior 18 | page 75 |
| P1 dust-free sanding system | page 80 |
| angle grinder MAX & MORITZ | page 81 |
| pipe sanding system 2000 | page 82 |



accessories

- | | |
|-------------------------------|--------------|
| machine accessories | page 78 / 79 |
| sanding accessories | page 86 - 88 |
| starter kit for Jöst machines | page 89 |





WITH TRADITION
AND PASSION
INTO THE **FUTURE**



ABRASIVE PAPER useit®-Superpad P gold

Thanks to their full-surface multi-perforation the useit®-Superpad P gold sanding discs are ideal for use on all manual grinding machines with and without suction. They guarantee 100% capability with minimum storage costs. Thanks to its stearate coating and unique design, any clogging of the sanding discs is effectively avoided and dust pollution for humans and the environment is reduced to a minimum. Compared to conventional perforated sandpaper from other manufacturers, the gold quality achieves a much higher level of sanding performance. Precise and exquisite surface qualities with a unique 'feel' can be achieved. Thanks to its stearate coating, the Gold Quality is particularly suitable for sanding painted surfaces and guarantees a dust- and shadow-free sanding result when used on mineral materials.

xxx-x xx**SB** = optimized packaging unit for self-service stands / Euro holes


useit®-Superpad P gold for long-neck sanders

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-------------|-----------|-------|-------|---------------|--------|
| 523-A320 | ø 225 mm | gold | P-320 | in foil | 25 pcs |
| 523-A320/SB | ø 225 mm | gold | P-320 | in foil | 10 pcs |
| 523-A400 | ø 225 mm | gold | P-400 | in foil | 25 pcs |
| 523-A400/SB | ø 225 mm | gold | P-400 | in foil | 10 pcs |




useit®-Superpad P gold 50 - 430 mm diameter

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------|-----------|-------|-------|---------------|--------|
| 507-A 40 | ø 50 mm | red | P-40 | in carton | 25 pcs |
| 507-A 60 | ø 50 mm | red | P-60 | in carton | 25 pcs |
| 507-A 80 | ø 50 mm | gold | P-80 | in carton | 25 pcs |
| 507-A100 | ø 50 mm | gold | P-100 | in carton | 25 pcs |
| 507-A120 | ø 50 mm | gold | P-120 | in carton | 25 pcs |
| 507-A150 | ø 50 mm | gold | P-150 | in carton | 25 pcs |
| 507-A180 | ø 50 mm | gold | P-180 | in carton | 25 pcs |
| 507-A220 | ø 50 mm | gold | P-220 | in carton | 25 pcs |
| 507-A240 | ø 50 mm | gold | P-240 | in carton | 25 pcs |
| 507-A280 | ø 50 mm | gold | P-280 | in carton | 25 pcs |
| 507-A320 | ø 50 mm | gold | P-320 | in carton | 25 pcs |
| 507-A400 | ø 50 mm | gold | P-400 | in carton | 25 pcs |
| 507-A500 | ø 50 mm | gold | P-500 | in carton | 25 pcs |
| 507-A600 | ø 50 mm | gold | P-600 | in carton | 25 pcs |
| 507-A800 | ø 50 mm | gold | P-800 | in carton | 25 pcs |




| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|--|
| 508-A 40 | ø 75 mm | red | P-40 | in carton | 25 pcs | ✓ WOOD ✓ LACQUER ✓ METAL ✓ PLASTIC ✓ FILLER ✓ RUBBER ✓ NON-FERROUS |
| 508-A 60 | ø 75 mm | red | P-60 | in carton | 25 pcs | |
| 508-A 80 | ø 75 mm | gold | P-80 | in carton | 25 pcs | |
| 508-A100 | ø 75 mm | gold | P-100 | in carton | 25 pcs | |
| 508-A120 | ø 75 mm | gold | P-120 | in carton | 25 pcs | |
| 508-A150 | ø 75 mm | gold | P-150 | in carton | 25 pcs | |
| 508-A180 | ø 75 mm | gold | P-180 | in carton | 25 pcs | METAL ✓ COMPOSITE |
| 508-A220 | ø 75 mm | gold | P-220 | in carton | 25 pcs | |
| 508-A240 | ø 75 mm | gold | P-240 | in carton | 25 pcs | |
| 508-A280 | ø 75 mm | gold | P-280 | in carton | 25 pcs | |
| 508-A320 | ø 75 mm | gold | P-320 | in carton | 25 pcs | |
| 508-A400 | ø 75 mm | gold | P-400 | in carton | 25 pcs | |
| 508-A500 | ø 75 mm | gold | P-500 | in carton | 25 pcs | |
| 508-A600 | ø 75 mm | gold | P-600 | in carton | 25 pcs | |
| 508-A800 | ø 75 mm | gold | P-800 | in carton | 25 pcs | |
| 519-A 40 | ø 80 mm | red | P-40 | in carton | 25 pcs | |
| 519-A 60 | ø 80 mm | red | P-60 | in carton | 25 pcs | |
| 519-A 80 | ø 80 mm | gold | P-80 | in carton | 25 pcs | |
| 519-A100 | ø 80 mm | gold | P-100 | in carton | 25 pcs | |
| 519-A120 | ø 80 mm | gold | P-120 | in carton | 25 pcs | |
| 519-A150 | ø 80 mm | gold | P-150 | in carton | 25 pcs | |
| 519-A180 | ø 80 mm | gold | P-180 | in carton | 25 pcs | |
| 519-A220 | ø 80 mm | gold | P-220 | in carton | 25 pcs | |
| 519-A240 | ø 80 mm | gold | P-240 | in carton | 25 pcs | |
| 519-A280 | ø 80 mm | gold | P-280 | in carton | 25 pcs | |
| 519-A320 | ø 80 mm | gold | P-320 | in carton | 25 pcs | |
| 519-A400 | ø 80 mm | gold | P-400 | in carton | 25 pcs | |
| 519-A500 | ø 80 mm | gold | P-500 | in carton | 25 pcs | |
| 519-A600 | ø 80 mm | gold | P-600 | in carton | 25 pcs | |
| 519-A800 | ø 80 mm | gold | P-800 | in carton | 25 pcs | |
| 526-A 40 | ø 90 mm | red | P-40 | in carton | 25 pcs | |
| 526-A 40/SB | ø 90 mm | red | P-40 | in polybag | 10 pcs | ✓ WOOD ✓ LACQUER |
| 526-A 60 | ø 90 mm | red | P-60 | in carton | 25 pcs | |
| 526-A 60/SB | ø 90 mm | red | P-60 | in polybag | 10 pcs | |
| 526-A 80 | ø 90 mm | gold | P-80 | in carton | 25 pcs | ✓ METAL ✓ PLASTIC |
| 526-A 80/SB | ø 90 mm | gold | P-80 | in polybag | 10 pcs | ✓ FILLER |
| 526-A100 | ø 90 mm | gold | P-100 | in carton | 25 pcs | ✓ SOLID SURFACE ✓ STAINLESS STEEL |
| 526-A100/SB | ø 90 mm | gold | P-100 | in polybag | 10 pcs | ✓ RUBBER |
| 526-A120 | ø 90 mm | gold | P-120 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 526-A120/SB | ø 90 mm | gold | P-120 | in polybag | 10 pcs | ✓ COMPOSITE |
| 526-A150 | ø 90 mm | gold | P-150 | in carton | 25 pcs | |
| 526-A150/SB | ø 90 mm | gold | P-150 | in polybag | 10 pcs | |
| 526-A180 | ø 90 mm | gold | P-180 | in carton | 25 pcs | |
| 526-A180/SB | ø 90 mm | gold | P-180 | in polybag | 10 pcs | |
| 526-A220 | ø 90 mm | gold | P-220 | in carton | 25 pcs | |
| 526-A220/SB | ø 90 mm | gold | P-220 | in polybag | 10 pcs | |
| 526-A240 | ø 90 mm | gold | P-240 | in carton | 25 pcs | |
| 526-A240/SB | ø 90 mm | gold | P-240 | in polybag | 10 pcs | |



| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-------------|-----------|-------|-------|---------------|--------|---------------------|
| 526-A320 | ø 90 mm | gold | P-320 | in carton | 25 pcs | ✓ WOOD |
| 526-A320/SB | ø 90 mm | gold | P-320 | in polybag | 10 pcs | ✓ PARQUET |
| 526-A400 | ø 90 mm | gold | P-400 | in carton | 25 pcs | ✓ LACQUER |
| 526-A500 | ø 90 mm | gold | P-500 | in carton | 25 pcs | ✓ METAL |
| 526-A600 | ø 90 mm | gold | P-600 | in carton | 25 pcs | ✓ PLASTIC |
| 526-A800 | ø 90 mm | gold | P-800 | in carton | 25 pcs | ✓ FILLER |
| 516-A 40 | ø 128 mm | red | P-40 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 516-A 40/SB | ø 128 mm | red | P-40 | in carton | 10 pcs | ✓ STAINLESS STEEL |
| 516-A 60 | ø 128 mm | red | P-60 | in carton | 25 pcs | ✓ RUBBER |
| 516-A 60/SB | ø 128 mm | red | P-60 | in carton | 10 pcs | ✓ NON-FERROUS METAL |
| 516-A 80 | ø 128 mm | gold | P-80 | in carton | 25 pcs | ✓ COMPOSITE |
| 516-A 80/SB | ø 128 mm | gold | P-80 | in carton | 10 pcs | |
| 516-A100 | ø 128 mm | gold | P-100 | in carton | 25 pcs | |
| 516-A100/SB | ø 128 mm | gold | P-100 | in carton | 10 pcs | |
| 516-A120 | ø 128 mm | gold | P-120 | in carton | 25 pcs | |
| 516-A120/SB | ø 128 mm | gold | P-120 | in carton | 10 pcs | |
| 516-A150 | ø 128 mm | gold | P-150 | in carton | 25 pcs | |
| 516-A150/SB | ø 128 mm | gold | P-150 | in carton | 10 pcs | |
| 516-A180 | ø 128 mm | gold | P-180 | in carton | 25 pcs | |
| 516-A180/SB | ø 128 mm | gold | P-180 | in carton | 10 pcs | |
| 516-A220 | ø 128 mm | gold | P-220 | in carton | 25 pcs | |
| 516-A220/SB | ø 128 mm | gold | P-220 | in carton | 10 pcs | |
| 516-A240 | ø 128 mm | gold | P-240 | in carton | 25 pcs | |
| 516-A240/SB | ø 128 mm | gold | P-240 | in carton | 10 pcs | |
| 516-A280 | ø 128 mm | gold | P-280 | in carton | 25 pcs | |
| 516-A280/SB | ø 128 mm | gold | P-280 | in carton | 10 pcs | |
| 516-A320 | ø 128 mm | gold | P-320 | in carton | 25 pcs | |
| 516-A320/SB | ø 128 mm | gold | P-320 | in carton | 10 pcs | |
| 516-A400 | ø 128 mm | gold | P-400 | in carton | 25 pcs | |
| 516-A400/SB | ø 128 mm | gold | P-400 | in carton | 10 pcs | ✓ WOOD |
| 516-A500 | ø 128 mm | gold | P-500 | in carton | 25 pcs | ✓ PARQUET |
| 516-A600 | ø 128 mm | gold | P-600 | in carton | 25 pcs | ✓ LACQUER |
| 516-A800 | ø 128 mm | gold | P-800 | in carton | 25 pcs | ✓ METAL |
| 517-A 40 | ø 150 mm | red | P-40 | in carton | 25 pcs | ✓ PLASTIC |
| 517-A 40/SB | ø 150 mm | red | P-40 | in carton | 10 pcs | ✓ FILLER |
| 517-A 60 | ø 150 mm | red | P-60 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 517-A 60/SB | ø 150 mm | red | P-60 | in carton | 10 pcs | ✓ STAINLESS STEEL |
| 517-A 80 | ø 150 mm | gold | P-80 | in carton | 25 pcs | ✓ RUBBER |
| 517-A 80/SB | ø 150 mm | gold | P-80 | in carton | 10 pcs | ✓ NON-FERROUS METAL |
| 517-A100 | ø 150 mm | gold | P-100 | in carton | 25 pcs | ✓ COMPOSITE |
| 517-A100/SB | ø 150 mm | gold | P-100 | in carton | 10 pcs | |
| 517-A120 | ø 150 mm | gold | P-120 | in carton | 25 pcs | |
| 517-A120/SB | ø 150 mm | gold | P-120 | in carton | 10 pcs | |
| 517-A150 | ø 150 mm | gold | P-150 | in carton | 25 pcs | |
| 517-A150/SB | ø 150 mm | gold | P-150 | in carton | 10 pcs | |
| 517-A180 | ø 150 mm | gold | P-180 | in carton | 25 pcs | |
| 517-A180/SB | ø 150 mm | gold | P-180 | in carton | 10 pcs | |



xxx-x xx**SB** = optimized packaging unit
for self-service stands / Euro holes



| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 517-A220 | Ø 150 mm | gold | P-220 | in carton | 25 pcs | ✓ WOOD |
| 517-A220/SB | Ø 150 mm | gold | P-220 | in carton | 10 pcs | ✓ PARQUET |
| 517-A240 | Ø 150 mm | gold | P-240 | in carton | 25 pcs | ✓ LACQUER |
| 517-A280 | Ø 150 mm | gold | P-280 | in carton | 25 pcs | ✓ METAL |
| 517-A320 | Ø 150 mm | gold | P-320 | in carton | 25 pcs | ✓ PLASTIC |
| 517-A320/SB | Ø 150 mm | gold | P-320 | in carton | 10 pcs | ✓ FILLER |
| 517-A400 | Ø 150 mm | gold | P-400 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 517-A400/SB | Ø 150 mm | gold | P-400 | in carton | 10 pcs | ✓ STAINLESS STEEL |
| 517-A500 | Ø 150 mm | gold | P-500 | in carton | 25 pcs | ✓ RUBBER |
| 517-A600 | Ø 150 mm | gold | P-600 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 517-A800 | Ø 150 mm | gold | P-800 | in carton | 25 pcs | ✓ COMPOSITE |
| 518-A 40 | Ø 200 mm | red | P-40 | in carton | 25 pcs | |
| 518-A 60 | Ø 200 mm | red | P-60 | in carton | 25 pcs | |
| 518-A 80 | Ø 200 mm | gold | P-80 | in carton | 25 pcs | |
| 518-A100 | Ø 200 mm | gold | P-100 | in carton | 25 pcs | |
| 518-A120 | Ø 200 mm | gold | P-120 | in carton | 25 pcs | |
| 518-A150 | Ø 200 mm | gold | P-150 | in carton | 25 pcs | |
| 518-A180 | Ø 200 mm | gold | P-180 | in carton | 25 pcs | |
| 518-A220 | Ø 200 mm | gold | P-220 | in carton | 25 pcs | |
| 518-A240 | Ø 200 mm | gold | P-240 | in carton | 25 pcs | |
| 518-A280 | Ø 200 mm | gold | P-280 | in carton | 25 pcs | |
| 518-A320 | Ø 200 mm | gold | P-320 | in carton | 25 pcs | |
| 518-A400 | Ø 200 mm | gold | P-400 | in carton | 25 pcs | |
| 518-A500 | Ø 200 mm | gold | P-500 | in carton | 25 pcs | |
| 518-A600 | Ø 200 mm | gold | P-600 | in carton | 25 pcs | |
| 518-A800 | Ø 200 mm | gold | P-800 | in carton | 25 pcs | |
| 520-A 40 | Ø 280 mm | red | P-40 | in carton | 25 pcs | ✓ WOOD |
| 520-A 60 | Ø 280 mm | red | P-60 | in carton | 25 pcs | ✓ PARQUET |
| 520-A 80 | Ø 280 mm | gold | P-80 | in carton | 25 pcs | ✓ LACQUER |
| 520-A100 | Ø 280 mm | gold | P-100 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 520-A120 | Ø 280 mm | gold | P-120 | in carton | 25 pcs | ✓ STAINLESS STEEL |
| 520-A150 | Ø 280 mm | gold | P-150 | in carton | 25 pcs | ✓ RUBBER |
| 520-A180 | Ø 280 mm | gold | P-180 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 520-A220 | Ø 280 mm | gold | P-220 | in carton | 25 pcs | ✓ COMPOSITE |
| 520-A240 | Ø 280 mm | gold | P-240 | in carton | 25 pcs | |
| 520-A280 | Ø 280 mm | gold | P-280 | in carton | 25 pcs | |
| 520-A320 | Ø 280 mm | gold | P-320 | in carton | 25 pcs | |
| 520-A400 | Ø 280 mm | gold | P-400 | in carton | 25 pcs | |
| 520-A500 | Ø 280 mm | gold | P-500 | in carton | 25 pcs | |
| 520-A600 | Ø 280 mm | gold | P-600 | in carton | 25 pcs | |
| 520-A800 | Ø 280 mm | gold | P-800 | in carton | 25 pcs | |




With the useit®-Superpad P gold multi-perforation sanding discs, you can process laminate flooring quickly and easily using conventional single-disc machines. Microscratches are sanded out of the laminate with the useit®-Superpad gold lacquer sandpaper and the desired degree of gloss is then restored with the useit®-Superfinishing Pad SG.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 538-A 80 | ø 375 mm | gold | P-80 | in carton | 30 pcs |
| 538-A 80/SB | ø 375 mm | gold | P-80 | in carton | 10 pcs |
| 538-A100 | ø 375 mm | gold | P-100 | in carton | 30 pcs |
| 538-A100/SB | ø 375 mm | gold | P-100 | in carton | 10 pcs |
| 538-A120 | ø 375 mm | gold | P-120 | in carton | 30 pcs |
| 538-A120/SB | ø 375 mm | gold | P-120 | in carton | 10 pcs |
| 538-A150 | ø 375 mm | gold | P-150 | in carton | 30 pcs |
| 538-A150/SB | ø 375 mm | gold | P-150 | in carton | 10 pcs |
| 538-A180 | ø 375 mm | gold | P-180 | in carton | 30 pcs |
| 538-A180/SB | ø 375 mm | gold | P-180 | in carton | 10 pcs |
| 538-A220 | ø 375 mm | gold | P-220 | in carton | 30 pcs |
| 538-A220/SB | ø 375 mm | gold | P-220 | in carton | 10 pcs |
| 538-A280 | ø 375 mm | gold | P-280 | in carton | 30 pcs |
| 538-A280/SB | ø 375 mm | gold | P-280 | in carton | 10 pcs |
| 538-A320 | ø 375 mm | gold | P-320 | in carton | 30 pcs |
| 538-A320/SB | ø 375 mm | gold | P-320 | in carton | 10 pcs |
| 538-A400 | ø 375 mm | gold | P-400 | in carton | 30 pcs |
| 538-A400/SB | ø 375 mm | gold | P-400 | in carton | 10 pcs |
| 538-A500 | ø 375 mm | gold | P-500 | in carton | 30 pcs |
| 538-A500/SB | ø 375 mm | gold | P-500 | in carton | 10 pcs |
| 539-A280 | ø 410 mm | gold | P-280 | in carton | 30 pcs |
| 539-A280/SB | ø 410 mm | gold | P-280 | in carton | 10 pcs |
| 539-A320 | ø 410 mm | gold | P-320 | in carton | 30 pcs |
| 539-A320/SB | ø 410 mm | gold | P-320 | in carton | 10 pcs |
| 539-A400 | ø 410 mm | gold | P-400 | in carton | 30 pcs |
| 539-A400/SB | ø 410 mm | gold | P-400 | in carton | 10 pcs |
| 539-A500 | ø 410 mm | gold | P-500 | in carton | 30 pcs |
| 539-A500/SB | ø 410 mm | gold | P-500 | in carton | 10 pcs |
| 540-A280 | ø 430 mm | gold | P-280 | in carton | 30 pcs |
| 540-A280/SB | ø 430 mm | gold | P-280 | in carton | 10 pcs |
| 540-A320 | ø 430 mm | gold | P-320 | in carton | 30 pcs |
| 540-A320/SB | ø 430 mm | gold | P-320 | in carton | 10 pcs |
| 540-A400 | ø 430 mm | gold | P-400 | in carton | 30 pcs |
| 540-A400/SB | ø 430 mm | gold | P-400 | in carton | 10 pcs |
| 540-A500 | ø 430 mm | gold | P-500 | in carton | 30 pcs |
| 540-A500/SB | ø 430 mm | gold | P-500 | in carton | 10 pcs |



useit®-Superpad P gold stripes

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------|-----------|-------|-------|---------------|--------|
| 506-A 40 | 70x125 mm | red | P-40 | in carton | 25 pcs |
| 506-A 60 | 70x125 mm | red | P-60 | in carton | 25 pcs |
| 506-A 80 | 70x125 mm | gold | P-80 | in carton | 25 pcs |
| 506-A100 | 70x125 mm | gold | P-100 | in carton | 25 pcs |
| 506-A120 | 70x125 mm | gold | P-120 | in carton | 25 pcs |
| 506-A150 | 70x125 mm | gold | P-150 | in carton | 25 pcs |
| 506-A180 | 70x125 mm | gold | P-180 | in carton | 25 pcs |
| 506-A220 | 70x125 mm | gold | P-220 | in carton | 25 pcs |
| 506-A240 | 70x125 mm | gold | P-240 | in carton | 25 pcs |
| 506-A280 | 70x125 mm | gold | P-280 | in carton | 25 pcs |
| 506-A320 | 70x125 mm | gold | P-320 | in carton | 25 pcs |
| 506-A400 | 70x125 mm | gold | P-400 | in carton | 25 pcs |
| 506-A500 | 70x125 mm | gold | P-500 | in carton | 25 pcs |
| 506-A600 | 70x125 mm | gold | P-600 | in carton | 25 pcs |
| 506-A800 | 70x125 mm | gold | P-800 | in carton | 25 pcs |
| 505-A 40 | 70x420 mm | red | P-40 | in carton | 25 pcs |
| 505-A 60 | 70x420 mm | red | P-60 | in carton | 25 pcs |
| 505-A 80 | 70x420 mm | gold | P-80 | in carton | 25 pcs |
| 505-A100 | 70x420 mm | gold | P-100 | in carton | 25 pcs |
| 505-A120 | 70x420 mm | gold | P-120 | in carton | 25 pcs |
| 505-A150 | 70x420 mm | gold | P-150 | in carton | 25 pcs |
| 505-A180 | 70x420 mm | gold | P-180 | in carton | 25 pcs |
| 505-A220 | 70x420 mm | gold | P-220 | in carton | 25 pcs |
| 505-A240 | 70x420 mm | gold | P-240 | in carton | 25 pcs |
| 505-A280 | 70x420 mm | gold | P-280 | in carton | 25 pcs |
| 505-A320 | 70x420 mm | gold | P-320 | in carton | 25 pcs |
| 505-A400 | 70x420 mm | gold | P-400 | in carton | 25 pcs |
| 505-A500 | 70x420 mm | gold | P-500 | in carton | 25 pcs |
| 505-A600 | 70x420 mm | gold | P-600 | in carton | 25 pcs |
| 505-A800 | 70x420 mm | gold | P-800 | in carton | 25 pcs |



- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NON-FERROUS METAL
- ✓ COMPOSITE

| Part no. | Dimension | Color | Grit | Delivery form PU |
|-----------------|------------------|--------------|-------------|-------------------------|
| 513-A 40 | 80x133 mm | red | P-40 | in carton 25 pcs |
| 513-A 40/SB | 80x133 mm | red | P-40 | in polybag 10 pcs |
| 513-A 60 | 80x133 mm | red | P-60 | in carton 25 pcs |
| 513-A 60/SB | 80x133 mm | red | P-60 | in polybag 10 pcs |
| 513-A 80 | 80x133 mm | gold | P-80 | in carton 25 pcs |
| 513-A 80/SB | 80x133 mm | gold | P-80 | in polybag 10 pcs |
| 513-A100 | 80x133 mm | gold | P-100 | in carton 25 pcs |
| 513-A100/SB | 80x133 mm | gold | P-100 | in polybag 10 pcs |
| 513-A120 | 80x133 mm | gold | P-120 | in carton 25 pcs |
| 513-A120/SB | 80x133 mm | gold | P-120 | in polybag 10 pcs |
| 513-A150 | 80x133 mm | gold | P-150 | in carton 25 pcs |
| 513-A150/SB | 80x133 mm | gold | P-150 | in polybag 10 pcs |
| 513-A180 | 80x133 mm | gold | P-180 | in carton 25 pcs |
| 513-A180/SB | 80x133 mm | gold | P-180 | in polybag 10 pcs |
| 513-A220 | 80x133 mm | gold | P-220 | in carton 25 pcs |
| 513-A220/SB | 80x133 mm | gold | P-220 | in polybag 10 pcs |
| 513-A240 | 80x133 mm | gold | P-240 | in carton 25 pcs |
| 513-A240/SB | 80x133 mm | gold | P-240 | in polybag 10 pcs |
| 513-A280 | 80x133 mm | gold | P-280 | in carton 25 pcs |
| 513-A280/SB | 80x133 mm | gold | P-280 | in polybag 10 pcs |
| 513-A320 | 80x133 mm | gold | P-320 | in carton 25 pcs |
| 513-A320/SB | 80x133 mm | gold | P-320 | in polybag 10 pcs |
| 513-A400 | 80x133 mm | gold | P-400 | in carton 25 pcs |
| 513-A400/SB | 80x133 mm | gold | P-400 | in polybag 10 pcs |
| 513-A500 | 80x133 mm | gold | P-500 | in carton 25 pcs |
| 513-A600 | 80x133 mm | gold | P-600 | in carton 25 pcs |
| 513-A800 | 80x133 mm | gold | P-800 | in carton 25 pcs |



| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-------------|------------|-------|-------|---------------|--------|---------------------|
| 514-A 40 | 93x178 mm | red | P-40 | in carton | 25 pcs | ✓ LACQUER |
| 514-A 40/SB | 93x178 mm | red | P-40 | in polybag | 10 pcs | ✓ METAL |
| 514-A 60 | 93x178 mm | red | P-60 | in carton | 25 pcs | ✓ FILLER |
| 514-A 60/SB | 93x178 mm | red | P-60 | in polybag | 10 pcs | ✓ COMPOSITE |
| 514-A 80 | 93x178 mm | gold | P-80 | in carton | 25 pcs | |
| 514-A 80/SB | 93x178 mm | gold | P-80 | in polybag | 10 pcs | |
| 514-A100 | 93x178 mm | gold | P-100 | in carton | 25 pcs | |
| 514-A100/SB | 93x178 mm | gold | P-100 | in polybag | 10 pcs | |
| 514-A120 | 93x178 mm | gold | P-120 | in carton | 25 pcs | |
| 514-A120/SB | 93x178 mm | gold | P-120 | in polybag | 10 pcs | |
| 514-A150 | 93x178 mm | gold | P-150 | in carton | 25 pcs | |
| 514-A150/SB | 93x178 mm | gold | P-150 | in polybag | 10 pcs | |
| 514-A180 | 93x178 mm | gold | P-180 | in carton | 25 pcs | |
| 514-A180/SB | 93x178 mm | gold | P-180 | in polybag | 10 pcs | |
| 514-A220 | 93x178 mm | gold | P-220 | in carton | 25 pcs | |
| 514-A220/SB | 93x178 mm | gold | P-220 | in polybag | 10 pcs | |
| 514-A240 | 93x178 mm | gold | P-240 | in carton | 25 pcs | |
| 514-A240/SB | 93x178 mm | gold | P-240 | in polybag | 10 pcs | |
| 514-A280 | 93x178 mm | gold | P-280 | in carton | 25 pcs | |
| 514-A280/SB | 93x178 mm | gold | P-280 | in polybag | 10 pcs | |
| 514-A320 | 93x178 mm | gold | P-320 | in carton | 25 pcs | |
| 514-A320/SB | 93x178 mm | gold | P-320 | in polybag | 10 pcs | |
| 514-A400 | 93x178 mm | gold | P-400 | in carton | 25 pcs | |
| 514-A400/SB | 93x178 mm | gold | P-400 | in polybag | 10 pcs | |
| 514-A500 | 93x178 mm | gold | P-500 | in carton | 25 pcs | |
| 514-A600 | 93x178 mm | gold | P-600 | in carton | 25 pcs | |
| 514-A800 | 93x178 mm | gold | P-800 | in carton | 25 pcs | |
| 512-A 40 | 100x147 mm | red | P-40 | in carton | 25 pcs | |
| 512-A 60 | 100x147 mm | red | P-60 | in carton | 25 pcs | |
| 512-A 80 | 100x147 mm | gold | P-80 | in carton | 25 pcs | |
| 512-A100 | 100x147 mm | gold | P-100 | in carton | 25 pcs | ✓ WOOD |
| 512-A120 | 100x147 mm | gold | P-120 | in carton | 25 pcs | ✓ PARQUET |
| 512-A150 | 100x147 mm | gold | P-150 | in carton | 25 pcs | ✓ LACQUER |
| 512-A180 | 100x147 mm | gold | P-180 | in carton | 25 pcs | ✓ METAL |
| 512-A220 | 100x147 mm | gold | P-220 | in carton | 25 pcs | ✓ PLASTIC |
| 512-A240 | 100x147 mm | gold | P-240 | in carton | 25 pcs | ✓ FILLER |
| 512-A280 | 100x147 mm | gold | P-280 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 512-A320 | 100x147 mm | gold | P-320 | in carton | 25 pcs | ✓ STAINLESS STEEL |
| 512-A400 | 100x147 mm | gold | P-400 | in carton | 25 pcs | ✓ RUBBER |
| 512-A500 | 100x147 mm | gold | P-500 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 512-A600 | 100x147 mm | gold | P-600 | in carton | 25 pcs | ✓ COMPOSITE |
| 512-A800 | 100x147 mm | gold | P-800 | in carton | 25 pcs | |



xxx-x xx**SB** = optimized packaging unit
for self-service stands / Euro holes


| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 524-A 40 | 115x115 mm | red | P-40 | in carton | 25 pcs | ✓ WOOD |
| 524-A 60 | 115x115 mm | red | P-60 | in carton | 25 pcs | ✓ PARQUET |
| 524-A 80 | 115x115 mm | gold | P-80 | in carton | 25 pcs | ✓ LACQUER |
| 524-A100 | 115x115 mm | gold | P-100 | in carton | 25 pcs | ✓ PLASTIC |
| 524-A120 | 115x115 mm | gold | P-120 | in carton | 25 pcs | ✓ FILLER |
| 524-A150 | 115x115 mm | gold | P-150 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 524-A180 | 115x115 mm | gold | P-180 | in carton | 25 pcs | ✓ RUBBER |
| 524-A220 | 115x115 mm | gold | P-220 | in carton | 25 pcs | ✓ COMPOSITE |
| 524-A240 | 115x115 mm | gold | P-240 | in carton | 25 pcs | |
| 524-A280 | 115x115 mm | gold | P-280 | in carton | 25 pcs | |
| 524-A320 | 115x115 mm | gold | P-320 | in carton | 25 pcs | |
| 524-A400 | 115x115 mm | gold | P-400 | in carton | 25 pcs | |
| 524-A500 | 115x115 mm | gold | P-500 | in carton | 25 pcs | |
| 524-A600 | 115x115 mm | gold | P-600 | in carton | 25 pcs | |
| 524-A800 | 115x115 mm | gold | P-800 | in carton | 25 pcs | |
| 515-A 40 | 115x228 mm | red | P-40 | in carton | 25 pcs | |
| 515-A 40/SB | 115x228 mm | red | P-40 | in polybag | 10 pcs | |
| 515-A 60 | 115x228 mm | red | P-60 | in carton | 25 pcs | |
| 515-A 60/SB | 115x228 mm | red | P-60 | in polybag | 10 pcs | |
| 515-A 80 | 115x228 mm | gold | P-80 | in carton | 25 pcs | |
| 515-A 80/SB | 115x228 mm | gold | P-80 | in polybag | 10 pcs | |
| 515-A100 | 115x228 mm | gold | P-100 | in carton | 25 pcs | |
| 515-A100/SB | 115x228 mm | gold | P-100 | in polybag | 10 pcs | |
| 515-A120 | 115x228 mm | gold | P-120 | in carton | 25 pcs | |
| 515-A120/SB | 115x228 mm | gold | P-120 | in polybag | 10 pcs | |
| 515-A150 | 115x228 mm | gold | P-150 | in carton | 25 pcs | |
| 515-A150/SB | 115x228 mm | gold | P-150 | in polybag | 10 pcs | ✓ WOOD |
| 515-A180 | 115x228 mm | gold | P-180 | in carton | 25 pcs | ✓ PARQUET |
| 515-A180/SB | 115x228 mm | gold | P-180 | in polybag | 10 pcs | ✓ LACQUER |
| 515-A220 | 115x228 mm | gold | P-220 | in carton | 25 pcs | ✓ METAL |
| 515-A220/SB | 115x228 mm | gold | P-220 | in polybag | 10 pcs | ✓ PLASTIC |
| 515-A240 | 115x228 mm | gold | P-240 | in carton | 25 pcs | ✓ FILLER |
| 515-A240/SB | 115x228 mm | gold | P-240 | in polybag | 10 pcs | ✓ SOLID SURFACE |
| 515-A280 | 115x228 mm | gold | P-280 | in carton | 25 pcs | ✓ STAINLESS STEEL |
| 515-A280/SB | 115x228 mm | gold | P-280 | in polybag | 10 pcs | ✓ RUBBER |
| 515-A320 | 115x228 mm | gold | P-320 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 515-A320/SB | 115x228 mm | gold | P-320 | in polybag | 10 pcs | ✓ COMPOSITE |
| 515-A400 | 115x228 mm | gold | P-400 | in carton | 25 pcs | |
| 515-A400/SB | 115x228 mm | gold | P-400 | in polybag | 10 pcs | |
| 515-A500 | 115x228 mm | gold | P-500 | in carton | 25 pcs | |
| 515-A600 | 115x228 mm | gold | P-600 | in carton | 25 pcs | |
| 515-A800 | 115x228 mm | gold | P-800 | in carton | 25 pcs | |



| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 525-A 40 | 230x280 mm | red | P-40 | in carton | 25 pcs | ✓ WOOD |
| 525-A 60 | 230x280 mm | red | P-60 | in carton | 25 pcs | ✓ PARQUET |
| 525-A 80 | 230x280 mm | gold | P-80 | in carton | 25 pcs | ✓ LACQUER |
| 525-A100 | 230x280 mm | gold | P-100 | in carton | 25 pcs | ✓ METAL |
| 525-A120 | 230x280 mm | gold | P-120 | in carton | 25 pcs | ✓ PLASTIC |
| 525-A150 | 230x280 mm | gold | P-150 | in carton | 25 pcs | ✓ FILLER |
| 525-A180 | 230x280 mm | gold | P-180 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 525-A220 | 230x280 mm | gold | P-220 | in carton | 25 pcs | ✓ STAINLESS STEEL |
| 525-A240 | 230x280 mm | gold | P-240 | in carton | 25 pcs | ✓ RUBBER |
| 525-A280 | 230x280 mm | gold | P-280 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 525-A320 | 230x280 mm | gold | P-320 | in carton | 25 pcs | ✓ COMPOSITE |
| 525-A400 | 230x280 mm | gold | P-400 | in carton | 25 pcs | |
| 525-A600 | 230x280 mm | gold | P-600 | in carton | 25 pcs | |
| 525-A800 | 230x280 mm | gold | P-800 | in carton | 25 pcs | |


useit®-Superpad P gold delta shape

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 511-A 40 | 93x93x93 mm | red | P-40 | in carton | 25 pcs |
| 511-A 40/SB | 93x93x93 mm | red | P-40 | in polybag | 10 pcs |
| 511-A 60 | 93x93x93 mm | red | P-60 | in carton | 25 pcs |
| 511-A 60/SB | 93x93x93 mm | red | P-60 | in polybag | 10 pcs |
| 511-A 80 | 93x93x93 mm | gold | P-80 | in carton | 25 pcs |
| 511-A 80/SB | 93x93x93 mm | gold | P-80 | in polybag | 10 pcs |
| 511-A100 | 93x93x93 mm | gold | P-100 | in carton | 25 pcs |
| 511-A100/SB | 93x93x93 mm | gold | P-100 | in polybag | 10 pcs |
| 511-A120 | 93x93x93 mm | gold | P-120 | in carton | 25 pcs |
| 511-A120/SB | 93x93x93 mm | gold | P-120 | in polybag | 10 pcs |
| 511-A150 | 93x93x93 mm | gold | P-150 | in carton | 25 pcs |
| 511-A150/SB | 93x93x93 mm | gold | P-150 | in polybag | 10 pcs |
| 511-A180 | 93x93x93 mm | gold | P-180 | in carton | 25 pcs |
| 511-A180/SB | 93x93x93 mm | gold | P-180 | in polybag | 10 pcs |
| 511-A220 | 93x93x93 mm | gold | P-220 | in carton | 25 pcs |
| 511-A220/SB | 93x93x93 mm | gold | P-220 | in polybag | 10 pcs |
| 511-A240 | 93x93x93 mm | gold | P-240 | in carton | 25 pcs |
| 511-A240/SB | 93x93x93 mm | gold | P-240 | in polybag | 10 pcs |
| 511-A280 | 93x93x93 mm | gold | P-280 | in carton | 25 pcs |
| 511-A280/SB | 93x93x93 mm | gold | P-280 | in polybag | 10 pcs |
| 511-A320 | 93x93x93 mm | gold | P-320 | in carton | 25 pcs |
| 511-A320/SB | 93x93x93 mm | gold | P-320 | in polybag | 10 pcs |
| 511-A400 | 93x93x93 mm | gold | P-400 | in carton | 25 pcs |
| 511-A400/SB | 93x93x93 mm | gold | P-400 | in polybag | 10 pcs |
| 511-A500 | 93x93x93 mm | gold | P-500 | in carton | 25 pcs |
| 511-A600 | 93x93x93 mm | gold | P-600 | in carton | 25 pcs |
| 511-A800 | 93x93x93 mm | gold | P-800 | in carton | 25 pcs |




| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 541-A 40 | 105x105x105 mm | red | P-40 | in carton | 25 pcs | ✓ WOOD |
| 541-A 40/SB | 105x105x105 mm | red | P-40 | in polybag | 10 pcs | ✓ PARQUET |
| 541-A 60 | 105x105x105 mm | red | P-60 | in carton | 25 pcs | ✓ LACQUER |
| 541-A 60/SB | 105x105x105 mm | red | P-60 | in polybag | 10 pcs | ✓ METAL |
| 541-A 80 | 105x105x105 mm | gold | P-80 | in carton | 25 pcs | ✓ PLASTIC |
| 541-A 80/SB | 105x105x105 mm | gold | P-80 | in polybag | 10 pcs | ✓ FILLER |
| 541-A 100 | 105x105x105 mm | gold | P-100 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 541-A 100/SB | 105x105x105 mm | gold | P-100 | in polybag | 10 pcs | ✓ STAINLESS STEEL |
| 541-A 120 | 105x105x105 mm | gold | P-120 | in carton | 25 pcs | ✓ RUBBER |
| 541-A 120/SB | 105x105x105 mm | gold | P-120 | in polybag | 10 pcs | ✓ NON-FERROUS METAL |
| 541-A 150 | 105x105x105 mm | gold | P-150 | in carton | 25 pcs | ✓ COMPOSITE |
| 541-A 150/SB | 105x105x105 mm | gold | P-150 | in polybag | 10 pcs | |
| 541-A 180 | 105x105x105 mm | gold | P-180 | in carton | 25 pcs | |
| 541-A 180/SB | 105x105x105 mm | gold | P-180 | in polybag | 10 pcs | |
| 541-A 220 | 105x105x105 mm | gold | P-220 | in carton | 25 pcs | |
| 541-A 220/SB | 105x105x105 mm | gold | P-220 | in polybag | 10 pcs | |
| 541-A 240 | 105x105x105 mm | gold | P-240 | in carton | 25 pcs | |
| 541-A 240/SB | 105x105x105 mm | gold | P-240 | in polybag | 10 pcs | |
| 541-A 280 | 105x105x105 mm | gold | P-280 | in carton | 25 pcs | |
| 541-A 280/SB | 105x105x105 mm | gold | P-280 | in polybag | 10 pcs | |
| 541-A 320 | 105x105x105 mm | gold | P-320 | in carton | 25 pcs | |
| 541-A 320/SB | 105x105x105 mm | gold | P-320 | in polybag | 10 pcs | |
| 541-A 400 | 105x105x105 mm | gold | P-400 | in carton | 25 pcs | |
| 541-A 400/SB | 105x105x105 mm | gold | P-400 | in polybag | 10 pcs | |
| 541-A 500 | 105x105x105 mm | gold | P-500 | in carton | 25 pcs | |
| 541-A 600 | 105x105x105 mm | gold | P-600 | in carton | 25 pcs | |
| 541-A 800 | 105x105x105 mm | gold | P-800 | in carton | 25 pcs | |


xxx-x xx**SB** = optimized packaging unit
for self-service stands / Euro holes




useit®-Superpad P gold for edge sander

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 509-A280/P | ø 115 mm | gold | P-280 | in polybag | 25 pcs |
| 509-A320/P | ø 115 mm | gold | P-320 | in polybag | 25 pcs |
| 509-A440/P | ø 115 mm | gold | P-440 | in polybag | 25 pcs |
| 509-A500/P | ø 115 mm | gold | P-500 | in polybag | 25 pcs |
| 504-A280/P | ø 140 mm | gold | P-280 | in polybag | 25 pcs |
| 504-A320/P | ø 140 mm | gold | P-320 | in polybag | 25 pcs |
| 504-A400/P | ø 140 mm | gold | P-400 | in polybag | 25 pcs |
| 504-A500/P | ø 140 mm | gold | P-500 | in polybag | 25 pcs |
| 517-A280/P | ø 150 mm | gold | P-280 | in polybag | 25 pcs |
| 517-A320/P | ø 150 mm | gold | P-320 | in polybag | 25 pcs |
| 517-A400/P | ø 150 mm | gold | P-400 | in polybag | 25 pcs |
| 517-A500/P | ø 150 mm | gold | P-500 | in polybag | 25 pcs |
| 537-A280/P | ø 178 mm | gold | P-280 | in polybag | 25 pcs |
| 537-A320/P | ø 178 mm | gold | P-320 | in polybag | 25 pcs |
| 537-A400/P | ø 178 mm | gold | P-400 | in polybag | 25 pcs |
| 537-A500/P | ø 178 mm | gold | P-500 | in polybag | 25 pcs |
| 518-A280/P | ø 200 mm | gold | P-280 | in polybag | 25 pcs |
| 518-A320/P | ø 200 mm | gold | P-320 | in polybag | 25 pcs |
| 518-A400/P | ø 200 mm | gold | P-400 | in polybag | 25 pcs |
| 518-A500/P | ø 200 mm | gold | P-500 | in polybag | 25 pcs |





The dust-free solution with maximum grinding performance




useit®-Superpad P gold for Jöst eccentric machines

As in the case of the useit®-Superpad P gold for single disc machines, laminate floors in need of renovation can be easily refurbished with the Jöst random orbital sanders.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------|------------|-------|-------|---------------|--------|
| 549-A40 | 190x340 mm | red | P-40 | in polybag | 10 pcs |
| 549-A60 | 190x340 mm | red | P-60 | in polybag | 10 pcs |
| 549-A80 | 190x340 mm | gold | P-80 | in polybag | 10 pcs |
| 549-A100 | 190x340 mm | gold | P-100 | in polybag | 10 pcs |
| 549-A120 | 190x340 mm | gold | P-120 | in polybag | 10 pcs |
| 549-A150 | 190x340 mm | gold | P-150 | in polybag | 10 pcs |
| 549-A180 | 190x340 mm | gold | P-180 | in polybag | 10 pcs |
| 549-A220 | 190x340 mm | gold | P-220 | in polybag | 10 pcs |
| 549-A240 | 190x340 mm | gold | P-240 | in polybag | 10 pcs |
| 549-A280 | 190x340 mm | gold | P-280 | in polybag | 10 pcs |
| 549-A320 | 190x340 mm | gold | P-320 | in polybag | 10 pcs |
| 549-A400 | 190x340 mm | gold | P-400 | in polybag | 10 pcs |
| 549-A500 | 190x340 mm | gold | P-500 | in polybag | 10 pcs |
| 549-A600 | 190x340 mm | gold | P-600 | in polybag | 10 pcs |
| 549-A800 | 190x340 mm | gold | P-800 | in polybag | 10 pcs |
| 548-A40 | 335x485 mm | red | P-40 | in polybag | 10 pcs |
| 548-A60 | 335x485 mm | red | P-60 | in polybag | 10 pcs |
| 548-A80 | 335x485 mm | gold | P-80 | in polybag | 10 pcs |
| 548-A100 | 335x485 mm | gold | P-100 | in polybag | 10 pcs |
| 548-A120 | 335x485 mm | gold | P-120 | in polybag | 10 pcs |
| 548-A150 | 335x485 mm | gold | P-150 | in polybag | 10 pcs |
| 548-A180 | 335x485 mm | gold | P-180 | in polybag | 10 pcs |
| 548-A220 | 335x485 mm | gold | P-220 | in polybag | 10 pcs |
| 548-A240 | 335x485 mm | gold | P-240 | in polybag | 10 pcs |
| 548-A280 | 335x485 mm | gold | P-280 | in polybag | 10 pcs |
| 548-A320 | 335x485 mm | gold | P-320 | in polybag | 10 pcs |
| 548-A400 | 335x485 mm | gold | P-400 | in polybag | 10 pcs |
| 548-A500 | 335x485 mm | gold | P-500 | in polybag | 10 pcs |
| 548-A600 | 335x485 mm | gold | P-600 | in polybag | 10 pcs |
| 548-A800 | 335x485 mm | gold | P-800 | in polybag | 10 pcs |





ABRASIVE PAPER

useit®-Superpad P yellow

Jöst useit® Superpad P yellow and gold multi-perforation sanding discs fits on all long-neck sanders available on the market today. Their high inherent rigidity ensures a flat and scratch-free finish in wall and ceiling processing. Work can be carried out quickly & safely – and is also dust-free. Clogging of the sanding disc is prevented thanks to the full-surface and innovative perforation and the sanding performance is increased many times over when compared to conventionally perforated sanding discs.

useit®-Superpad P yellow for long-neck sander

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-------------|-----------|--------|-------|---------------|------------------------------|
| 423-A 16 | ø 225 mm | black | K-16 | in foil | 10 pcs (without perforation) |
| 423-A 16/SB | ø 225 mm | black | K-16 | in polybag | 10 pcs (without perforation) |
| 423-A 24 | ø 225 mm | black | K-24 | in carton | 25 pcs (without perforation) |
| 423-A 24/SB | ø 225 mm | black | K-24 | in polybag | 10 pcs (without perforation) |
| 423-A 40 | ø 225 mm | yellow | P-40 | in carton | 25 pcs |
| 423-A 40/SB | ø 225 mm | yellow | P-40 | in polybag | 10 pcs |
| 423-A 60 | ø 225 mm | yellow | P-60 | in carton | 25 pcs |
| 423-A 60/SB | ø 225 mm | yellow | P-60 | in polybag | 10 pcs |
| 423-A 80 | ø 225 mm | yellow | P-80 | in carton | 25 pcs |
| 423-A 80/SB | ø 225 mm | yellow | P-80 | in polybag | 10 pcs |
| 423-A100 | ø 225 mm | yellow | P-100 | in carton | 25 pcs |
| 423-A100/SB | ø 225 mm | yellow | P-100 | in polybag | 10 pcs |
| 423-A120 | ø 225 mm | yellow | P-120 | in carton | 25 pcs |
| 423-A120/SB | ø 225 mm | yellow | P-120 | in polybag | 10 pcs |
| 423-A150 | ø 225 mm | yellow | P-150 | in carton | 25 pcs |
| 423-A150/SB | ø 225 mm | yellow | P-150 | in polybag | 10 pcs |
| 423-A180 | ø 225 mm | yellow | P-180 | in carton | 25 pcs |
| 423-A180/SB | ø 225 mm | yellow | P-180 | in polybag | 10 pcs |
| 423-A220 | ø 225 mm | yellow | P-220 | in carton | 25 pcs |
| 423-A220/SB | ø 225 mm | yellow | P-220 | in polybag | 10 pcs |



✓ GIPSUM

✓ FILLER

Thanks to its robust backing paper, half-open scatter and special Velcro coating, the useit®-Superpad P yellow is ideal for dry construction, parquet flooring and wood applications. The narrow multi-perforation in combination with the specially designed back coating ensures the dust-free removal of the sanding dust, the effective adaptation of the abrasive to the surface and smoother machine operation on hand-held sanding machines. Compared to conventional perforated abrasives, the Yellow's permanent dust extraction process hugely increases the service life of these sanding discs. They fit on all common grinding machines, regardless of the perforation configuration in the sanding and suction plates.

xxx-x xx**SB** = xxx-x xx**SB** = optimized packaging unit for self-service stands / Euro holes

grit 16, 24 and 36 without perforation!

useit®-Superpad P yellow 375 - 430 mm diameter

| Part no. | Dimension | Color | Grit | Delivery form | PU | ✓ PARQUET |
|-------------|-----------|--------|-------|---------------|---------------------------------|-----------|
| 438-K 36 | ø 375 mm | blue | K-36 | in carton | 30 pcs (without perforation) | |
| 438-K 36/SB | ø 375 mm | blue | K-36 | in carton | 10 pcs (without perforation) | |
| 438-A 40 | ø 375 mm | yellow | P-40 | in carton | 30 pcs | |
| 438-A 40/SB | ø 375 mm | yellow | P-40 | in carton | 10 pcs | |
| 438-A 60 | ø 375 mm | yellow | P-60 | in carton | 30 pcs | |
| 438-A 60/SB | ø 375 mm | yellow | P-60 | in carton | 10 pcs | |
| 438-A 80 | ø 375 mm | yellow | P-80 | in carton | 30 pcs | |
| 438-A 80/SB | ø 375 mm | yellow | P-80 | in carton | 10 pcs | |
| 438-A100 | ø 375 mm | yellow | P-100 | in carton | 30 pcs | |
| 438-A100/SB | ø 375 mm | yellow | P-100 | in carton | 10 pcs | |
| 438-A120 | ø 375 mm | yellow | P-120 | in carton | 30 pcs | |
| 438-A120/SB | ø 375 mm | yellow | P-120 | in carton | 10 pcs | |
| 438-A150 | ø 375 mm | yellow | P-150 | in carton | 30 pcs | |
| 438-A150/SB | ø 375 mm | yellow | P-150 | in carton | 10 pcs | |
| 438-A180 | ø 375 mm | yellow | P-180 | in carton | 30 pcs | |
| 438-A180/SB | ø 375 mm | yellow | P-180 | in carton | 10 pcs | |
| 438-A220 | ø 375 mm | yellow | P-220 | in carton | 30 pcs | |
| 438-A220/SB | ø 375 mm | yellow | P-220 | in carton | 10 pcs | |



xxx-x xx**SB** = optimized packaging unit
for self-service stands / Euro holes

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 439-K 36 | Ø 410 mm | blue | K-36 | in carton | 30 pcs |
| 439-K 36/SB | Ø 410 mm | blue | K-36 | in carton | 10 pcs |
| 439-A 40 | Ø 410 mm | yellow | P-40 | in carton | 30 pcs |
| 439-A 40/SB | Ø 410 mm | yellow | P-40 | in carton | 10 pcs |
| 439-A 60 | Ø 410 mm | yellow | P-60 | in carton | 30 pcs |
| 439-A 60/SB | Ø 410 mm | yellow | P-60 | in carton | 10 pcs |
| 439-A 80 | Ø 410 mm | yellow | P-80 | in carton | 30 pcs |
| 439-A 80/SB | Ø 410 mm | yellow | P-80 | in carton | 10 pcs |
| 439-A100 | Ø 410 mm | yellow | P-100 | in carton | 30 pcs |
| 439-A100/SB | Ø 410 mm | yellow | P-100 | in carton | 10 pcs |
| 439-A120 | Ø 410 mm | yellow | P-120 | in carton | 30 pcs |
| 439-A120/SB | Ø 410 mm | yellow | P-120 | in carton | 10 pcs |
| 439-A150 | Ø 410 mm | yellow | P-150 | in carton | 30 pcs |
| 439-A150/SB | Ø 410 mm | yellow | P-150 | in carton | 10 pcs |
| 439-A220 | Ø 410 mm | yellow | P-220 | in carton | 30 pcs |
| 439-A220/SB | Ø 410 mm | yellow | P-220 | in carton | 10 pcs |
| 440-K 36 | Ø 430 mm | blue | K-36 | in carton | 30 pcs |
| 440-K 36/SB | Ø 430 mm | blue | K-36 | in carton | 10 pcs |
| 440-A 40 | Ø 430 mm | yellow | P-40 | in carton | 30 pcs |
| 440-A 40/SB | Ø 430 mm | yellow | P-40 | in carton | 10 pcs |
| 440-A 60 | Ø 430 mm | yellow | P-60 | in carton | 30 pcs |
| 440-A 60/SB | Ø 430 mm | yellow | P-60 | in carton | 10 pcs |
| 440-A 80 | Ø 430 mm | yellow | P-80 | in carton | 30 pcs |
| 440-A 80/SB | Ø 430 mm | yellow | P-80 | in carton | 10 pcs |
| 440-A100 | Ø 430 mm | yellow | P-100 | in carton | 30 pcs |
| 440-A100/SB | Ø 430 mm | yellow | P-100 | in carton | 10 pcs |
| 440-A120 | Ø 430 mm | yellow | P-120 | in carton | 30 pcs |
| 440-A120/SB | Ø 430 mm | yellow | P-120 | in carton | 10 pcs |
| 440-A150 | Ø 430 mm | yellow | P-150 | in carton | 30 pcs |
| 440-A150/SB | Ø 430 mm | yellow | P-150 | in carton | 10 pcs |
| 440-A220 | Ø 430 mm | yellow | P-220 | in carton | 30 pcs |
| 440-A220/SB | Ø 430 mm | yellow | P-220 | in carton | 10 pcs |



useit®-Superpad P yellow delta shape

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 444-A 16 | 290x290x290 mm | black | K-16 | in polybag | 10 pcs |
| 444-A 40 | 290x290x290 mm | yellow | P-40 | in polybag | 10 pcs |
| 444-A 60 | 290x290x290 mm | yellow | P-60 | in polybag | 10 pcs |
| 444-A 80 | 290x290x290 mm | yellow | P-80 | in polybag | 10 pcs |
| 444-A100 | 290x290x290 mm | yellow | P-100 | in polybag | 10 pcs |
| 444-A120 | 290x290x290 mm | yellow | P-120 | in polybag | 10 pcs |
| 444-A150 | 290x290x290 mm | yellow | P-150 | in polybag | 10 pcs |
| 444-A180 | 290x290x290 mm | yellow | P-180 | in polybag | 10 pcs |
| 444-A220 | 290x290x290 mm | yellow | P-220 | in polybag | 10 pcs |




useit®-Superpad P yellow for P1 sanding system

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------|-----------|--------|-------|---------------|--------|
| 733-A 40 | ø 136 mm | yellow | P-40 | in carton | 25 pcs |
| 733-A 60 | ø 136 mm | yellow | P-60 | in carton | 25 pcs |
| 733-A 80 | ø 136 mm | yellow | P-80 | in carton | 25 pcs |
| 733-A120 | ø 136 mm | yellow | P-120 | in carton | 25 pcs |
| 743-A 40 | ø 156 mm | yellow | P-40 | in carton | 25 pcs |
| 743-A 60 | ø 156 mm | yellow | P-60 | in carton | 25 pcs |
| 743-A 80 | ø 156 mm | yellow | P-80 | in carton | 25 pcs |
| 743-A120 | ø 156 mm | yellow | P-120 | in carton | 25 pcs |
| 744-A 40 | ø 210 mm | yellow | P-40 | in carton | 25 pcs |
| 744-A 60 | ø 210 mm | yellow | P-60 | in carton | 25 pcs |
| 744-A 80 | ø 210 mm | yellow | P-80 | in carton | 25 pcs |
| 744-A 120 | ø 210 mm | yellow | P-120 | in carton | 25 pcs |




useit®-Superpad P yellow for edge sanders

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|------------|-----------|--------|-------|---------------|--------|
| 407-A 40/P | ø 115 mm | yellow | P-40 | in carton | 25 pcs |
| 407-A 60/P | ø 115 mm | yellow | P-60 | in carton | 25 pcs |
| 407-A 80/P | ø 115 mm | yellow | P-80 | in carton | 25 pcs |
| 407-A100/P | ø 115 mm | yellow | P-100 | in carton | 25 pcs |
| 407-A120/P | ø 115 mm | yellow | P-120 | in carton | 25 pcs |
| 407-A150/P | ø 115 mm | yellow | P-150 | in carton | 25 pcs |
| 407-A180/P | ø 115 mm | yellow | P-180 | in carton | 25 pcs |
| 407-A220/P | ø 115 mm | yellow | P-220 | in carton | 25 pcs |
| 404-A 40/P | ø 140 mm | yellow | P-40 | in carton | 25 pcs |
| 404-A 60/P | ø 140 mm | yellow | P-60 | in carton | 25 pcs |
| 404-A 80/P | ø 140 mm | yellow | P-80 | in carton | 25 pcs |
| 404-A100/P | ø 140 mm | yellow | P-100 | in carton | 25 pcs |
| 404-A120/P | ø 140 mm | yellow | P-120 | in carton | 25 pcs |
| 404-A150/P | ø 140 mm | yellow | P-150 | in carton | 25 pcs |
| 404-A180/P | ø 140 mm | yellow | P-180 | in carton | 25 pcs |
| 404-A220/P | ø 140 mm | yellow | P-220 | in carton | 25 pcs |
| 417-A 40/P | ø 150 mm | yellow | P-40 | in carton | 25 pcs |
| 417-A 60/P | ø 150 mm | yellow | P-60 | in carton | 25 pcs |
| 417-A 80/P | ø 150 mm | yellow | P-80 | in carton | 25 pcs |
| 417-A100/P | ø 150 mm | yellow | P-100 | in carton | 25 pcs |
| 417-A120/P | ø 150 mm | yellow | P-120 | in carton | 25 pcs |
| 417-A150/P | ø 150 mm | yellow | P-150 | in carton | 25 pcs |
| 417-A180/P | ø 150 mm | yellow | P-150 | in carton | 25 pcs |
| 417-A220/P | ø 150 mm | yellow | P-220 | in carton | 25 pcs |



xxx-x xx**SB** = optimized packaging unit
for self-service stands / Euro holes

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 408-A 40/P | Ø 178 mm | yellow | P-40 | in carton | 25 pcs |
| 408-A 60/P | Ø 178 mm | yellow | P-60 | in carton | 25 pcs |
| 408-A 80/P | Ø 178 mm | yellow | P-80 | in carton | 25 pcs |
| 408-A100/P | Ø 178 mm | yellow | P-100 | in carton | 25 pcs |
| 408-A120/P | Ø 178 mm | yellow | P-120 | in carton | 25 pcs |
| 408-A150/P | Ø 178 mm | yellow | P-150 | in carton | 25 pcs |
| 408-A180/P | Ø 178 mm | yellow | P-180 | in carton | 25 pcs |
| 408-A220/P | Ø 178 mm | yellow | P-220 | in carton | 25 pcs |
| 409-A 40/P | Ø 200 mm | yellow | P-40 | in carton | 25 pcs |
| 409-A 60/P | Ø 200 mm | yellow | P-60 | in carton | 25 pcs |
| 409-A 80/P | Ø 200 mm | yellow | P-80 | in carton | 25 pcs |
| 409-A100/P | Ø 200 mm | yellow | P-100 | in carton | 25 pcs |
| 409-A120/P | Ø 200 mm | yellow | P-120 | in carton | 25 pcs |
| 409-A150/P | Ø 200 mm | yellow | P-150 | in carton | 25 pcs |
| 409-A180/P | Ø 200 mm | yellow | P-180 | in carton | 25 pcs |
| 409-A220/P | Ø 200 mm | yellow | P-220 | in carton | 25 pcs |



useit®-Superpad P yellow for Jöst eccentric machines

The useit®-Superpad P yellow for Jöst orbital sanders is ideal for the use on parquet floors and wooden surfaces thanks to its robust backing paper, semi-open scatter and special Velcro coating. Thanks to its special grain bonding, the risk of a grain breakout is minimized and the formation of curls on the surface is more or less impossible. The narrow multi-perforation in conjunction with the specially designed back coating ensures optimum removal of the grinding dust on machines with dust extraction. On machines without dust extraction, the clogging of the sanding disc is also prevented when a dust storage pad is used. In both cases, this means that the useit®-Superpad P yellow has an extremely long service life – and it also vastly improves the surface quality. Depending on the type of wood, you can even replace a P40 grain with a P120, reducing your working time and costs.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 449-K 36 | 190x340 mm | blue | K-36 | in polybag | 10 pcs |
| 449-A 40 | 190x340 mm | yellow | P-40 | in polybag | 10 pcs |
| 449-A 60 | 190x340 mm | yellow | P-60 | in polybag | 10 pcs |
| 449-A 80 | 190x340 mm | yellow | P-80 | in polybag | 10 pcs |
| 449-A100 | 190x340 mm | yellow | P-100 | in polybag | 10 pcs |
| 449-A120 | 190x340 mm | yellow | P-120 | in polybag | 10 pcs |
| 449-A150 | 190x340 mm | yellow | P-150 | in polybag | 10 pcs |
| 449-A180 | 190x340 mm | yellow | P-180 | in polybag | 10 pcs |
| 449-A220 | 190x340 mm | yellow | P-220 | in polybag | 10 pcs |

- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 448-K 36 | 335x485 mm | blue | K-36 | in polybag | 10 pcs |
| 448-A 40 | 335x485 mm | yellow | P-40 | in polybag | 10 pcs |
| 448-A 60 | 335x485 mm | yellow | P-60 | in polybag | 10 pcs |
| 448-A 80 | 335x485 mm | yellow | P-80 | in polybag | 10 pcs |
| 448-A100 | 335x485 mm | yellow | P-100 | in polybag | 10 pcs |
| 448-A120 | 335x485 mm | yellow | P-120 | in polybag | 10 pcs |
| 448-A150 | 335x485 mm | yellow | P-150 | in polybag | 10 pcs |
| 448-A180 | 335x485 mm | yellow | P-180 | in polybag | 10 pcs |
| 448-A220 | 335x485 mm | yellow | P-220 | in polybag | 10 pcs |



ABRASIVE PAPER

Other sanding paper

White Star sanding discs for wall and drywall construction are equipped with a combination perforation suitable for Festool, Planex and Flex Vario machines.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------|-----------|-------|-------|---------------|--------|
| 223-A 40 | Ø 225 mm | white | P-40 | in foil | 25 pcs |
| 223-A 60 | Ø 225 mm | white | P-60 | in foil | 25 pcs |
| 223-A 80 | Ø 225 mm | white | P-80 | in foil | 25 pcs |
| 223-A 100 | Ø 225 mm | white | P-100 | in foil | 25 pcs |
| 223-A 120 | Ø 225 mm | white | P-120 | in foil | 25 pcs |
| 223-A 150 | Ø 225 mm | white | P-150 | in foil | 25 pcs |
| 223-A 180 | Ø 225 mm | white | P-180 | in foil | 25 pcs |
| 223-A 220 | Ø 225 mm | white | P-220 | in foil | 25 pcs |



sanding paper for HANDI

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------|------------|-------|-------|---------------|--------|
| 04-P 60 | hand-shape | red | P-60 | in foil | 20 pcs |
| 04-P 80 | hand-shape | red | P-80 | in foil | 20 pcs |
| 04-P 120 | hand-shape | red | P-120 | in foil | 20 pcs |
| 04-P 180 | hand-shape | red | P-180 | in foil | 20 pcs |



sanding mats

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------|----------------|-------|--------|---------------|--------|
| 33-COARSE | 96x125x12,5 mm | grey | coarse | in carton | 10 pcs |
| 33-FINE | 96x125x12,5 mm | grey | fine | in carton | 10 pcs |
| 33-MEDIUM | 96x125x12,5 mm | grey | medium | in carton | 10 pcs |



sanding sponge

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------|-------------|-------|--------|---------------|--------|
| 34-COARSE | 99x68x25 mm | grey | coarse | in carton | 24 pcs |
| 34-FINE | 99x68x25 mm | grey | fine | in carton | 24 pcs |
| 34-MEDIUM | 99x68x25 mm | grey | medium | in carton | 24 pcs |



sanding paper with velours

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------|------------|-------|-------|---------------|--------|
| 03-P 40 | 100x150 mm | red | P-40 | in foil | 20 pcs |
| 03-P 50 | 100x150 mm | red | P-50 | in foil | 20 pcs |
| 03-P 60 | 100x150 mm | red | P-60 | in foil | 20 pcs |
| 03-P 80 | 100x150 mm | red | P-80 | in foil | 20 pcs |
| 03-P100 | 100x150 mm | red | P-100 | in foil | 20 pcs |
| 03-P120 | 100x150 mm | red | P-120 | in foil | 20 pcs |
| 03-P180 | 100x150 mm | red | P-180 | in foil | 20 pcs |



twill sanding disc / Haftfix® corundum

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 10-K 24 | ø 115 mm | blue | K-24 | in carton | 25 pcs |
| 10-K 36 | ø 115 mm | blue | K-36 | in carton | 25 pcs |
| 10-P 40 | ø 115 mm | red | K-40 | in carton | 50 pcs |
| 10-P 50 | ø 115 mm | red | K-50 | in carton | 50 pcs |
| 10-P 60 | ø 115 mm | red | K-60 | in carton | 50 pcs |
| 10-P 80 | ø 115 mm | red | K-80 | in carton | 50 pcs |
| 10-P120 | ø 115 mm | red | K-120 | in carton | 50 pcs |
| 10-P180 | ø 115 mm | red | K-180 | in carton | 50 pcs |




Blue Fire sanding paper

This is a premium-quality hand sandpaper for the painting and woodworking sectors.
It is extremely flexible – and foldable. Blue Fire Aluminium Oxide.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 70-A 40 | 115mmx50lfm | blue | P-40 | banderole | 1 pc |
| 70-A 60 | 115mmx50lfm | blue | P-60 | banderole | 1 pc |
| 70-A 80 | 115mmx50lfm | blue | P-80 | banderole | 1 pc |
| 70-A100 | 115mmx50lfm | blue | P-100 | banderole | 1 pc |
| 70-A120 | 115mmx50lfm | blue | P-120 | banderole | 1 pc |
| 70-A150 | 115mmx50lfm | blue | P-150 | banderole | 1 pc |
| 70-A180 | 115mmx50lfm | blue | P-180 | banderole | 1 pc |
| 70-A240 | 115mmx50lfm | blue | P-240 | banderole | 1 pc |
| 71-A 40 | 115mmx5lfm | blue | P-40 | banderole | 1 pc |
| 71-A 60 | 115mmx5lfm | blue | P-60 | banderole | 1 pc |
| 71-A 80 | 115mmx5lfm | blue | P-80 | banderole | 1 pc |
| 71-A100 | 115mmx5lfm | blue | P-100 | banderole | 1 pc |
| 71-A120 | 115mmx5lfm | blue | P-120 | banderole | 1 pc |
| 71-A150 | 115mmx5lfm | blue | P-150 | banderole | 1 pc |
| 71-A180 | 115mmx5lfm | blue | P-180 | banderole | 1 pc |
| 71-A240 | 115mmx5lfm | blue | P-240 | banderole | 1 pc |
| 72-A 40 | 230x280mm | blue | P-40 | in foil | 10 pcs |
| 72-A 60 | 230x280mm | blue | P-60 | in foil | 10 pcs |
| 72-A 80 | 230x280mm | blue | P-80 | in foil | 10 pcs |
| 72-A100 | 230x280mm | blue | P-100 | in foil | 10 pcs |
| 72-A120 | 230x280mm | blue | P-120 | in foil | 10 pcs |
| 72-A150 | 230x280mm | blue | P-150 | in foil | 10 pcs |
| 72-A180 | 230x280mm | blue | P-180 | in foil | 10 pcs |
| 72-A240 | 230x280mm | blue | P-240 | in foil | 10 pcs |
| 73-A 40 | 230x280mm | blue | P-40 | in foil | 50 pcs |
| 73-A 60 | 230x280mm | blue | P-40 | in foil | 50 pcs |
| 73-A 80 | 230x280mm | blue | P-40 | in foil | 50 pcs |
| 73-A100 | 230x280mm | blue | P-40 | in foil | 50 pcs |
| 73-A120 | 230x280mm | blue | P-40 | in foil | 50 pcs |
| 73-A150 | 230x280mm | blue | P-40 | in foil | 50 pcs |
| 73-A180 | 230x280mm | blue | P-40 | in foil | 50 pcs |
| 73-A240 | 230x280mm | blue | P-40 | in foil | 50 pcs |





ABRASIVE FILM

useit®-Abrafilm®

The newly developed useit®-Abrafilm® offers excellent cutting performances and has an extremely durable and tearproof film carrier. The finest sanding up to grit 3000 is possible with the useit®-Abrafilm®. This results in smoother sanding and therefore finer results. The multihole perforation of the abrasive in combination with the multilayer structure of the Velcro-type system guarantees the exact alignment of the abrasive grain. This leads to continuous dust extraction over the entire surface, optimum sanding results and a much higher service life. The useit®-Abrafilm® is suitable for both wet and dry sanding.

useit®-Abrafilm® 50 - 430 mm diameter

| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------|-----------|-------|--------|---------------|--------|---------------------|
| 607-Z 40 | ø 50 mm | green | Z-40 | in carton | 25 pcs | ✓ WOOD |
| 607-Z 60 | ø 50 mm | green | Z-60 | in carton | 25 pcs | ✓ LACQUER |
| 607-Z 80 | ø 50 mm | green | Z-80 | in carton | 25 pcs | ✓ METAL |
| 607-Z 100 | ø 50 mm | green | Z-100 | in carton | 25 pcs | ✓ PLASTIC |
| 607-Z 120 | ø 50 mm | green | Z-120 | in carton | 25 pcs | ✓ FILLER |
| 607-Z 150 | ø 50 mm | green | Z-150 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 607-Z 180 | ø 50 mm | green | Z-180 | in carton | 25 pcs | ✓ STAINLESS STEEL |
| 607-Z 220 | ø 50 mm | green | Z-220 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 607-C240 | ø 50 mm | green | C-240 | in carton | 25 pcs | ✓ COMPOSITE |
| 607-C320 | ø 50 mm | green | C-320 | in carton | 25 pcs | ✓ MARBLE |
| 607-C400 | ø 50 mm | green | C-400 | in carton | 25 pcs | |
| 607-C500 | ø 50 mm | green | C-500 | in carton | 25 pcs | |
| 607-C600 | ø 50 mm | green | C-600 | in carton | 25 pcs | |
| 607-C800 | ø 50 mm | green | C-800 | in carton | 25 pcs | |
| 607-C1200 | ø 50 mm | green | C-1200 | in carton | 25 pcs | |
| 607-C1500 | ø 50 mm | green | C-1500 | in carton | 25 pcs | |
| 607-C2000 | ø 50 mm | green | C-2000 | in carton | 25 pcs | |
| 607-C2500 | ø 50 mm | green | C-2500 | in carton | 25 pcs | |
| 607-C3000 | ø 50 mm | green | C-3000 | in carton | 25 pcs | |
| 619-Z 40 | ø 80 mm | green | Z-40 | in carton | 25 pcs | |
| 619-Z 60 | ø 80 mm | green | Z-60 | in carton | 25 pcs | |
| 619-Z 80 | ø 80 mm | green | Z-80 | in carton | 25 pcs | |
| 619-Z100 | ø 80 mm | green | Z-100 | in carton | 25 pcs | |

| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 619-Z120 | ø 80 mm | green | Z-120 | in carton | 25 pcs | ✓ WOOD |
| 619-Z150 | ø 80 mm | green | Z-150 | in carton | 25 pcs | ✓ LACQUER |
| 619-Z180 | ø 80 mm | green | Z-180 | in carton | 25 pcs | ✓ METAL |
| 619-Z220 | ø 80 mm | green | Z-220 | in carton | 25 pcs | ✓ PLASTIC |
| 619-C240 | ø 80 mm | green | C-240 | in carton | 25 pcs | ✓ FILLER |
| 619-C320 | ø 80 mm | green | C-320 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 619-C400 | ø 80 mm | green | C-400 | in carton | 25 pcs | ✓ STAINLESS STEEL |
| 619-C500 | ø 80 mm | green | C-500 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 619-C600 | ø 80 mm | green | C-600 | in carton | 25 pcs | ✓ COMPOSITE |
| 619-C800 | ø 80 mm | green | C-800 | in carton | 25 pcs | ✓ MARBLE |
| 619-C1200 | ø 80 mm | green | C-1200 | in carton | 25 pcs | |
| 619-C1500 | ø 80 mm | green | C-1500 | in carton | 25 pcs | |
| 619-C2000 | ø 80 mm | green | C-2000 | in carton | 25 pcs | |
| 619-C2500 | ø 80 mm | green | C-2500 | in carton | 25 pcs | |
| 619-C3000 | ø 80 mm | green | C-3000 | in carton | 25 pcs | |
| | | | | | | |
| 616-Z 40 | ø 128 mm | green | Z-40 | in carton | 25 pcs | |
| 616-Z 60 | ø 128 mm | green | Z-60 | in carton | 25 pcs | |
| 616-Z 80 | ø 128 mm | green | Z-80 | in carton | 25 pcs | |
| 616-Z100 | ø 128 mm | green | Z-100 | in carton | 25 pcs | |
| 616-Z120 | ø 128 mm | green | Z-120 | in carton | 25 pcs | |
| 616-Z150 | ø 128 mm | green | Z-150 | in carton | 25 pcs | |
| 616-C240 | ø 128 mm | green | C-240 | in carton | 25 pcs | |
| 616-C320 | ø 128 mm | green | C-320 | in carton | 25 pcs | |
| 616-C400 | ø 128 mm | green | C-400 | in carton | 25 pcs | |
| 616-C500 | ø 128 mm | green | C-500 | in carton | 25 pcs | |
| 616-C600 | ø 128 mm | green | C-600 | in carton | 25 pcs | |
| 616-C800 | ø 128 mm | green | C-800 | in carton | 25 pcs | |
| 616-C1200 | ø 128 mm | green | C-1200 | in carton | 25 pcs | |
| 616-C1500 | ø 128 mm | green | C-1500 | in carton | 25 pcs | |
| 616-C2000 | ø 128 mm | green | C-2000 | in carton | 25 pcs | |
| 616-C2500 | ø 128 mm | green | C-2500 | in carton | 25 pcs | |
| 616-C3000 | ø 128 mm | green | C-3000 | in carton | 25 pcs | |
| | | | | | | ✓ WOOD |
| 617-Z 40 | ø 150 mm | green | Z-40 | in carton | 25 pcs | ✓ LACQUER |
| 617-Z 60 | ø 150 mm | green | Z-60 | in carton | 25 pcs | ✓ METAL |
| 617-Z 80 | ø 150 mm | green | Z-80 | in carton | 25 pcs | ✓ PLASTIC |
| 617-Z100 | ø 150 mm | green | Z-100 | in carton | 25 pcs | ✓ FILLER |
| 617-Z120 | ø 150 mm | green | Z-120 | in carton | 25 pcs | ✓ STAINLESS STEEL |
| 617-Z150 | ø 150 mm | green | Z-150 | in carton | 25 pcs | ✓ NON-FERROUS |
| 617-C240 | ø 150 mm | green | C-240 | in carton | 25 pcs | METAL |
| 617-C240 | ø 150 mm | green | C-320 | in carton | 25 pcs | ✓ SCREED |
| 617-C400 | ø 150 mm | green | C-400 | in carton | 25 pcs | |
| 617-C500 | ø 150 mm | green | C-500 | in carton | 25 pcs | |
| 617-C800 | ø 150 mm | green | C-800 | in carton | 25 pcs | |
| 617-C1200 | ø 150 mm | green | C-1200 | in carton | 25 pcs | |
| 617-C1500 | ø 150 mm | green | C-1500 | in carton | 25 pcs | |
| 617-C2000 | ø 150 mm | green | C-2000 | in carton | 25 pcs | |
| 617-C2500 | ø 150 mm | green | C-2500 | in carton | 25 pcs | |
| 617-C3000 | ø 150 mm | green | C-3000 | in carton | 25 pcs | |



| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 637-Z 40 | ø 178 mm | green | Z-40 | in carton | 25 pcs |
| 637-Z 60 | ø 178 mm | green | Z-60 | in carton | 25 pcs |
| 637-Z 80 | ø 178 mm | green | Z-80 | in carton | 25 pcs |
| 637-Z100 | ø 178 mm | green | Z-100 | in carton | 25 pcs |
| 637-Z120 | ø 178 mm | green | Z-120 | in carton | 25 pcs |
| 637-Z150 | ø 178 mm | green | Z-150 | in carton | 25 pcs |
| 637-Z180 | ø 178 mm | green | Z-180 | in carton | 25 pcs |
| 637-C240 | ø 178 mm | green | C-240 | in carton | 25 pcs |
| 637-C320 | ø 178 mm | green | C-320 | in carton | 25 pcs |
| 637-C400 | ø 178 mm | green | C-400 | in carton | 25 pcs |
| 637-C500 | ø 178 mm | green | C-500 | in carton | 25 pcs |
| 637-C600 | ø 178 mm | green | C-600 | in carton | 25 pcs |
| 637-C800 | ø 178 mm | green | C-800 | in carton | 25 pcs |
| 637-C1200 | ø 178 mm | green | C-1200 | in carton | 25 pcs |
| 637-C1500 | ø 178 mm | green | C-1500 | in carton | 25 pcs |
| 637-C2000 | ø 178 mm | green | C-2000 | in carton | 25 pcs |
| 637-C2500 | ø 178 mm | green | C-2500 | in carton | 25 pcs |
| 637-C3000 | ø 178 mm | green | C-3000 | in carton | 25 pcs |
| 638-Z 40 | ø 380 mm | green | Z-40 | in carton | 10 pcs |
| 638-Z 60 | ø 380 mm | green | Z-60 | in carton | 10 pcs |
| 638-Z 80 | ø 380 mm | green | Z-80 | in carton | 10 pcs |
| 638-Z100 | ø 380 mm | green | Z-100 | in carton | 10 pcs |
| 638-Z120 | ø 380 mm | green | Z-120 | in carton | 10 pcs |
| 638-Z150 | ø 380 mm | green | Z-150 | in carton | 10 pcs |
| 638-Z180 | ø 380 mm | green | Z-180 | in carton | 10 pcs |
| 638-C240 | ø 380 mm | green | C-240 | in carton | 10 pcs |
| 638-C320 | ø 380 mm | green | C-320 | in carton | 10 pcs |
| 638-C400 | ø 380 mm | green | C-400 | in carton | 10 pcs |
| 638-C500 | ø 380 mm | green | C-500 | in carton | 10 pcs |
| 638-C600 | ø 380 mm | green | C-600 | in carton | 10 pcs |
| 638-C800 | ø 380 mm | green | C-800 | in carton | 10 pcs |
| 638-C1200 | ø 380 mm | green | C-1200 | in carton | 10 pcs |
| 638-C1500 | ø 380 mm | green | C-1500 | in carton | 10 pcs |
| 638-C2000 | ø 380 mm | green | C-2000 | in carton | 10 pcs |
| 638-C2500 | ø 380 mm | green | C-2500 | in carton | 10 pcs |
| 638-C3000 | ø 380 mm | green | C-3000 | in carton | 10 pcs |
| 639-Z 40 | ø 410 mm | green | Z-40 | in carton | 10 pcs |
| 639-Z 60 | ø 410 mm | green | Z-60 | in carton | 10 pcs |
| 639-Z 80 | ø 410 mm | green | Z-80 | in carton | 10 pcs |
| 639-Z100 | ø 410 mm | green | Z-100 | in carton | 10 pcs |
| 639-Z120 | ø 410 mm | green | Z-120 | in carton | 10 pcs |
| 639-Z150 | ø 410 mm | green | Z-150 | in carton | 10 pcs |
| 639-C240 | ø 410 mm | green | C-240 | in carton | 10 pcs |
| 639-C320 | ø 410 mm | green | C-320 | in carton | 10 pcs |



| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 639-C400 | Ø 410 mm | green | C-400 | in carton | 10 pcs | ✓ WOOD |
| 639-C500 | Ø 410 mm | green | C-500 | in carton | 10 pcs | ✓ LACQUER |
| 639-C800 | Ø 410 mm | green | C-800 | in carton | 10 pcs | ✓ METAL |
| 639-C1200 | Ø 380 mm | green | C-1200 | in carton | 10 pcs | ✓ PLASTIC |
| 639-C1500 | Ø 380 mm | green | C-1500 | in carton | 10 pcs | ✓ FILLER |
| 639-C2000 | Ø 380 mm | green | C-2000 | in carton | 10 pcs | ✓ SOLID SURFACE |
| 639-C2500 | Ø 380 mm | green | C-2500 | in carton | 10 pcs | ✓ STAINLESS STEEL |
| 639-C3000 | Ø 380 mm | green | C-3000 | in carton | 10 pcs | ✓ NON-FERROUS METAL |
| | | | | | | ✓ STONE |
| 640-Z 60 | Ø 430 mm | green | Z-60 | in carton | 10 pcs | ✓ COMPOSITE |
| 640-Z 80 | Ø 430 mm | green | Z-80 | in carton | 10 pcs | ✓ MARBLE |
| 640-Z100 | Ø 430 mm | green | Z-100 | in carton | 10 pcs | ✓ SCREED |
| 640-Z120 | Ø 430 mm | green | Z-120 | in carton | 10 pcs | |
| 640-Z150 | Ø 430 mm | green | Z-150 | in carton | 10 pcs | |
| 640-C240 | Ø 430 mm | green | C-240 | in carton | 10 pcs | |
| 640-C320 | Ø 430 mm | green | C-320 | in carton | 10 pcs | |
| 640-C400 | Ø 430 mm | green | C-400 | in carton | 10 pcs | |
| 640-C500 | Ø 430 mm | green | C-500 | in carton | 10 pcs | |
| 640-C600 | Ø 430 mm | green | C-600 | in carton | 10 pcs | |
| 640-C800 | Ø 430 mm | green | C-800 | in carton | 10 pcs | |
| 640-C1200 | Ø 430 mm | green | C-1200 | in carton | 10 pcs | |
| 640-C1500 | Ø 430 mm | green | C-1500 | in carton | 10 pcs | |
| 640-C2000 | Ø 430 mm | green | C-2000 | in carton | 10 pcs | |
| 640-C2500 | Ø 430 mm | green | C-2500 | in carton | 10 pcs | |
| 640-C3000 | Ø 430 mm | green | C-3000 | in carton | 10 pcs | |

useit®-Abrafilm for P1 sanding system

The useit®-Abrafilm® has excellent sanding properties and is equipped with an extremely durable and tear-resistant film backing. Thanks to its stearate coating and unique design, any clogging of the sanding disc is effectively avoided. The useit® Abrafilm® enables all levels of sanding work to be performed – from coarse sanding with a grain size of 40 to the finest surface work with a grain size of 3000. The useit®-Abrafilm® is suitable for wet and dry sanding and fits perfectly on every sanding machine available on the market.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 633-Z 40 | Ø 136 mm | green | Z-40 | in carton | 25 pcs |
| 633-Z 60 | Ø 136 mm | green | Z-60 | in carton | 25 pcs |
| 633-Z 80 | Ø 136 mm | green | Z-80 | in carton | 25 pcs |
| 633-Z120 | Ø 136 mm | green | Z-120 | in carton | 25 pcs |
| 633-Z150 | Ø 136 mm | green | Z-150 | in carton | 25 pcs |
| 633-Z180 | Ø 136 mm | green | Z-180 | in carton | 25 pcs |
| 633-Z220 | Ø 136 mm | green | Z-220 | in carton | 25 pcs |
| 633-C320 | Ø 136 mm | green | C-320 | in carton | 25 pcs |
| 633-C400 | Ø 136 mm | green | C-400 | in carton | 25 pcs |
| 633-C500 | Ø 136 mm | green | C-500 | in carton | 25 pcs |
| 633-C600 | Ø 136 mm | green | C-600 | in carton | 25 pcs |
| 633-C1200 | Ø 136 mm | green | C-1200 | in carton | 25 pcs |
| 633-C1500 | Ø 136 mm | green | C-1500 | in carton | 25 pcs |
| 633-C2000 | Ø 136 mm | green | C-2000 | in carton | 25 pcs |
| 633-C2500 | Ø 136 mm | green | C-2500 | in carton | 25 pcs |
| 633-C3000 | Ø 136 mm | green | C-3000 | in carton | 25 pcs |



| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 643-Z 40 | ø 156 mm | green | Z-40 | in carton | 25 pcs | ✓ WOOD |
| 643-Z 60 | ø 156 mm | green | Z-60 | in carton | 25 pcs | ✓ PARQUET |
| 643-Z 80 | ø 156 mm | green | Z-80 | in carton | 25 pcs | ✓ LACQUER |
| 643-Z120 | ø 156 mm | green | Z-120 | in carton | 25 pcs | ✓ METAL |
| 643-Z150 | ø 156 mm | green | Z-150 | in carton | 25 pcs | ✓ PLASTIC |
| 643-Z180 | ø 156 mm | green | Z-180 | in carton | 25 pcs | ✓ FILLER |
| 643-Z220 | ø 156 mm | green | Z-220 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 643-C320 | ø 156 mm | green | C-320 | in carton | 25 pcs | ✓ STAINLESS STEEL |
| 643-C400 | ø 156 mm | green | C-400 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 643-C500 | ø 156 mm | green | C-500 | in carton | 25 pcs | ✓ STONE |
| 643-C600 | ø 156 mm | green | C-600 | in carton | 25 pcs | ✓ MARBLE |
| 643-C1200 | ø 156 mm | green | C-1200 | in carton | 25 pcs | ✓ HARD COVERINGS |
| 643-C1500 | ø 156 mm | green | C-1500 | in carton | 25 pcs | ✓ SCREED |
| 643-C2000 | ø 156 mm | green | C-2000 | in carton | 25 pcs | |
| 643-C2500 | ø 156 mm | green | C-2500 | in carton | 25 pcs | |
| 643-C3000 | ø 156 mm | green | C-3000 | in carton | 25 pcs | |
| | | | | | | |
| 644-Z 40 | ø 210 mm | green | Z-40 | in carton | 25 pcs | |
| 644-Z 60 | ø 210 mm | green | Z-60 | in carton | 25 pcs | |
| 644-Z 80 | ø 210 mm | green | Z-80 | in carton | 25 pcs | |
| 644-Z120 | ø 210 mm | green | Z-120 | in carton | 25 pcs | |
| 644-Z150 | ø 210 mm | green | Z-150 | in carton | 25 pcs | |
| 644-Z180 | ø 210 mm | green | Z-180 | in carton | 25 pcs | |
| 644-Z220 | ø 210 mm | green | Z-220 | in carton | 25 pcs | |
| 644-C320 | ø 210 mm | green | C-320 | in carton | 25 pcs | |
| 644-C400 | ø 210 mm | green | C-400 | in carton | 25 pcs | |
| 644-C500 | ø 210 mm | green | C-500 | in carton | 25 pcs | |
| 644-C600 | ø 210 mm | green | C-600 | in carton | 25 pcs | |
| 644-C1200 | ø 210 mm | green | C-1200 | in carton | 25 pcs | |
| 644-C1500 | ø 210 mm | green | C-1500 | in carton | 25 pcs | |
| 644-C2000 | ø 210 mm | green | C-2000 | in carton | 25 pcs | |
| 644-C2500 | ø 210 mm | green | C-2500 | in carton | 25 pcs | |
| 644-C3000 | ø 210 mm | green | C-3000 | in carton | 25 pcs | |




useit®-Abrafilm® for Jöst eccentric machines

Thanks to the zircon and ceramic grains used, the useit®-Abrafilm® is particularly suitable for processing hard coatings, scratch-resistant paint systems and natural stone such as marble when used in combination with Jöst orbital sanders. It can be used to remove epoxy resin impurities and PU coatings from hard coverings. Thanks to the useit®- Abrafilm®'s wide range of available grit sizes, marble floors and screed coverings can be processed easily. The useit® Abrafilm® is also suitable for wet and dry sanding.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 649-Z 40 | 190x340 mm | green | Z-40 | in polybag | 10 pcs |
| 649-Z 60 | 190x340 mm | green | Z-60 | in polybag | 10 pcs |
| 649-Z 80 | 190x340 mm | green | Z-80 | in polybag | 10 pcs |
| 649-Z100 | 190x340 mm | green | Z-100 | in polybag | 10 pcs |
| 649-Z120 | 190x340 mm | green | Z-120 | in polybag | 10 pcs |
| 649-Z150 | 190x340 mm | green | Z-150 | in polybag | 10 pcs |
| 649-Z180 | 190x340 mm | green | Z-180 | in polybag | 10 pcs |
| 649-C240 | 190x340 mm | green | C-240 | in polybag | 10 pcs |
| 649-C320 | 190x340 mm | green | C-320 | in polybag | 10 pcs |
| 649-C400 | 190x340 mm | green | C-400 | in polybag | 10 pcs |
| 649-C500 | 190x340 mm | green | C-500 | in polybag | 10 pcs |
| 649-C600 | 190x340 mm | green | C-600 | in polybag | 10 pcs |
| 649-C800 | 190x340 mm | green | C-800 | in polybag | 10 pcs |
| 649-C1200 | 190x340 mm | green | C-1200 | in polybag | 10 pcs |
| 649-C1500 | 190x340 mm | green | C-1500 | in polybag | 10 pcs |
| 649-C2000 | 190x340 mm | green | C-2000 | in polybag | 10 pcs |
| 649-C2500 | 190x340 mm | green | C-2500 | in polybag | 10 pcs |
| 649-C3000 | 190x340 mm | green | C-3000 | in polybag | 10 pcs |
| | | | | | |
| 648-Z 40 | 335x485 mm | green | Z-40 | in polybag | 10 pcs |
| 648-Z 60 | 335x485 mm | green | Z-60 | in polybag | 10 pcs |
| 648-Z 80 | 335x485 mm | green | Z-80 | in polybag | 10 pcs |
| 648-Z100 | 335x485 mm | green | Z-100 | in polybag | 10 pcs |
| 648-Z120 | 335x485 mm | green | Z-120 | in polybag | 10 pcs |
| 648-Z150 | 335x485 mm | green | Z-150 | in polybag | 10 pcs |
| 648-Z180 | 335x485 mm | green | Z-180 | in polybag | 10 pcs |
| 648-C240 | 335x485 mm | green | C-240 | in polybag | 10 pcs |
| 648-C320 | 335x485 mm | green | C-320 | in polybag | 10 pcs |
| 648-C400 | 335x485 mm | green | C-400 | in polybag | 10 pcs |
| 648-C500 | 335x485 mm | green | C-500 | in polybag | 10 pcs |
| 648-C600 | 335x485 mm | green | C-600 | in polybag | 10 pcs |
| 648-C800 | 335x485 mm | green | C-800 | in polybag | 10 pcs |
| 648-C1200 | 335x485 mm | green | C-1200 | in polybag | 10 pcs |
| 648-C1500 | 335x485 mm | green | C-1500 | in polybag | 10 pcs |
| 648-C2000 | 335x485 mm | green | C-2000 | in polybag | 10 pcs |
| 648-C2500 | 335x485 mm | green | C-2500 | in polybag | 10 pcs |
| 648-C3000 | 335x485 mm | green | C-3000 | in polybag | 10 pcs |





Crystal Green

Thanks to its special stearate coating, the Crystal Green is ideally suited for thermo-sensitive paint systems. The full-surface multi-perforation immediately transports any dust to the rear of the sanding disc. The Velcro system is used for the safe and fast removal of the sanding dust to the suction openings of the sanding plate. A special coating prevents the formation of specks and guarantees the best possible surface quality. Its high cutting speed and long service life saves costs, especially in the case of complex paint jobs. The fine finish significantly reduces the amount of polishing work required. Crystal Green can be used both dry and wet.

Crystal Green 50 - 150 mm diameter

| Part no. | Dimension | Color | Grit | Delivery form PU | |
|------------|-----------|-------|------|------------------|--------|
| 607-CG800 | ø 50 mm | green | 800 | in carton | 25 pcs |
| 607-CG1000 | ø 50 mm | green | 1000 | in carton | 25 pcs |
| 607-CG1200 | ø 50 mm | green | 1200 | in carton | 25 pcs |
| 607-CG1500 | ø 50 mm | green | 1500 | in carton | 25 pcs |
| 607-CG2000 | ø 50 mm | green | 2000 | in carton | 25 pcs |
| 619-CG800 | ø 80 mm | green | 800 | in carton | 25 pcs |
| 619-CG1000 | ø 80 mm | green | 1000 | in carton | 25 pcs |
| 619-CG1200 | ø 80 mm | green | 1200 | in carton | 25 pcs |
| 619-CG1500 | ø 80 mm | green | 1500 | in carton | 25 pcs |
| 619-CG2000 | ø 80 mm | green | 2000 | in carton | 25 pcs |
| 616-CG800 | ø 128 mm | green | 800 | in carton | 25 pcs |
| 616-CG1000 | ø 128 mm | green | 1000 | in carton | 25 pcs |
| 616-CG1200 | ø 128 mm | green | 1200 | in carton | 25 pcs |
| 616-CG1500 | ø 128 mm | green | 1500 | in carton | 25 pcs |
| 616-CG2000 | ø 128 mm | green | 2000 | in carton | 25 pcs |
| 617-CG800 | ø 150 mm | green | 800 | in carton | 25 pcs |
| 617-CG1000 | ø 150 mm | green | 1000 | in carton | 25 pcs |
| 617-CG1200 | ø 150 mm | green | 1200 | in carton | 25 pcs |
| 617-CG1500 | ø 150 mm | green | 1500 | in carton | 25 pcs |
| 617-CG2000 | ø 150 mm | green | 2000 | in carton | 25 pcs |



- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NON-FERROUS METAL
- ✓ COMPOSITE
- ✓ MARBLE



HIGH-PERFORMANCE ABRASIVE useit®-Superfinishing-Pad SG

A special construction combined with state-of-the-art production techniques make the useit®-Superfinishing Pad SG a reliable product for obtaining the highest surface quality. The open structure enables continuous and practically dust-free working. The dust produced is sucked out to the rear through the entire pad. A wide variety of materials such as mineral materials, GRP, paints, lacquers and high-gloss surfaces can be processed in the shortest possible time. The useit®-Superfinishing Pad SG is a high-performance abrasive with up to six times the surface finishing performance of conventional abrasives.

useit®-Superfinishing Pad SG for long-neck sanders

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 131-S/G320 | Ø 225 mm | grey | SG-320 | in carton | 25 pcs |
| 131-S/G600 | Ø 225 mm | grey | SG-600 | in carton | 25 pcs |
| 131-S/G1200 | Ø 225 mm | grey | SG-1200 | in carton | 25 pcs |
| 131-S/G1500 | Ø 225 mm | grey | SG-1500 | in carton | 25 pcs |



The useit®-Superfinishing Pad SG is a high-performance abrasive with up to six times the surface finishing performance of conventional abrasives. It is excellently suited for fine, finish and polish grinding of stainless steel, non-ferrous metals, minerals and many other materials. Dust inclusions can be removed quickly and easily. The useit®-Superfinishing Pad SG is also suitable for wet and dry sanding – and this pad fits on every sanding machine that is available on the market, regardless of the perforation configuration in the suction plates.

useit®-Superfinishing Pad SG 75 - 430 mm diameter

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 114-S/G240 | Ø 75 mm | grey | SG-240 | in carton | 25 pcs |
| 114-S/G320 | Ø 75 mm | grey | SG-320 | in carton | 25 pcs |
| 114-S/G600 | Ø 75 mm | grey | SG-600 | in carton | 25 pcs |
| 114-S/G800 | Ø 75 mm | grey | SG-800 | in carton | 25 pcs |
| 114-S/G1200 | Ø 75 mm | grey | SG-1200 | in carton | 25 pcs |
| 114-S/G1500 | Ø 75 mm | grey | SG-1500 | in carton | 25 pcs |
| 110-S/G240 | Ø 90 mm | grey | SG-240 | in carton | 25 pcs |
| 110-S/G320 | Ø 90 mm | grey | SG-320 | in carton | 25 pcs |
| 110-S/G600 | Ø 90 mm | grey | SG-600 | in carton | 25 pcs |
| 110-S/G800 | Ø 90 mm | grey | SG-800 | in carton | 25 pcs |
| 110-SG1500 | Ø 90 mm | grey | SG-1500 | in carton | 25 pcs |



| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 127-SG240 | ø 128 mm | grey | SG-240 | in carton | 25 pcs | ✓ WOOD |
| 127-SG320 | ø 128 mm | grey | SG-320 | in carton | 25 pcs | ✓ LACQUER |
| 127-SG600 | ø 128 mm | grey | SG-600 | in carton | 25 pcs | ✓ METAL |
| 127-SG600/SB | ø 128 mm | grey | SG-600 | in carton | 5 pcs | ✓ PLASTIC |
| 127-SG800 | ø 128 mm | grey | SG-800 | in carton | 25 pcs | ✓ FILLER |
| 127-SG1200 | ø 128 mm | grey | SG-1200 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 127-SG1200/SB | ø 128 mm | grey | SG-1200 | in carton | 5 pcs | ✓ STAINLESS STEEL |
| 127-SG1500 | ø 128 mm | grey | SG-1500 | in carton | 25 pcs | ✓ NON-FERROUS METAL |
| 127-SG1500/SB | ø 128 mm | grey | SG-1500 | in carton | 5 pcs | ✓ COMPOSITE |
| 128-SG240 | ø 150 mm | grey | SG-240 | in carton | 25 pcs | |
| 128-SG320 | ø 150 mm | grey | SG-320 | in carton | 25 pcs | |
| 128-SG600 | ø 150 mm | grey | SG-600 | in carton | 25 pcs | |
| 128-SG600/SB | ø 150 mm | grey | SG-600 | in carton | 5 pcs | |
| 128-SG800 | ø 150 mm | grey | SG-800 | in carton | 25 pcs | |
| 128-SG1200 | ø 150 mm | grey | SG-1200 | in carton | 25 pcs | |
| 128-SG1200/SB | ø 150 mm | grey | SG-1200 | in carton | 5 pcs | |
| 128-SG1500 | ø 150 mm | grey | SG-1500 | in carton | 25 pcs | |
| 128-SG1500/SB | ø 150 mm | grey | SG-1500 | in carton | 5 pcs | |
| 132-SG240 | ø 200 mm | grey | SG-240 | in carton | 25 pcs | |
| 132-SG320 | ø 200 mm | grey | SG-320 | in carton | 25 pcs | |
| 132-SG600 | ø 200 mm | grey | SG-600 | in carton | 25 pcs | |
| 132-SG800 | ø 200 mm | grey | SG-800 | in carton | 25 pcs | |
| 132-SG1200 | ø 200 mm | grey | SG-1200 | in carton | 25 pcs | |
| 132-SG1500 | ø 200 mm | grey | SG-1500 | in carton | 25 pcs | |
| 134-SG 40 | ø 280 mm | grey | SG-240 | in carton | 25 pcs | ✓ WOOD |
| 134-SG320 | ø 280 mm | grey | SG-320 | in carton | 25 pcs | ✓ PARQUET |
| 134-SG600 | ø 280 mm | grey | SG-600 | in carton | 25 pcs | ✓ LACQUER |
| 134-SG 800 | ø 280 mm | grey | SG-800 | in carton | 25 pcs | ✓ METAL |
| 134-SG1200 | ø 280 mm | grey | SG-1200 | in carton | 25 pcs | ✓ PLASTIC |
| 134-SG1500 | ø 280 mm | grey | SG-1500 | in carton | 25 pcs | ✓ SOLID SURFACE |
| 134-SG1500 | ø 280 mm | grey | SG-1500 | in carton | 25 pcs | ✓ HARD COVERINGS |
| 138-SG240 | ø 375 mm | grey | SG-240 | in carton | 15 pcs | |
| 138-SG240/SB | ø 375 mm | grey | SG-240 | in carton | 10 pcs | |
| 138-SG320 | ø 375 mm | grey | SG-320 | in carton | 15 pcs | |
| 138-SG320/SB | ø 375 mm | grey | SG-320 | in carton | 10 pcs | |
| 138-SG600 | ø 375 mm | grey | SG-600 | in carton | 15 pcs | |
| 138-SG600/SB | ø 375 mm | grey | SG-600 | in carton | 10 pcs | |
| 138-SG800 | ø 375 mm | grey | SG-800 | in carton | 15 pcs | |
| 138-SG1200 | ø 375 mm | grey | SG-1200 | in carton | 15 pcs | |
| 138-SG1200/SB | ø 375 mm | grey | SG-1200 | in carton | 10 pcs | |
| 138-SG1500 | ø 375 mm | grey | SG-1500 | in carton | 15 pcs | |
| 138-SG1500/SB | ø 375 mm | grey | SG-1500 | in carton | 10 pcs | |




| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|---|
| 139-S/G240 | Ø 410 mm | grey | SG-240 | in carton | 15 pcs |
| 139-SG240/SB | Ø 410 mm | grey | SG-240 | in carton | 10 pcs |
| 139-S/G320 | Ø 410 mm | grey | SG-320 | in carton | 15 pcs |
| 139-SG320/SB | Ø 410 mm | grey | SG-320 | in carton | 10 pcs |
| 139-S/G600 | Ø 410 mm | grey | SG-600 | in carton | 15 pcs |
| 139-SG600/SB | Ø 410 mm | grey | SG-600 | in carton | 10 pcs |
| 139-S/G800 | Ø 410 mm | grey | SG-800 | in carton | 15 pcs |
| 139-SG800/SB | Ø 410 mm | grey | SG-800 | in carton | 10 pcs |
| 139-SG1200/SB | Ø 410 mm | grey | SG-1200 | in carton | 10 pcs |
| 139-S/G1200 | Ø 410 mm | grey | SG-1200 | in carton | 15 pcs |
| 139-S/G1500 | Ø 410 mm | grey | SG-1500 | in carton | 15 pcs |
| 139-SG1500/SB | Ø 410 mm | grey | SG-1500 | in carton | 10 pcs |
| | | | | | ✓ WOOD ✓ PARQUET ✓ LACQUER ✓ METAL ✓ PLASTIC ✓ SOLID SURFACE ✓ HARD COVERINGS |
| 140-S/G240 | Ø 430 mm | grey | SG-240 | in carton | 15 pcs |
| 140-SG240/SB | Ø 430 mm | grey | SG-240 | in carton | 10 pcs |
| 140-S/G320 | Ø 430 mm | grey | SG-320 | in carton | 15 pcs |
| 140-SG320/SB | Ø 430 mm | grey | SG-320 | in carton | 10 pcs |
| 140-S/G600 | Ø 430 mm | grey | SG-600 | in carton | 15 pcs |
| 140-SG600/SB | Ø 430 mm | grey | SG-600 | in carton | 10 pcs |
| 140-S/G800 | Ø 430 mm | grey | SG-800 | in carton | 15 pcs |
| 140-SG800/SB | Ø 430 mm | grey | SG-800 | in carton | 10 pcs |
| 140-S/G1200 | Ø 430 mm | grey | SG-1200 | in carton | 15 pcs |
| 140-SG1200/SB | Ø 430 mm | grey | SG-1200 | in carton | 10 pcs |
| 140-S/G1500 | Ø 430 mm | grey | SG-1500 | in carton | 15 pcs |
| 140-SG1500/SB | Ø 430 mm | grey | SG-1500 | in carton | 10 pcs |



useit®-Superfinishing Pad SG stripe

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|---|
| 123-SG 240 | 80x133 mm | grey | SG-240 | in carton | 25 pcs |
| 123-SG 320 | 80x133 mm | grey | SG-320 | in carton | 25 pcs |
| 123-SG600 | 80x133 mm | grey | SG-600 | in carton | 25 pcs |
| 123-SG800 | 80x133 mm | grey | SG-800 | in carton | 25 pcs |
| 123-SG1200 | 80x133 mm | grey | SG-1200 | in carton | 25 pcs |
| 123-SG1500 | 80x133 mm | grey | SG-1500 | in carton | 25 pcs |
| | | | | | ✓ WOOD ✓ LACQUER ✓ METAL ✓ PLASTIC ✓ FILLER |
| 120-SG240 | 93x178 mm | grey | SG-240 | in carton | 25 pcs |
| 120-SG320 | 93x178 mm | grey | SG-320 | in carton | 25 pcs |
| 120-SG600 | 93x178 mm | grey | SG-600 | in carton | 25 pcs |
| 120-SG800 | 93x178 mm | grey | SG-800 | in carton | 25 pcs |
| 120-SG1200 | 93x178 mm | grey | SG-1200 | in carton | 25 pcs |
| 120-SG1500 | 93x178 mm | grey | SG-1500 | in carton | 25 pcs |
| | | | | | ✓ SOLID SURFACE ✓ STAINLESS STEEL ✓ NON-FERROUS METAL |
| 122-SG240 | 100x147 mm | grey | SG-240 | in carton | 25 pcs |
| 122-SG320 | 100x147 mm | grey | SG-320 | in carton | 25 pcs |
| 122-SG600 | 100x147 mm | grey | SG-600 | in carton | 25 pcs |
| 122-SG800 | 100x147 mm | grey | SG-800 | in carton | 25 pcs |
| 122-SG1200 | 100x147 mm | grey | SG-1200 | in carton | 25 pcs |
| 122-SG1500 | 100x147 mm | grey | SG-1500 | in carton | 25 pcs |

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 124-SG240 | 115x115 mm | grey | SG-240 | in carton | 25 pcs |
| 124-SG320 | 115x115 mm | grey | SG-320 | in carton | 25 pcs |
| 124-SG600 | 115x115 mm | grey | SG-600 | in carton | 25 pcs |
| 124-SG800 | 115x115 mm | grey | SG-800 | in carton | 25 pcs |
| 124-SG1200 | 115x115 mm | grey | SG-1200 | in carton | 25 pcs |
| 124-SG1500 | 115x115 mm | grey | SG-1500 | in carton | 25 pcs |
| 125-SG240 | 115x228 mm | grey | SG-240 | in carton | 25 pcs |
| 125-SG320 | 115x228 mm | grey | SG-320 | in carton | 25 pcs |
| 125-SG600 | 115x228 mm | grey | SG-600 | in carton | 25 pcs |
| 125-SG800 | 115x228 mm | grey | SG-800 | in carton | 25 pcs |
| 125-SG1200 | 115x228 mm | grey | SG-1200 | in carton | 25 pcs |
| 125-SG1500 | 115x228 mm | grey | SG-1500 | in carton | 25 pcs |



useit®-Superfinishing Pad SG delta shape

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 121-SG240 | 93x93x93 mm | grey | SG-240 | in carton | 25 pcs |
| 121-SG320 | 93x93x93 mm | grey | SG-320 | in carton | 25 pcs |
| 121-SG600 | 93x93x93 mm | grey | SG-600 | in carton | 25 pcs |
| 121-SG800 | 93x93x93 mm | grey | SG-800 | in carton | 25 pcs |
| 121-SG1200 | 93x93x93 mm | grey | SG-1200 | in carton | 25 pcs |
| 121-SG1500 | 93x93x93 mm | grey | SG-1500 | in carton | 25 pcs |

useit®-Superfinishing Pad SG for P1 sanding system

When used with the Jöst P1 dust-free sanding system, the useit®-Superfinishing Pad SG will give you an outstanding surface finish time and time again, thanks to its special construction and Jöst's state-of-the-art production techniques. The open structure enables continuous and practically dust-free working. The dust produced is sucked out to the rear through the entire pad. A wide variety of materials such as mineral materials, paints, lacquers and high-gloss surfaces can be processed in the shortest possible time. It is suitable for wet and dry grinding.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 133-SG 600 | Ø 136 mm | grey | SG-600 | in carton | 25 pcs |
| 133-SG1500 | Ø 136 mm | grey | SG-1500 | in carton | 25 pcs |
| 143-SG600 | Ø 156 mm | grey | SG-600 | in carton | 25 pcs |
| 143-SG1500 | Ø 156 mm | grey | SG-1500 | in carton | 25 pcs |
| 144-SG600 | Ø 210 mm | grey | SG-600 | in carton | 25 pcs |
| 144-SG1500 | Ø 210 mm | grey | SG-1500 | in carton | 25 pcs |



useit®-Superfinishing Pad SG for Jöst eccentric machines

A special construction combined with state-of-the-art production techniques make the useit®-Superfinishing Pad SG a reliable product for obtaining the highest surface quality. The open structure enables continuous and practically dust-free working. The dust produced is sucked out to the rear through the entire pad. The useit®-Superfinishing Pad SG can process hard coverings such as PVC, linoleum, vinyl, 2K-coated industrial floors and sealed, oiled & waxed wooden floors. The above floor coverings can be cleaned, polished and freed from coatings and micro-scratches without damaging the surface. Differences in the degree of gloss on floors can also be quickly and easily harmonized, eliminating the need for time-consuming post-processing. On tiles and fine stone floors, soiling caused by cement and epoxy resin can be removed quickly, reliably and easily without the need for cleaning chemicals.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 149-SG240 | 190x340 mm | grey | SG-240 | in polybag | 10 pcs |
| 149-SG320 | 190x340 mm | grey | SG-320 | in polybag | 10 pcs |
| 149-SG600 | 190x340 mm | grey | SG-600 | in polybag | 10 pcs |
| 149-SG800 | 190x340 mm | grey | SG-800 | in polybag | 10 pcs |
| 149-SG1200 | 190x340 mm | grey | SG-1200 | in polybag | 10 pcs |
| 149-SG1500 | 190x340 mm | grey | SG-1500 | in polybag | 10 pcs |
| 148-SG240 | 335x485 mm | grey | SG-240 | in polybag | 10 pcs |
| 148-SG320 | 335x485 mm | grey | SG-320 | in polybag | 10 pcs |
| 148-SG600 | 335x485 mm | grey | SG-600 | in polybag | 10 pcs |
| 148-SG800 | 335x485 mm | grey | SG-800 | in polybag | 10 pcs |
| 148-SG1200 | 335x485 mm | grey | SG-1200 | in polybag | 10 pcs |
| 148-SG1500 | 335x485 mm | grey | SG-1500 | in polybag | 10 pcs |

- ✓ PARQUET
- ✓ SOLID SURFACE
- ✓ STRUCTURED FLOORS
- ✓ MARBLE
- ✓ HARD COVERINGS



useit®-Superfinishing Pad SG brushes

The useit®-Superfinishing Pad SG finishing and polishing brushes give you high gloss surfaces quickly and easily – with no need for polishing paste. They are particularly suitable for machining curves and profiled surfaces. Excellent gloss levels can be achieved on stainless steel sheets – without felt and polishing paste. Thanks to the flexibility of the abrasive, the brushes adapt perfectly to the surface contour and prevent sanding through at the edges. When processing mineral materials, especially in the wash basin area, the surfaces can be perfectly adapted to the entire installation without visible transitions in gloss and structure.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|------------|---------------|-------|---------|---------------|---------------------------|
| 115-SG240 | 50x30x6 mm | grey | SG-240 | in polybag | 5 pcs ✓ WOOD |
| 115-SG320 | 50x30x6 mm | grey | SG-320 | in polybag | 5 pcs ✓ LACQUER |
| 115-SG600 | 50x30x6 mm | grey | SG-600 | in polybag | 5 pcs ✓ METAL |
| 115-SG800 | 50x30x6 mm | grey | SG-800 | in polybag | 5 pcs ✓ PLASTIC |
| 115-SG1200 | 50x30x6 mm | grey | SG-1200 | in polybag | 5 pcs ✓ SOLID SURFACE |
| 115-SG1500 | 50x30x6 mm | grey | SG-1500 | in polybag | 5 pcs ✓ STAINLESS STEEL |
| 115-SG2500 | 50x30x6 mm | grey | SG-2500 | in polybag | 5 pcs ✓ RUBBER |
| 115-SG3000 | 50x30x6 mm | grey | SG-3000 | in polybag | 5 pcs ✓ NON-FERROUS METAL |
| 117-SG240 | Ø 80x50x6 mm | grey | SG-240 | in polybag | 5 pcs |
| 117-SG320 | Ø 80x50x6 mm | grey | SG-320 | in polybag | 5 pcs |
| 117-SG600 | Ø 80x50x6 mm | grey | SG-600 | in polybag | 5 pcs |
| 117-SG 800 | Ø 80x50x6 mm | grey | SG-800 | in polybag | 5 pcs |
| 117-SG1200 | Ø 80x50x6 mm | grey | SG-1200 | in polybag | 5 pcs |
| 117-SG1500 | Ø 80x50x6 mm | grey | SG-1500 | in polybag | 5 pcs |
| 117-SG2500 | Ø 80x50x6 mm | grey | SG-2500 | in polybag | 5 pcs |
| 117-SG3000 | Ø 80x50x6 mm | grey | SG-3000 | in polybag | 5 pcs |
| 118-SG240 | Ø 100x50x8 mm | grey | SG-240 | in polybag | 5 pcs |
| 118-SG320 | Ø 100x50x8 mm | grey | SG-320 | in polybag | 5 pcs |
| 118-SG600 | Ø 100x50x8 mm | grey | SG-600 | in polybag | 5 pcs |
| 118-SG800 | Ø 100x50x8 mm | grey | SG-800 | in polybag | 5 pcs |
| 118-SG1200 | Ø 100x50x8 mm | grey | SG-1200 | in polybag | 5 pcs |
| 118-SG1500 | Ø 100x50x8 mm | grey | SG-1500 | in polybag | 5 pcs |
| 118-SG2500 | Ø 100x50x8 mm | grey | SG-2500 | in polybag | 5 pcs |
| 118-SG3000 | Ø 100x50x8 mm | grey | SG-3000 | in polybag | 5 pcs |





HIGH-PERFORMANCE ABRASIVE

useit®-Superfinishing Pad SG2

The useit®-Superfinishing Pad SG2 differs from the useit®-Superfinishing Pad SG in that its abrasive grain backing consists of a closed fabric and not a fine sanding mesh. Thanks to its more stable surface, the useit® Superfinishing-Pad SG2 is also better suited for final filler finishing, for removing color sagging and dust inclusions, for processing and smoothing orange peel for spot repairs, for smoothing transitions, preparing vehicles and grinding stainless steel and non-ferrous metal. Like the SG, the useit® Superfinishing Pad SG2 is also suitable for wet and dry sanding – and it fits on every sanding machine available on the market, regardless of the perforation configuration in the suction plates. If surfaces with a very high amount of dust are to be dry sanded, the useit® Superfinishing Pad SG should be used, because the structure of the abrasive surface (the sanding mesh) is open, ensuring that all the dust is continuously extracted through the entire pad.

useit®-Superfinishing Pad SG2 75 - 430 mm diameter

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 114-SG2 800 | ø 75 mm | grey | SG-800 | in carton | 25 pcs |
| 114-SG2 1600 | ø 75 mm | grey | SG-1600 | in carton | 25 pcs |
| 114-SG2 1800 | ø 75 mm | grey | SG-1800 | in carton | 25 pcs |
| 114-SG2 2000 | ø 75 mm | grey | SG-2000 | in carton | 25 pcs |
| 114-SG2 2500 | ø 75 mm | grey | SG-2500 | in carton | 25 pcs |
| 114-SG2 3000 | ø 75 mm | grey | SG-3000 | in carton | 25 pcs |
| 114-SG2 4000 | ø 75 mm | grey | SG-4000 | in carton | 25 pcs |

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 130-SG2 800 | ø 77 mm | grey | SG-800 | in carton | 25 pcs |
| 130-SG2 1600 | ø 77 mm | grey | SG-1600 | in carton | 25 pcs |
| 130-SG2 1800 | ø 77 mm | grey | SG-1800 | in carton | 25 pcs |
| 130-SG2 2000 | ø 77 mm | grey | SG-2000 | in carton | 25 pcs |
| 130-SG2 2500 | ø 77 mm | grey | SG-2500 | in carton | 25 pcs |
| 130-SG2 3000 | ø 77 mm | grey | SG-3000 | in carton | 25 pcs |
| 130-SG2 4000 | ø 77 mm | grey | SG-4000 | in carton | 25 pcs |




- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NON-FERROUS METAL

| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 119-SG2 800 | ø 115 mm | grey | SG-800 | in carton | 25 pcs | ✓ WOOD |
| 119-SG2 1600 | ø 115 mm | grey | SG-1600 | in carton | 25 pcs | ✓ PARQUET |
| 119-SG2 1800 | ø 115 mm | grey | SG-1800 | in carton | 25 pcs | ✓ LACQUER |
| 119-SG2 2000 | ø 115 mm | grey | SG-2000 | in carton | 25 pcs | ✓ METAL |
| 119-SG2 2500 | ø 115 mm | grey | SG-2500 | in carton | 25 pcs | ✓ PLASTIC |
| 119-SG2 3000 | ø 115 mm | grey | SG-3000 | in carton | 25 pcs | ✓ GIPSUM |
| 119-SG2 4000 | ø 115 mm | grey | SG-4000 | in carton | 25 pcs | ✓ FILLER |
| | | | | | | ✓ SOLID SURFACE |
| | | | | | | ✓ STAINLESS STEEL |
| | | | | | | ✓ NON-FERROUS METAL |
| | | | | | | ✓ COMPOSITE |
| 116-SG2 800 | ø 118 mm | grey | SG-800 | in carton | 25 pcs | |
| 116-SG2 1600 | ø 118 mm | grey | SG-1600 | in carton | 25 pcs | |
| 116-SG2 1800 | ø 118 mm | grey | SG-1800 | in carton | 25 pcs | |
| 116-SG2 2000 | ø 118 mm | grey | SG-2000 | in carton | 25 pcs | |
| 116-SG2 2500 | ø 118 mm | grey | SG-2500 | in carton | 25 pcs | |
| 116-SG2 3000 | ø 118 mm | grey | SG-3000 | in carton | 25 pcs | |
| 116-SG2 4000 | ø 118 mm | grey | SG-4000 | in carton | 25 pcs | |
| 127-SG2 800 | ø 128 mm | grey | SG-800 | in carton | 25 pcs | |
| 127-SG2 1600 | ø 128 mm | grey | SG-1600 | in carton | 25 pcs | |
| 127-SG2 1800 | ø 128 mm | grey | SG-1800 | in carton | 25 pcs | |
| 127-SG2 2000 | ø 128 mm | grey | SG-2000 | in carton | 25 pcs | |
| 127-SG2 2500 | ø 128 mm | grey | SG-2500 | in carton | 25 pcs | |
| 127-SG2 3000 | ø 128 mm | grey | SG-3000 | in carton | 25 pcs | |
| 127-SG2 4000 | ø 128 mm | grey | SG-4000 | in carton | 25 pcs | |
| 128-SG2 800 | ø 150 mm | grey | SG-800 | in carton | 25 pcs | |
| 128-SG2 1600 | ø 150 mm | grey | SG-1600 | in carton | 25 pcs | |
| 128-SG2 1800 | ø 150 mm | grey | SG-1800 | in carton | 25 pcs | |
| 128-SG2 2000 | ø 150 mm | grey | SG-2000 | in carton | 25 pcs | |
| 128-SG2 2500 | ø 150 mm | grey | SG-2500 | in carton | 25 pcs | |
| 128-SG2 3000 | ø 150 mm | grey | SG-3000 | in carton | 25 pcs | |
| 128-SG2 4000 | ø 150 mm | grey | SG-4000 | in carton | 25 pcs | |
| 132-SG2 800 | ø 200 mm | grey | SG-800 | in carton | 25 pcs | |
| 132-SG2 1600 | ø 200 mm | grey | SG-1600 | in carton | 25 pcs | |
| 132-SG2 1800 | ø 200 mm | grey | SG-1800 | in carton | 25 pcs | |
| 132-SG2 2000 | ø 200 mm | grey | SG-2000 | in carton | 25 pcs | |
| 132-SG2 2500 | ø 200 mm | grey | SG-2500 | in carton | 25 pcs | |
| 132-SG2 3000 | ø 200 mm | grey | SG-3000 | in carton | 25 pcs | |
| 132-SG2 4000 | ø 200 mm | grey | SG-4000 | in carton | 25 pcs | |
| 134-SG2 800 | ø 280 mm | grey | SG-800 | in carton | 25 pcs | |
| 134-SG2 1600 | ø 280 mm | grey | SG-1600 | in carton | 25 pcs | |
| 134-SG2 1800 | ø 280 mm | grey | SG-1800 | in carton | 25 pcs | |
| 134-SG2 2000 | ø 280 mm | grey | SG-2000 | in carton | 25 pcs | |
| 134-SG2 2500 | ø 280 mm | grey | SG-2500 | in carton | 25 pcs | |
| 134-SG2 3000 | ø 280 mm | grey | SG-3000 | in carton | 25 pcs | |
| 134-SG2 4000 | ø 280 mm | grey | SG-4000 | in carton | 25 pcs | |



*useit®-Superfinishing SG
for a perfect finish*

| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|------------------|
| 138-SG2 800 | ø 375 mm | grey | SG-800 | in carton | 15 pcs | ✓ WOOD |
| 138-SG2 1600 | ø 375 mm | grey | SG-1600 | in carton | 15 pcs | ✓ PARQUET |
| 138-SG2 1800 | ø 375 mm | grey | SG-1800 | in carton | 15 pcs | ✓ LACQUER |
| 138-SG2 1800/SB | ø 375 mm | grey | SG-1800 | in carton | 10 pcs | ✓ METAL |
| 138-SG2 2000 | ø 375 mm | grey | SG-2000 | in carton | 15 pcs | ✓ PLASTIC |
| 138-SG2 2000/SB | ø 375 mm | grey | SG-2000 | in carton | 10 pcs | ✓ SOLID SURFACE |
| 138-SG2 2500 | ø 375 mm | grey | SG-2500 | in carton | 15 pcs | ✓ HARD COVERINGS |
| 138-SG2 2500/SB | ø 375 mm | grey | SG-2500 | in carton | 10 pcs | |
| 138-SG2 3000 | ø 375 mm | grey | SG-3000 | in carton | 15 pcs | |
| 138-SG2 3000/SB | ø 375 mm | grey | SG-3000 | in carton | 10 pcs | |
| 139-SG2 800 | ø 410 mm | grey | SG-800 | in carton | 15 pcs | |
| 139-SG2 1600 | ø 410 mm | grey | SG-1600 | in carton | 15 pcs | |
| 139-SG2 1800 | ø 410 mm | grey | SG-1800 | in carton | 15 pcs | |
| 139-SG2 1800/SB | ø 410 mm | grey | SG-1800 | in carton | 10 pcs | |
| 139-SG2 2000 | ø 410 mm | grey | SG-2000 | in carton | 15 pcs | |
| 139-SG2 2000/SB | ø 410 mm | grey | SG-2000 | in carton | 10 pcs | |
| 139-SG2 2500 | ø 410 mm | grey | SG-2500 | in carton | 15 pcs | |
| 139-SG2 2500/SB | ø 410 mm | grey | SG-2500 | in carton | 10 pcs | |
| 139-SG2 3000 | ø 410 mm | grey | SG-3000 | in carton | 15 pcs | |
| 139-SG2 3000/SB | ø 410 mm | grey | SG-3000 | in carton | 10 pcs | |
| 140-SG2 800 | ø 430 mm | grey | SG-800 | in carton | 15 pcs | |
| 140-SG2 1600 | ø 430 mm | grey | SG-1600 | in carton | 15 pcs | |
| 140-SG2 1800 | ø 430 mm | grey | SG-1800 | in carton | 15 pcs | |
| 140-SG2 1800/SB | ø 430 mm | grey | SG-1800 | in carton | 10 pcs | ✓ WOOD |
| 140-SG2 2000/SB | ø 430 mm | grey | SG-2000 | in carton | 10 pcs | ✓ PARQUET |
| 140-SG2 2000 | ø 430 mm | grey | SG-2000 | in carton | 10 pcs | ✓ LACQUER |
| 140-SG2 2500 | ø 430 mm | grey | SG-2500 | in carton | 15 pcs | ✓ METAL |
| 140-SG2 2500/SB | ø 430 mm | grey | SG-2500 | in carton | 10 pcs | ✓ PLASTIC |
| 140-SG2 3000 | ø 430 mm | grey | SG-3000 | in carton | 15 pcs | ✓ SOLID SURFACE |
| 140-SG2 3000/SB | ø 430 mm | grey | SG-3000 | in carton | 10 pcs | ✓ HARD COVERINGS |




useit®-Superfinishing Pad SG2 stripes

| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|--|
| 123-SG2 800 | 80x133 mm | grey | SG-800 | in carton | 25 pcs | |
| 123-SG2 1600 | 80x133 mm | grey | SG-1600 | in carton | 25 pcs | |
| 123-SG2 1800 | 80x133 mm | grey | SG-1800 | in carton | 25 pcs | |
| 123-SG2 2000 | 80x133 mm | grey | SG-2000 | in carton | 25 pcs | |
| 123-SG2 2500 | 80x133 mm | grey | SG-2500 | in carton | 25 pcs | |
| 123-SG2 3000 | 80x133 mm | grey | SG-3000 | in carton | 25 pcs | |
| 123-SG2 4000 | 80x133 mm | grey | SG-4000 | in carton | 25 pcs | |



useit®-Superfinishing Pad SG2 delta shape

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|--------------|-------------|-------|---------|---------------|--------|
| 120-SG2 800 | 93x178 mm | grey | SG-800 | in carton | 25 pcs |
| 120-SG2 1600 | 93x178 mm | grey | SG-1600 | in carton | 25 pcs |
| 120-SG2 1800 | 93x178 mm | grey | SG-1800 | in carton | 25 pcs |
| 120-SG2 2000 | 93x178 mm | grey | SG-2000 | in carton | 25 pcs |
| 120-SG2 2500 | 93x178 mm | grey | SG-2500 | in carton | 25 pcs |
| 120-SG2 3000 | 93x178 mm | grey | SG-3000 | in carton | 25 pcs |
| 120-SG2 4000 | 93x178 mm | grey | SG-4000 | in carton | 25 pcs |
| 122-SG2 800 | 100x147 mm | grey | SG-800 | in carton | 25 pcs |
| 122-SG2 1600 | 100x147 mm | grey | SG-1600 | in carton | 25 pcs |
| 122-SG2 1800 | 100x147 mm | grey | SG-1800 | in carton | 25 pcs |
| 122-SG2 2000 | 100x147 mm | grey | SG-2000 | in carton | 25 pcs |
| 122-SG2 2500 | 100x147 mm | grey | SG-2500 | in carton | 25 pcs |
| 122-SG2 3000 | 100x147 mm | grey | SG-3000 | in carton | 25 pcs |
| 122-SG2 4000 | 100x147 mm | grey | SG-4000 | in carton | 25 pcs |
| 124-SG2 800 | 115x115 mm | grey | SG-800 | in carton | 25 pcs |
| 124-SG2 1600 | 115x115 mm | grey | SG-1600 | in carton | 25 pcs |
| 124-SG2 1800 | 115x115 mm | grey | SG-1800 | in carton | 25 pcs |
| 124-SG2 2000 | 115x115 mm | grey | SG-2000 | in carton | 25 pcs |
| 124-SG2 2500 | 115x115 mm | grey | SG-2500 | in carton | 25 pcs |
| 124-SG2 3000 | 115x115 mm | grey | SG-3000 | in carton | 25 pcs |
| 124-SG2 4000 | 115x115 mm | grey | SG-4000 | in carton | 25 pcs |
| 125-SG2 800 | 115x228 mm | grey | SG-800 | in carton | 25 pcs |
| 125-SG2 1600 | 115x228 mm | grey | SG-1600 | in carton | 25 pcs |
| 125-SG2 1800 | 115x228 mm | grey | SG-1800 | in carton | 25 pcs |
| 125-SG2 2000 | 115x228 mm | grey | SG-2000 | in carton | 25 pcs |
| 125-SG2 2500 | 115x228 mm | grey | SG-2500 | in carton | 25 pcs |
| 125-SG2 3000 | 115x228 mm | grey | SG-3000 | in carton | 25 pcs |
| 125-SG2 4000 | 115x228 mm | grey | SG-4000 | in carton | 25 pcs |
| 135-SG2 800 | 115x140 mm | grey | SG-800 | in carton | 25 pcs |
| 135-SG2 1600 | 115x140 mm | grey | SG-1600 | in carton | 25 pcs |
| 135-SG2 1800 | 115x140 mm | grey | SG-1800 | in carton | 25 pcs |
| 135-SG2 2000 | 115x140 mm | grey | SG-2000 | in carton | 25 pcs |
| 135-SG2 2500 | 115x140 mm | grey | SG-2500 | in carton | 25 pcs |
| 135-SG2 3000 | 115x140 mm | grey | SG-3000 | in carton | 25 pcs |
| 135-SG2 4000 | 115x140 mm | grey | SG-4000 | in carton | 25 pcs |
| 121-SG2 800 | 93x93x93 mm | grey | SG-800 | in carton | 25 pcs |
| 121-SG2 1600 | 93x93x93 mm | grey | SG-1600 | in carton | 25 pcs |
| 121-SG2 1800 | 93x93x93 mm | grey | SG-1800 | in carton | 25 pcs |
| 121-SG2 2000 | 93x93x93 mm | grey | SG-2000 | in carton | 25 pcs |
| 121-SG2 2500 | 93x93x93 mm | grey | SG-2500 | in carton | 25 pcs |
| 121-SG2 3000 | 93x93x93 mm | grey | SG-3000 | in carton | 25 pcs |
| 121-SG2 4000 | 93x93x93 mm | grey | SG-4000 | in carton | 25 pcs |



- ✓ WOOD
- ✓ PARQUET
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ HARD COVERINGS

useit®-Superfinishing Pad SG2 for P1 sanding system

The useit®-Superfinishing Pad SG2 for the Jöst P1 dust-free sanding system differs from our useit® Superfinishing Pad SG in that the abrasive grain backing consists of a closed fabric, not a fine sanding net. The useit®-Superfinishing Pad SG2 is excellently suited for the processing of mineral surface materials, stainless steel, NF metals, GRP and wood surfaces thanks to its more stable surface.

Depending on the grain size used, different degrees of gloss can be achieved in a very short time. Like the SG, the useit® Superfinishing Pad SG2 is also ideal for wet and dry sanding.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|--------------|-----------|-------|---------|---------------|--------|
| 133-SG2 800 | Ø 136 mm | grey | SG-800 | in carton | 25 pcs |
| 133-SG2 1600 | Ø 136 mm | grey | SG-1600 | in carton | 25 pcs |
| 133-SG2 1800 | Ø 136 mm | grey | SG-1800 | in carton | 25 pcs |
| 133-SG2 2500 | Ø 136 mm | grey | SG-2500 | in carton | 25 pcs |
| 133-SG2 3000 | Ø 136 mm | grey | SG-3000 | in carton | 25 pcs |
| 143-SG2 800 | Ø 156 mm | grey | SG-800 | in carton | 25 pcs |
| 143-SG2 1600 | Ø 156 mm | grey | SG-1600 | in carton | 25 pcs |
| 143-SG2 1800 | Ø 156 mm | grey | SG-1800 | in carton | 25 pcs |
| 143-SG2 2500 | Ø 156 mm | grey | SG-2500 | in carton | 25 pcs |
| 143-SG2 3000 | Ø 156 mm | grey | SG-3000 | in carton | 25 pcs |
| 144-SG2 800 | Ø 210 mm | grey | SG-800 | in carton | 25 pcs |
| 144-SG2 1600 | Ø 210 mm | grey | SG-1600 | in carton | 25 pcs |
| 144-SG2 1800 | Ø 210 mm | grey | SG-1800 | in carton | 25 pcs |
| 144-SG2 2500 | Ø 210 mm | grey | SG-2500 | in carton | 25 pcs |
| 144-SG2 3000 | Ø 210 mm | grey | SG-3000 | in carton | 25 pcs |



useit®-Superfinishing Pad SG2 for Jöst eccentric machines

The useit®-Superfinishing Pad SG2 for Jöst orbital sanding machines is ideally suited for processing hard floor coverings such as PVC, linoleum, vinyl, 2K-coated industrial floors and sealed, oiled & waxed wooden floors. The above floor coverings can be cleaned, polished and freed from coatings and micro scratches without damaging the surface. Even differences in the degree of gloss in floors can be quickly and easily harmonized, eliminating the need for time-consuming post-processing. Like the SG, the useit®-Superfinishing Pad SG2 is also suitable for wet and dry sanding. When used on solid surface material, the useit®-Superfinishing-Pad SG2 guarantees the highest gloss levels without clouding or shadow formation

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|--------------|------------|-------|---------|---------------|--------|
| 149-SG2 800 | 190x340 mm | grey | SG-800 | in polybag | 10 pcs |
| 149-SG2 1600 | 190x340 mm | grey | SG-1600 | in polybag | 10 pcs |
| 149-SG2 1800 | 190x340 mm | grey | SG-1800 | in polybag | 10 pcs |
| 149-SG2 2000 | 190x340 mm | grey | SG-2000 | in polybag | 10 pcs |
| 149-SG2 2500 | 190x340 mm | grey | SG-2500 | in polybag | 10 pcs |
| 149-SG2 3000 | 190x340 mm | grey | SG-3000 | in polybag | 10 pcs |
| 148-SG2 800 | 335x485 mm | grey | SG-800 | in polybag | 10 pcs |
| 148-SG2 1600 | 335x485 mm | grey | SG-1600 | in polybag | 10 pcs |
| 148-SG2 1800 | 335x485 mm | grey | SG-1800 | in polybag | 10 pcs |
| 148-SG2 2000 | 335x485 mm | grey | SG-2000 | in polybag | 10 pcs |
| 148-SG2 2500 | 335x485 mm | grey | SG-2500 | in polybag | 10 pcs |
| 148-SG2 3000 | 335x485 mm | grey | SG-3000 | in polybag | 10 pcs |



useit®-Superfinishing Pad SG2 brushes

The useit®-Superfinishing Pad SG finishing and polishing brushes give you high gloss surfaces quickly and easily – with no need for polishing paste. They are particularly suitable for machining curves and profiled surfaces. Excellent gloss levels can be achieved on stainless steel sheets – without felt and polishing paste. Thanks to the flexibility of the abrasive, the brushes adapt perfectly to the surface contour and prevent sanding through at the edges. When processing solid surface material, especially in the wash basin area, the surfaces can be perfectly adapted to the entire installation without visible transitions in gloss and structure.

| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|--------------|---------------|-------|---------|---------------|-------|---------------------|
| 115-SG2 800 | Ø 50x30x6 mm | grey | SG-800 | in polybag | 5 pcs | ✓ WOOD |
| 115-SG2 1600 | Ø 50x30x6 mm | grey | SG-1600 | in polybag | 5 pcs | ✓ LACQUER |
| 115-SG2 1800 | Ø 50x30x6 mm | grey | SG-1800 | in polybag | 5 pcs | ✓ METAL |
| 115-SG2 2000 | Ø 50x30x6 mm | grey | SG-2000 | in polybag | 5 pcs | ✓ PLASTIC |
| 115-SG2 2500 | Ø 50x30x6 mm | grey | SG-2500 | in polybag | 5 pcs | ✓ SOLID SURFACE |
| 115-SG2 3000 | Ø 50x30x6 mm | grey | SG-3000 | in polybag | 5 pcs | ✓ STAINLESS STEEL |
| | | | | | | ✓ RUBBER |
| | | | | | | ✓ NON-FERROUS METAL |
| 117-SG2 800 | Ø 80x50x6 mm | grey | SG-800 | in polybag | 5 pcs | |
| 117-SG2 1600 | Ø 80x50x6 mm | grey | SG-1600 | in polybag | 5 pcs | |
| 117-SG2 1800 | Ø 80x50x6 mm | grey | SG-1800 | in polybag | 5 pcs | |
| 117-SG2 2000 | Ø 80x50x6 mm | grey | SG-2000 | in polybag | 5 pcs | |
| 117-SG2 2500 | Ø 80x50x6 mm | grey | SG-2500 | in polybag | 5 pcs | |
| 117-SG2 3000 | Ø 80x50x6 mm | grey | SG-3000 | in polybag | 5 pcs | |
| 118-SG2 800 | Ø 100x50x8 mm | grey | SG-800 | in polybag | 5 pcs | |
| 118-SG2 1600 | Ø 100x50x8 mm | grey | SG-1600 | in polybag | 5 pcs | |
| 118-SG2 1800 | Ø 100x50x8 mm | grey | SG-1800 | in polybag | 5 pcs | |
| 118-SG2 2000 | Ø 100x50x8 mm | grey | SG-2000 | in polybag | 5 pcs | |
| 118-SG2 2500 | Ø 100x50x8 mm | grey | SG-2500 | in polybag | 5 pcs | |
| 118-SG3000 | Ø 100x50x8 mm | grey | SG-3000 | in polybag | 5 pcs | |





HIGH-PERFORMANCE ABRASIVE useit®-Superfinishing Pad SG3

The useit®-Superfinishing Pad SG3 offers an enormous savings potential compared to conventional polishing processes when processing high-gloss lacquers, GRP surfaces, metals and mineral materials. This saves a lot of working time and considerably reduces your costs. Sanding through beads and edges is prevented thanks to the abrasive grains which are applied with a special coating method: the special construction of the pad forces the grains to automatically align themselves during sanding. The pad adapts itself perfectly to curves and profiled surfaces.

useit®-Superfinishing Pad SG3 77 - 200 mm diameter

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|--------------|-----------|-------|---------|---------------|--------|
| 130-SG3 360 | ø 77 mm | grey | SG-360 | in carton | 20 pcs |
| 130-SG3 500 | ø 77 mm | grey | SG-500 | in carton | 20 pcs |
| 130-SG3 600 | ø 77 mm | grey | SG-600 | in carton | 20 pcs |
| 130-SG3 1000 | ø 77 mm | grey | SG-1000 | in carton | 20 pcs |
| 130-SG3 2000 | ø 77 mm | grey | SG-2000 | in carton | 20 pcs |
| 130-SG3 3000 | ø 77 mm | grey | SG-3000 | in carton | 20 pcs |
| 130-SG3 4000 | ø 77 mm | grey | SG-4000 | in carton | 20 pcs |
| 110-SG3 360 | ø 90 mm | grey | SG-360 | in carton | 20 pcs |
| 110-SG3 500 | ø 90 mm | grey | SG-500 | in carton | 20 pcs |
| 110-SG3 600 | ø 90 mm | grey | SG-600 | in carton | 20 pcs |
| 110-SG3 1000 | ø 90 mm | grey | SG-1000 | in carton | 20 pcs |
| 110-SG3 2000 | ø 90 mm | grey | SG-2000 | in carton | 20 pcs |
| 110-SG3 3000 | ø 90 mm | grey | SG-3000 | in carton | 20 pcs |
| 110-SG3 4000 | ø 90 mm | grey | SG-4000 | in carton | 20 pcs |



- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ RUBBER
- ✓ NON-FERROUS METAL

| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|-----------------|------------------|--------------|-------------|----------------------|-----------|---------------------|
| 127-SG3 360 | ø 128 mm | grey | SG-360 | in carton | 20 pcs | ✓ WOOD |
| 127-SG3 500 | ø 128 mm | grey | SG-500 | in carton | 20 pcs | ✓ LACQUER |
| 127-SG3 600 | ø 128 mm | grey | SG-600 | in carton | 20 pcs | ✓ METAL |
| 127-SG3 1000 | ø 128 mm | grey | SG-1000 | in carton | 20 pcs | ✓ PLASTIC |
| 127-SG3 2000 | ø 128 mm | grey | SG-2000 | in carton | 20 pcs | ✓ SOLID SURFACE |
| 127-SG3 3000 | ø 128 mm | grey | SG-3000 | in carton | 20 pcs | ✓ STAINLESS STEEL |
| 127-SG3 4000 | ø 128 mm | grey | SG-4000 | in carton | 20 pcs | ✓ RUBBER |
| | | | | | | ✓ NON-FERROUS METAL |
| 128-SG3 360 | ø 150 mm | grey | SG-360 | in carton | 20 pcs | |
| 128-SG3 500 | ø 150 mm | grey | SG-500 | in carton | 20 pcs | |
| 128-SG3 600 | ø 150 mm | grey | SG-600 | in carton | 20 pcs | |
| 128-SG3 1000 | ø 150 mm | grey | SG-1000 | in carton | 20 pcs | |
| 128-SG3 2000 | ø 150 mm | grey | SG-2000 | in carton | 20 pcs | |
| 128-SG3 3000 | ø 150 mm | grey | SG-3000 | in carton | 20 pcs | |
| 128-SG3 4000 | ø 150 mm | grey | SG-4000 | in carton | 20 pcs | |
| 132-SG3 360 | ø 200 mm | grey | SG-360 | in carton | 20 pcs | |
| 132-SG3 500 | ø 200 mm | grey | SG-500 | in carton | 20 pcs | |
| 132-SG3 600 | ø 200 mm | grey | SG-600 | in carton | 20 pcs | |
| 132-SG3 1000 | ø 200 mm | grey | SG-1000 | in carton | 20 pcs | |
| 132-SG3 2000 | ø 200 mm | grey | SG-2000 | in carton | 20 pcs | |
| 132-SG3 3000 | ø 200 mm | grey | SG-3000 | in carton | 20 pcs | |
| 132-SG3 4000 | ø 200 mm | grey | SG-4000 | in carton | 20 pcs | |



useit®-Superfinishing Pad SG3 stripes

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 113-SG3 360 | 115x140 mm | grey | SG-360 | in carton | 20 pcs |
| 113-SG3 500 | 115x140 mm | grey | SG-500 | in carton | 20 pcs |
| 113-SG3 600 | 115x140 mm | grey | SG-600 | in carton | 20 pcs |
| 113-SG3 1000 | 115x140 mm | grey | SG-1000 | in carton | 20 pcs |
| 113-SG3 2000 | 115x140 mm | grey | SG-2000 | in carton | 20 pcs |
| 113-SG3 3000 | 115x140 mm | grey | SG-3000 | in carton | 20 pcs |
| 113-SG3 4000 | 115x140 mm | grey | SG-4000 | in carton | 20 pcs |



useit®-Superfinishing Pad SG3 for P1 sanding system

Thanks to its increased foam thickness, the useit®-Superfinishing Pad SG3 for the Jöst P1 dust-free grinding system adapts itself superbly to curved and shaped surfaces. Like the useit®-Superfinishing Pad SG2, it is ideally suited for processing solid surface material, stainless steel, non-ferrous metals and GRP & wood surfaces.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|--------------|-----------|-------|---------|---------------|--------|
| 133-SG3 360 | Ø 136 mm | grey | SG-360 | in carton | 20 pcs |
| 133-SG3 500 | Ø 136 mm | grey | SG-500 | in carton | 20 pcs |
| 133-SG3 600 | Ø 136 mm | grey | SG-600 | in carton | 20 pcs |
| 133-SG3 1000 | Ø 136 mm | grey | SG-1000 | in carton | 20 pcs |
| 133-SG3 2000 | Ø 136 mm | grey | SG-2000 | in carton | 20 pcs |
| 133-SG3 3000 | Ø 136 mm | grey | SG-3000 | in carton | 20 pcs |
| 133-SG3 4000 | Ø 136 mm | grey | SG-4000 | in carton | 20 pcs |
| 143-SG3 360 | Ø 156 mm | grey | SG-360 | in carton | 20 pcs |
| 143-SG3 500 | Ø 156 mm | grey | SG-500 | in carton | 20 pcs |
| 143-SG3 600 | Ø 156 mm | grey | SG-600 | in carton | 20 pcs |
| 143-SG3 1000 | Ø 156 mm | grey | SG-1000 | in carton | 20 pcs |
| 143-SG3 2000 | Ø 156 mm | grey | SG-2000 | in carton | 20 pcs |
| 143-SG3 3000 | Ø 156 mm | grey | SG-3000 | in carton | 20 pcs |
| 143-SG3 4000 | Ø 156 mm | grey | SG-4000 | in carton | 20 pcs |
| 144-SG3 360 | Ø 210 mm | grey | SG-360 | in carton | 20 pcs |
| 144-SG3 500 | Ø 210 mm | grey | SG-500 | in carton | 20 pcs |
| 144-SG3 600 | Ø 210 mm | grey | SG-600 | m in carton | 20 pcs |
| 144-SG3 1000 | Ø 210 mm | grey | SG-1000 | in carton | 20 pcs |
| 144-SG3 2000 | Ø 210 mm | grey | SG-2000 | in carton | 20 pcs |
| 144-SG3 3000 | Ø 210 mm | grey | SG-3000 | in carton | 20 pcs |
| 144-SG3 4000 | Ø 210 mm | grey | SG-4000 | in carton | 20 pcs |



- ✓ WOOD
- ✓ LACQUER
- ✓ METAL
- ✓ PLASTIC
- ✓ GIPSUM
- ✓ FILLER
- ✓ SOLID SURFACE
- ✓ STAINLESS STEEL
- ✓ NON-FERROUS METAL
- ✓ COMPOSITE
- ✓ MARBLE



ABRAFLEX® non-woven Abraflex® High Performance

Abraflex® High Performance is often used for further processing tasks, thanks to its uniform fiber structure and total impregnation. The constant weight and consistent strength of this non-woven make it ideal for the manufacture of non-woven abrasive tools like tubes, brushes, belts and sanding wheels.

Abraflex® High Performance rolls

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|------------|----------------|-------|--------|---------------|------|
| 08-A100 | 115mm x 10 lfm | red | A-100 | in foil | 1 pc |
| 08-A180 | 115mm x 10 lfm | red | A-180 | in foil | 1 pc |
| 08-A280 | 115mm x 10 lfm | red | A-280 | in foil | 1 pc |
| 08-S400 | 115mm x 10 lfm | grey | S-400 | in foil | 1 pc |
| 08-S1000 | 115mm x 10 lfm | grey | S-1000 | in foil | 1 pc |
| 08-S1200 | 115mm x 10 lfm | grey | S-1200 | in foil | 1 pc |
| 08-FX WEIß | 115mm x 10 lfm | white | - | in foil | 1 pc |
| 08-HF GRÜN | 115mm x 10 lfm | green | - | in foil | 1 pc |



Abraflex® High Performance discs

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------------|-----------|-------|--------|---------------|--------|
| SR-A 100/128 | Ø 128 mm | red | A-100 | in foil | 10 pcs |
| SR-A 180/128 | Ø 128 mm | red | A-180 | in foil | 10 pcs |
| SR-A 280/128 | Ø 128 mm | red | A-280 | in foil | 10 pcs |
| SR-S 400/128 | Ø 128 mm | grey | S-400 | in foil | 10 pcs |
| SR-S1000/128 | Ø 128 mm | grey | S-1000 | in foil | 10 pcs |
| SR-FX WEIß/128 | Ø 128 mm | white | - | in foil | 10 pcs |
| SR-HF GRÜN/128 | Ø 128 mm | green | - | in foil | 10 pcs |
| SR-A 100/150 | Ø 150 mm | red | A-100 | in foil | 10 pcs |
| SR-A 180/150 | Ø 150 mm | red | A-180 | in foil | 10 pcs |
| SR-A 280/150 | Ø 150 mm | red | A-280 | in foil | 10 pcs |
| SR-S 400/150 | Ø 150 mm | grey | S-400 | in foil | 10 pcs |
| SR-S1000/150 | Ø 150 mm | grey | S-1000 | in foil | 10 pcs |
| SR-FX WEIß/150 | Ø 150 mm | white | - | in foil | 10 pcs |
| SR-HF GRÜN/150 | Ø 150 mm | green | - | in foil | 10 pcs |





Other sizes on request



Abraflex® High Performance pads

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| 14-A100 | 81x133 mm | red | A-100 | in foil | 10 pcs |
| 14-A280 | 81x133 mm | red | A-280 | in foil | 10 pcs |
| 14-S400 | 81x133 mm | grey | S-400 | in foil | 10 pcs |
| 14-S1000 | 81x133 mm | grey | S-1000 | in foil | 10 pcs |
| 15-A100 | 93x175 mm | red | A-100 | in foil | 10 pcs |
| 15-A280 | 93x175 mm | red | A-280 | in foil | 10 pcs |
| 15-S400 | 93x175 mm | grey | S-400 | in foil | 10 pcs |
| 15-S1000 | 93x175 mm | grey | S-1000 | in foil | 10 pcs |
| 01-A100 | 100x150 mm | red | A-100 | in foil | 10 pcs |
| 01-A280 | 100x150 mm | red | A-280 | in foil | 10 pcs |
| 01-S400 | 100x150 mm | grey | S-400 | in foil | 10 pcs |
| 01-S1000 | 100x150 mm | grey | S-1000 | in foil | 10 pcs |
| 02-A100 | hand-shape | red | A-100 | in foil | 10 pcs |
| 02-A280 | hand-shape | red | A-280 | in foil | 10 pcs |
| 02-S400 | hand-shape | grey | S-400 | in foil | 10 pcs |
| 02-S1000 | hand-shape | grey | S-1000 | in foil | 10 pcs |
| 16-A100 | 115x230 mm | red | A-100 | in foil | 10 pcs |
| 16-A280 | 115x230 mm | red | A-280 | in foil | 10 pcs |
| 16-S400 | 115x230 mm | grey | S-400 | in foil | 10 pcs |
| 16-S1000 | 115x230 mm | grey | S-1000 | in foil | 10 pcs |
| 22-A100 | 115x290 mm | red | A-100 | in foil | 10 pcs |
| 22-A280 | 115x290 mm | red | A-280 | in foil | 10 pcs |
| 22-S400 | 115x290 mm | grey | S-400 | in foil | 10 pcs |
| 22-S1000 | 115x290 mm | grey | S-1000 | in foil | 10 pcs |
| 21-A100 | 150x210 mm | red | A-100 | in foil | 10 pcs |
| 21-A280 | 150x210 mm | red | A-280 | in foil | 10 pcs |
| 21-S400 | 150x210 mm | grey | S-400 | in foil | 10 pcs |
| 21-S1000 | 150x210 mm | grey | S-1000 | in foil | 10 pcs |
| 3010 | 150x210 mm | green | undefiniert | in foil | 10 pcs |
| 4010 | 150x210 mm | white | ohne | in foil | 10 pcs |



*...Adaptable
user-friendly cutting
flexible*

Abraflex® High Performance - others

Abraflex® High Performance nonwoven abrasive in various designs and forms, from combined non-woven brushes with abrasive inlays to circular brushes, from lamellar brushes to cuts with integrated liquid reservoirs for zinc substrate pre-treatment.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-------------|--------------|-------|--------------|---------------|--------|
| 17-RS A-80 | Ø 80x50x6 mm | red | A-80 | in foil | 5 pcs |
| 17-A100 | Ø 80x50x6 mm | red | A-100 | in foil | 5 pcs |
| 17-A180 | Ø 80x50x6 mm | red | A-180 | in foil | 5 pcs |
| 17-A280 | Ø 80x50x6 mm | red | A-280 | in foil | 5 pcs |
| 17-RS A-180 | Ø 80x50x6 mm | red | A-180 | in foil | 5 pcs |
| 17-RS S-400 | Ø 80x50x6 mm | grey | S-400 | in foil | 5 pcs |
| 17-S400 | Ø 80x50x6 mm | grey | S-400 | in foil | 5 pcs |
| 18-A100 | Ø 60x50x6 mm | red | A-100 | in foil | 10 pcs |
| 18-A180 | Ø 60x50x6 mm | red | A-180 | in foil | 10 pcs |
| 18-A280 | Ø 60x50x6 mm | red | A-280 | in foil | 10 pcs |
| 18-S400 | Ø 60x50x6 mm | grey | S-400 | in foil | 10 pcs |
| 19-A100 | Ø 80x50x6 mm | red | A-100 | in foil | 5 pcs |
| 19-A180 | Ø 80x50x6 mm | red | A-180 | in foil | 5 pcs |
| 19-A280 | Ø 80x50x6 mm | red | A-280 | in foil | 5 pcs |
| 19-S400 | Ø 80x50x6 mm | grey | S-400 | in foil | 5 pcs |
| 20-A100 | Ø 60x50x6 mm | red | A-100 | in foil | 10 pcs |
| 20-A180 | Ø 60x50x6 mm | red | A-180 | in foil | 10 pcs |
| 20-A280 | Ø 60x50x6 mm | red | A-280 | in foil | 10 pcs |
| 20-S400 | Ø 60x50x6 mm | grey | S-400 | in foil | 10 pcs |
| 07-A100 | 140x70x40 mm | red | A-100 | in foil | 1 pc |
| 07-A280 | 140x70x40 mm | red | A-280 | in foil | 1 pc |
| 07-S400 | 140x70x40 mm | grey | S-400 | in foil | 1 pc |
| 07-S1000 | 140x70x40 mm | grey | S-1000 | in foil | 1 pc |
| SP 100/280 | 80x133 mm | red | A-100/ A-280 | in foil | 10 pcs |
| SP 280/400 | 80x133 mm | red | A-280/ S-400 | in foil | 10 pcs |
| SP 2000/100 | 80x133 mm | grey | A-280/ G-100 | in foil | 10 pcs |
| SP 2000/400 | 80x133 mm | grey | S-400/ G-320 | in foil | 10 pcs |



Abraflex® Soft Automotive rolls

Abraflex® soft Automotive is a cutting-friendly universal nonwoven with a high level of sanding performance. It distinguishes itself through its high degree of flexibility and adaptability. It is particularly suitable for sanding hard-to-reach areas such as narrow seams, edges and door locks. It is also ideal for finishing base and clear lacquers in the automotive industry and in the wood and plastics processing industries. An innovative coating system ensures an even distribution of the abrasive grain along the fiber, offering the perfect solution for the highest quality requirements.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|------------------|----------------|-------|--------------|---------------|------|
| 08-A/F-SOFT/100 | 100mm x 10 lfm | red | A-fine | in foil | 1 pc |
| 08-A/F-GREEN/100 | 100mm x 10 lfm | green | A-fine green | in foil | 1 pc |
| 08-A/VF-SOFT/100 | 100mm x 10 lfm | red | A-very fine | in foil | 1 pc |
| | | | | | |
| 08-A/F-SOFT | 115mm x 10 lfm | red | A-fine | in foil | 1 pc |
| 08-A/F-GREEN | 115mm x 10 lfm | green | A-fine green | in foil | 1 pc |
| 08-A/VF-SOFT | 115mm x 10 lfm | red | A-very fine | in foil | 1 pc |



Abraflex® Soft Automotive pads

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|--------------|------------|-------|--------------|---------------|--------|
| 21-A/F-SOFT | 150x210 mm | red | A-fine | in foil | 10 pcs |
| 21-A/F-GREEN | 150x210 mm | green | A-fine green | in foil | 10 pcs |
| 21-A/VF-SOFT | 150x210 mm | red | A-very fine | in foil | 10 pcs |

Abraflex® E-Type rolls

The Abraflex® E-Type nonwoven abrasive is particularly suitable for manual use. It is usually used as a narrow roll, hand pad or cut. Uniform and continuous impregnation guarantee the highest levels of quality and service life. In addition to a substantial standard program, we also offer solutions for individual customer demands, e.g. with regard to color and grain.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------------|---------------|-------|--------|---------------|------|
| 08-A100/E/100 | 100mm x 10 rm | red | A-100 | in foil | 1 pc |
| 08-A180/E/100 | 100mm x 10 rm | red | A-180 | in foil | 1 pc |
| 08-A280/E/100 | 100mm x 10 rm | red | A-280 | in foil | 1 pc |
| 08-S400/E/100 | 100mm x 10 rm | grey | S-400 | in foil | 1 pc |
| 08-S1000/E/100 | 100mm x 10 rm | grey | S-1000 | in foil | 1 pc |
| 08-S1200/E/100 | 100mm x 10 rm | grey | S-1200 | in foil | 1 pc |
| | | | | | |
| 08-A100/E | 115mm x 10 rm | red | A-100 | in foil | 1 pc |
| 08-A180/E | 115mm x 10 rm | red | A-180 | in foil | 1 pc |
| 08-A280/E | 115mm x 10 rm | red | A-280 | in foil | 1 pc |
| 08-S400/E | 115mm x 10 rm | grey | S-400 | in foil | 1 pc |
| 08-S1000/E | 115mm x 10 rm | grey | S-1000 | in foil | 1 pc |
| 08-S1200/E | 115mm x 10 rm | grey | S-1200 | in foil | 1 pc |



Abraflex® E-Type pads

The Abraflex® E-Type non-woven abrasive is particularly suitable for manual use. It is usually used as a narrow roll, hand pad or cut. Uniform and continuous impregnation guarantees the highest levels of quality and service life. In addition to a substantial standard program, we also offer solutions for individual customer demands, e.g. with regard to color and grain.

| Part no. | Dimension | Color | Grit | Delivery form PU | |
|------------|------------|-------|--------|------------------|--------|
| 21-A100/E | 150x210 mm | red | A-100 | in foil | 10 pcs |
| 21-A180/E | 150x210 mm | red | A-180 | in foil | 10 pcs |
| 21-A280/E | 150x210 mm | red | A-280 | in foil | 10 pcs |
| 21-S400/E | 150x210 mm | grey | S-400 | in foil | 10 pcs |
| 21-S1000/E | 150x210 mm | grey | S-1000 | in foil | 10 pcs |
| 21-S1200/E | 150x210 mm | grey | S-1200 | in foil | 10 pcs |
| 50-A100 | 335x485 mm | red | A-100 | in polybag | 10 pcs |
| 50-A280 | 335x485 mm | red | A-280 | in polybag | 10 pcs |
| 50-S400 | 335x485 mm | grey | S-400 | in polybag | 10 pcs |
| 52-A100 | 190x340 mm | red | A-100 | in polybag | 5 pcs |
| 52-A280 | 190x340 mm | red | A-280 | in polybag | 5 pcs |
| 52-S400 | 190x340 mm | grey | S-400 | in polybag | 5 pcs |



TEXFLEX® nonwoven pads

Fabric-reinforced nonwoven discs for angle grinders


| Part no. | Dimension | Color | Grit | Delivery form PU | |
|-------------|-----------|-------|-------|------------------|--------|
| 11-V 80 | Ø 115 mm | brown | A-80 | in carton | 10 pcs |
| 11-V 80/SB | Ø 115 mm | brown | A-80 | in foil | 3 pcs |
| 11-V100 | Ø 115 mm | brown | A-100 | in carton | 10 pcs |
| 11-V100/SB | Ø 115 mm | brown | A-100 | in foil | 3 pcs |
| 11-V180 | Ø 115 mm | brown | A-180 | in carton | 10 pcs |
| 11-V180/SB | Ø 115 mm | brown | A-180 | in foil | 3 pcs |
| 11-V 80/178 | Ø 178 mm | brown | A-80 | in carton | 10 pcs |
| 11-V100/178 | Ø 178 mm | brown | A-100 | in carton | 10 pcs |
| 11-V180/178 | Ø 178 mm | brown | A-180 | in carton | 10 pcs |



nonwoven for long-neck sanders

| Part no. | Dimension | Color | Grit | Delivery form PU | |
|----------|-----------|-------|-------|------------------|-------|
| 225-A100 | Ø 225 mm | red | A-100 | in foil | 5 pcs |
| 225-A180 | Ø 225 mm | red | A-180 | in foil | 5 pcs |





MESH ABRASIVE MESH ABRASIVE PADS

A high level of inherent rigidity combined with innovative grain bonding make the Jöst abrasive mesh cloth the ideal product for every craftsman. The 225 mm diameter discs are equipped with an innovative Velcro system. The abrasive mesh can be used on every long-neck sander available on the market. Optimal dust removal is guaranteed thanks to the Velcro system. The innovative, open backing structure enables even heavily soiled surfaces to be cleaned and soft fillers that would normally produce a high level of dust to be sanded.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------|------------|-------|-------|---------------|--------|
| 41-K 80 | 93x280 mm | grey | K-80 | in foil | 10 pcs |
| 41-K100 | 93x280 mm | grey | K-100 | in foil | 10 pcs |
| 41-K120 | 93x280 mm | grey | K-120 | in foil | 10 pcs |
| 41-K150 | 93x280 mm | grey | K-150 | in foil | 10 pcs |
| 41-K180 | 93x280 mm | grey | K-180 | in foil | 10 pcs |
| 41-K220 | 93x280 mm | grey | K-220 | in foil | 10 pcs |
| 41-K320 | 93x280 mm | grey | K-320 | in foil | 10 pcs |
| 40-K 80 | 115x290 mm | grey | K-80 | in foil | 10 pcs |
| 40-K100 | 115x290 mm | grey | K-100 | in foil | 10 pcs |
| 40-K120 | 115x290 mm | grey | K-120 | in foil | 10 pcs |
| 40-K150 | 115x290 mm | grey | K-150 | in foil | 10 pcs |
| 40-K180 | 115x290 mm | grey | K-180 | in foil | 10 pcs |
| 40-K220 | 115x290 mm | grey | K-220 | in foil | 10 pcs |
| 40-K320 | 115x290 mm | grey | K-320 | in foil | 10 pcs |



useit®-Superpad G for long-neck sanders

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------------|-----------|-------|-------|---------------|--------|
| 40-K 80/225 | ø 225 mm | grey | K-80 | in foil | 25 pcs |
| 40-K 80/225/SB | ø 225 mm | grey | K-80 | in foil | 10 pcs |
| 40-K100/225 | ø 225 mm | grey | K-100 | in foil | 25 pcs |
| 40-K100/225/SB | ø 225 mm | grey | K-100 | in foil | 10 pcs |



Green Cut® abrasive mesh

The newly developed GreenCut® abrasive mesh sets new standards in material removal performance, dust removal and flat sanding results. Thanks to its special backing structure and the bonding of the abrasive grain, Green Cut® is also available in coarse grain sizes such as 40 and 60. The high inherent rigidity ensures a flat surface finish. Virtually dust-free working is possible in combination with the open backing structure and clogging of the sanding disc is prevented.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|----------|-----------|-------|------|---------------|--------|
| 323-S 40 | ø 225 mm | green | 40 | in carton | 25 pcs |
| 323-S 60 | ø 225 mm | green | 60 | in carton | 25 pcs |
| 323-S 80 | ø 225 mm | green | 80 | in carton | 25 pcs |
| 323-S100 | ø 225 mm | green | 100 | in carton | 25 pcs |
| 323-S120 | ø 225 mm | green | 120 | in carton | 25 pcs |
| 323-S150 | ø 225 mm | green | 150 | in carton | 25 pcs |
| 323-S180 | ø 225 mm | green | 180 | in carton | 25 pcs |
| 323-S220 | ø 225 mm | green | 220 | in carton | 25 pcs |
| 339-S 40 | ø 410 mm | green | 40 | in carton | 10 pcs |
| 339-S 60 | ø 410 mm | green | 60 | in carton | 10 pcs |
| 339-S 80 | ø 410 mm | green | 80 | in carton | 10 pcs |
| 339-S100 | ø 410 mm | green | 100 | in carton | 10 pcs |
| 339-S120 | ø 410 mm | green | 120 | in carton | 10 pcs |
| 339-S150 | ø 410 mm | green | 150 | in carton | 10 pcs |
| 339-S180 | ø 410 mm | green | 180 | in carton | 10 pcs |
| 339-S220 | ø 410 mm | green | 220 | in carton | 10 pcs |





SANDING & POLISHING BELTS

Pioneering new standards for sanding on manual belt, long-belt and wide-belt sanding machines! The globally-unique useit®-Superfinishing belts and -tubes from JÖST abrasives are revolutionizing industrial surface treatment processes.

For the first time ever, the sanding dust can be directly suctioned off through the abrasive belt or tube, and thanks to this innovative design, abrasives belts and drums can no longer become clogged. Dust pollution at the workplace and at the machine is drastically reduced - and sanding performance is significantly increased. The useit® Superfinishing belts and -tubes can be used to remove dust inclusions and other impurities from painted surfaces in a dry sanding process, for example - without having to repaint the treated surfaces. Plastered surfaces can be smoothed or polished to a high gloss. NF metals, stainless steel and solid surface materials can be sanded to a high gloss in two or three stages at most, or polished without paste.

useit®-Superfinishing sanding and polishing belts

| Part no. | Dimension | Color | Grit | Delivery form | PU | |
|----------------|-----------|-------|----------|---------------|-------|---------------------|
| SGG2 1800 1 9 | 6x520 mm | grey | SG2 1800 | in polybag | 5 pcs | |
| SGG2 2000 1 9 | 6x520 mm | grey | SG2 2000 | in polybag | 5 pcs | |
| SGG2 2500 1 9 | 6x520 mm | grey | SG2 2500 | in polybag | 5 pcs | |
| SGG2 3000 1 9 | 6x520 mm | grey | SG2 3000 | in polybag | 5 pcs | |
| SGG2 1800 2 9 | 12x520 mm | grey | SG2 1800 | in polybag | 5 pcs | |
| SGG2 2000 2 9 | 12x520 mm | grey | SG2 2000 | in polybag | 5 pcs | |
| SGG2 2500 2 9 | 12x520 mm | grey | SG2 2500 | in polybag | 5 pcs | |
| SGG2 3000 2 9 | 12x520 mm | grey | SG2 3000 | in polybag | 5 pcs | |
| SGG2 1800 3 9 | 16x520 mm | grey | SG2 1800 | in polybag | 5 pcs | ✓ WOOD |
| SGG2 2000 3 9 | 16x520 mm | grey | SG2 2000 | in polybag | 5 pcs | ✓ LACQUER |
| SGG2 2500 3 9 | 16x520 mm | grey | SG2 2500 | in polybag | 5 pcs | ✓ METAL |
| SGG2 3000 3 9 | 16x520 mm | grey | SG2 3000 | in polybag | 5 pcs | ✓ PLASTIC |
| SGG2 1800 6 10 | 30x533 mm | grey | SG2 1800 | in polybag | 5 pcs | ✓ GIPSUM |
| SGG2 2000 6 10 | 30x533 mm | grey | SG2 2000 | in polybag | 5 pcs | ✓ FILLER |
| SGG2 2500 6 10 | 30x533 mm | grey | SG2 2500 | in polybag | 5 pcs | ✓ SOLID SURFACE |
| SGG2 3000 6 10 | 30x533 mm | grey | SG2 3000 | in polybag | 5 pcs | ✓ STAINLESS STEEL |
| | | | | | | ✓ NON-FERROUS METAL |
| | | | | | | ✓ COMPOSITE |
| | | | | | | ✓ MARBLE |



SANDING BELTS

SANDING & POLISHING BELTS

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| SGG2 1800 6 9 | 30x520 mm | grey | SG2 1800 | in polybag | 5 pcs |
| SGG2 2000 6 9 | 30x520 mm | grey | SG2 2000 | in polybag | 5 pcs |
| SGG2 2500 6 9 | 30x520 mm | grey | SG2 2500 | in polybag | 5 pcs |
| SGG2 3000 6 9 | 30x520 mm | grey | SG2 3000 | in polybag | 5 pcs |
| SGG2 1800 8 10 | 40x675 mm | grey | SG2 1800 | in polybag | 5 pcs |
| SGG2 2000 8 10 | 40x675 mm | grey | SG2 2000 | in polybag | 5 pcs |
| SGG2 2500 8 10 | 40x675 mm | grey | SG2 2500 | in polybag | 5 pcs |
| SGG2 3000 8 10 | 40x675 mm | grey | SG2 3000 | in polybag | 5 pcs |
| SGG2 1800 8 24 | 40x820 mm | grey | SG2 1800 | in polybag | 5 pcs |
| SGG2 2000 8 24 | 40x820 mm | grey | SG2 2000 | in polybag | 5 pcs |
| SGG2 2500 8 24 | 40x820 mm | grey | SG2 2500 | in polybag | 5 pcs |
| SGG2 3000 8 24 | 40x820 mm | grey | SG2 3000 | in polybag | 5 pcs |



ABRASIVE DRUM

Available in several versions with different abrasives - with paper or fabric backing, fabric-reinforced nonwoven abrasive and for the finish of the useit® Superfinishing SG.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| TF 80 55 105 | Ø 90x100 mm | brown | A-80 | in carton | 5 pcs |
| TF 100 55 105 | Ø 90x100 mm | brown | A-100 | in carton | 5 pcs |
| TF 180 55 105 | Ø 90x100 mm | brown | A-180 | in carton | 5 pcs |
| TF 80 16 105 | Ø 100x100 mm | brown | A-80 | in carton | 5 pcs |
| TF 100 16 105 | Ø 100x100 mm | brown | A-100 | in carton | 5 pcs |
| TF 180 16 105 | Ø 100x100 mm | brown | A-180 | in carton | 5 pcs |
| SG2 800 16 105 | Ø 100x100 mm | grey | SG-800 | in carton | 5 pcs |
| SG2 1800 16 105 | Ø 100x100 mm | grey | SG-1800 | in carton | 5 pcs |
| SG2 2000 16 105 | Ø 100x100 mm | grey | SG-2000 | in carton | 5 pcs |
| SG2 2500 16 105 | Ø 100x100 mm | grey | SG-2500 | in carton | 5 pcs |
| SG2 3000 16 105 | Ø 100x100 mm | grey | SG-3000 | in carton | 5 pcs |
| SG2 800 55 105 | Ø 90x100 mm | grey | SG-800 | in carton | 5 pcs |
| SG2 1800 55 105 | Ø 90x100 mm | grey | SG-1800 | in carton | 5 pcs |
| SG2 2000 55 105 | Ø 90x100 mm | grey | SG-2000 | in carton | 5 pcs |
| SG2 2500 55 105 | Ø 90x100 mm | grey | SG-2500 | in carton | 5 pcs |
| SG2 3000 55 105 | Ø 90x100 mm | grey | SG-3000 | in carton | 5 pcs |







CLEANING PADS

Abranopp®

The truly exceptional Abranopp®-cleaning system gets right into the heart of every single pore. Its unique design solves the problems involved in cleaning and maintaining structured floor coverings, a task for which it was specially developed. The Abranopp® cleaning pads deep-clean hard floor coverings thoroughly, penetrating the deeper zones of the structured surfaces, beyond the limits of our renowned nonwoven discs and cleaning brushes. The size and shape of the Abranopp® cleaning pads' nubs and abrasive particles can also be adapted to match your structured flooring, so the system will meet your cleaning requirements perfectly time after time.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| AN-WHITE/115 | Ø 115 mm | white | without | in carton | 25 pcs |
| AN-PURPLE/115 | Ø 115 mm | purple | fine | in carton | 25 pcs |
| AN-GREY/115 | Ø 115 mm | grey | medium | in carton | 25 pcs |
| AN-GREEN/115 | Ø 115 mm | green | coarse | in carton | 25 pcs |
| AN-SPEZIAL/115 | Ø 115 mm | black | very coarse | in carton | 25 pcs |
| AN-WHITE/150 | Ø 150 mm | white | without | in carton | 20 pcs |
| AN-PURPLE/150 | Ø 150 mm | purple | fine | in carton | 20 pcs |
| AN-GREY/150 | Ø 150 mm | grey | medium | in carton | 20 pcs |
| AN-GREEN/150 | Ø 150 mm | green | coarse | in carton | 20 pcs |
| AN-SPEZIAL/150 | Ø 150 mm | black | very coarse | in carton | 20 pcs |
| AN-WHITE/200 | Ø 200 mm | white | without | in carton | 5 pcs |
| AN-PURPLE/200 | Ø 200 mm | purple | fine | in carton | 5 pcs |
| AN-GREY/200 | Ø 200 mm | grey | medium | in carton | 5 pcs |
| AN-GREEN/200 | Ø 200 mm | green | coarse | in carton | 5 pcs |
| AN-SPEZIAL/200 | Ø 200 mm | black | very coarse | in carton | 5 pcs |
| AN-WHITE/375 | Ø 375 mm | white | without | in carton | 5 pcs |
| AN-PURPLE/375 | Ø 375 mm | purple | fine | in carton | 5 pcs |
| AN-GREY/375 | Ø 375 mm | grey | medium | in carton | 5 pcs |
| AN-GREEN/375 | Ø 375 mm | green | coarse | in carton | 5 pcs |
| AN-SPEZIAL/375 | Ø 375 mm | black | very coarse | in carton | 5 pcs |



| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------------|------------------|--------------|-------------|----------------------|-----------|
| AN-WHITE/410 | ø 410 mm | white | ohne | in carton | 5 pcs |
| AN-PURPLE/410 | ø 410 mm | purple | fein | in carton | 5 pcs |
| AN-GREY/410 | ø 410 mm | grey | mittel | in carton | 5 pcs |
| AN-GREEN/410 | ø 410 mm | green | grob | in carton | 5 pcs |
| AN-SPEZIAL/410 | ø 410 mm | black | sehr grob | in carton | 5 pcs |
| AN-WHITE/430 | ø 430 mm | white | ohne | in carton | 5 pcs |
| AN-PURPLE/430 | ø 430 mm | purple | fein | in carton | 5 pcs |
| AN-GREY/430 | ø 430 mm | grey | mittel | in carton | 5 pcs |
| AN-GREEN/430 | ø 430 mm | green | grob | in carton | 5 pcs |
| AN-SPEZIAL/430 | ø 430 mm | black | sehr grob | in carton | 5 pcs |
| AN-WHITE/460 | ø 460 mm | white | ohne | in carton | 5 pcs |
| AN-PURPLE/460 | ø 460 mm | purple | fein | in carton | 5 pcs |
| AN-GREY/460 | ø 460 mm | grey | mittel | in carton | 5 pcs |
| AN-GREEN/460 | ø 460 mm | green | grob | in carton | 5 pcs |
| AN-SPEZIAL/460 | ø 460 mm | black | sehr grob | in carton | 5 pcs |
| AN-WHITE/500 | ø 500 mm | white | ohne | in carton | 5 pcs |
| AN-PURPLE/500 | ø 500 mm | purple | fein | in carton | 5 pcs |
| AN-GREY/500 | ø 500 mm | grey | mittel | in carton | 5 pcs |
| AN-GREEN/500 | ø 500 mm | green | grob | in carton | 5 pcs |
| AN-SPEZIAL/500 | ø 500 mm | black | sehr grob | in carton | 5 pcs |



Abranopp® cleaning pads for Jöst eccentric machines

| | | | | | |
|------------|------------|---------|-----------|------------|-------|
| 949-WHITE | 190x340 mm | without | ohne | in polybag | 5 pcs |
| 949-PURPLE | 190x340 mm | purple | fein | in polybag | 5 pcs |
| 949-GREY | 190x340 mm | grey | mittel | in polybag | 5 pcs |
| 949-GREEN | 190x340 mm | green | grob | in polybag | 5 pcs |
| AN-SPEZIAL | 190x340 mm | black | sehr grob | in polybag | 5 pcs |
| 948-WHITE | 335x485 mm | without | ohne | in polybag | 5 pcs |
| 948-PURPLE | 335x485 mm | purple | fein | in polybag | 5 pcs |
| 948-GREY | 335x485 mm | grey | mittel | in polybag | 5 pcs |
| 948-GREEN | 335x485 mm | green | grob | in polybag | 5 pcs |
| AN-SPEZIAL | 335x485 mm | black | sehr grob | in polybag | 5 pcs |





Blue Wave melamine pads

The difference between the Blue Wave sponge and conventional sponges is in the Blue Wave's unique structure. This reinforced structure is significantly extending its service life. Thanks to its rubber eraser effect, all kinds of stubborn stains and dirt such as heel marks on floors, pen marks on desks, calcified surfaces, car windows and much more can be removed easily from smooth and hard surfaces - and no chemical agents are needed, only water! The Blue Wave cleaning sponge must always be used wet.

It is not suitable for high-gloss surfaces and lacquer.

| Part no. | Dimension | Color | Grit | Delivery form | PU |
|-----------|-----------|-------|------|---------------|------------|
| BW 70X110 | 70x110 mm | white | - | on request | on request |
| BW-200 | Ø 200 mm | white | - | in polybag | 2 pcs |
| BW-280 | Ø 280 mm | white | - | in polybag | 5 pcs |
| BW-330 | Ø 330 mm | white | - | in polybag | 5 pcs |
| BW-375 | Ø 375 mm | white | - | in carton | 5 pcs |
| BW-410 | Ø 410 mm | white | - | in carton | 5 pcs |
| BW-430 | Ø 430 mm | white | - | in carton | 5 pcs |
| BW-485 | Ø 485 mm | white | - | in carton | 5 pcs |
| BW-530 | Ø 530 mm | white | - | in carton | 5 pcs |



Blue Wave melamine pads for Jöst eccentric machines

| | | | | | |
|------------|------------|-------|---|------------|-------|
| BW-190X340 | 190x340 mm | white | - | in polybag | 5 pcs |
| BW-335X485 | 335x485 mm | white | - | in polybag | 5 pcs |



MICROFIBER PADS

The Microfiber Pad **"Blue Melange"** is the all-rounder among the pads.

It's fantastic for cleaning carpets. The "Blue Melange" is also suitable for removing marks on linoleum, parquet, rubber, stone and laminate floors - even the most stubborn surface stains surrender to the talents of this pad!

The Microfiber Pad **"White Blue"** - this is the one that's ideal for treating lighter stains on smooth surfaces, like linoleum, rubber and stone floors.


Microfiber Pad **"White"** - this pad is tailor-made for cleaning tiles and glass surfaces. It has the best possible performance in cleaning and dirt retention.

Microfiber Pad **"Grey"** - this pad's structure makes it ideal for cleaning structured surfaces and safety tiles.

| Part no. | Dimension | Color | Delivery form | PU |
|--------------|------------|--------------------|---------------|-------|
| MF-BM190X340 | 210x360 mm | blue/melange | in polybag | 5 pcs |
| MF-P190X340 | 210x360 mm | white/blue | in polybag | 5 pcs |
| MF-W190X340 | 210x360 mm | white | in polybag | 5 pcs |
| MF-G190X340 | 210x360 mm | grey with bristles | in polybag | 5 pcs |
| MF-BM335X485 | 355x505 mm | blue/melange | in polybag | 5 pcs |
| MF-P335X485 | 355x505 mm | white/blue | in polybag | 5 pcs |
| MF-W335X485 | 355x505 mm | white | in polybag | 5 pcs |
| MF-G335X485 | 355x505 mm | grey with bristles | in polybag | 5 pcs |



| Part no. | Dimension | Color | Delivery form | PU |
|----------|-----------|--------------------|---------------|-------|
| MF-BM410 | ø 410 mm | blue/melange | in polybag | 5 pcs |
| MF-G410 | ø 410 mm | grey with bristles | in polybag | 5 pcs |
| MF-P410 | ø 410 mm | white/blue | in polybag | 5 pcs |
| MF-BM430 | ø 430 mm | blue/melange | in polybag | 5 pcs |
| MF-G430 | ø 430 mm | grey with bristles | in polybag | 5 pcs |
| MF-P430 | ø 430 mm | white/blue | in polybag | 5 pcs |
| MF-BM128 | ø 128 mm | blue/melange | in polybag | 5 pcs |





"WIMBLEDON" LAWN PAD

The special combination of robust, synthetic fibers and outstanding workmanship makes this pad absolutely unique among artificial turf pads. The tested & tried Velcro backing from JÖST gives the pad exactly the right grip – and it also serves as a water reservoir, which allows water to be absorbed and expelled again thanks to the special X-structure of the work surface. The bristles are extremely tough yet flexible, making them ideal for cleaning structured surfaces – and even giving a new shine to the deeper-lying joints

| Part no. | Dimension | Color | Delivery form | PU |
|-----------------|------------------|--------------|----------------------|-----------|
| JW-210x360 | 210x360mm | green | in polybag | 5 pcs |
| JW-355x505 | 355x505mm | green | in polybag | 5 pcs |
| JW-410 | Ø 410 mm | green | in polybag | 5 pcs |
| JW-430 | Ø 430 mm | green | in polybag | 5 pcs |
| JW-500 | Ø 500 mm | green | in polybag | 5 pcs |






BLUE MAGIC DUST-BINDING CLOTH


Due to its special coating the Blue Magic dust-binding cloth is perfectly suitable for the collection of dust and loose dirt. In combination with a floor wiper it is ideally suitable for the dedusting and cleaning of parquet and hard floors.

| Part no. | Dimension | Color | Delivery form | PU/ |
|-------------|-------------|-------|---------------|--------|
| 08-BM/115 | 115mmx25m | blue | in carton | 1 pc |
| BM-210X150 | 210x150 mm | blue | in foil | 10 pcs |
| BM-210X280 | 210x280 mm | blue | in foil | 10 pcs |
| BM-400X120 | 400x120 mm | blue | in foil | 10 pcs |
| BM-400X145 | 400x145 mm | blue | in foil | 10 pcs |
| BM-400X200 | 400x200 mm | blue | in foil | 10 pcs |
| BM-450X150 | 450x150 mm | blue | in foil | 10 pcs |
| BM-600X200 | 600x200 mm | blue | in foil | 10 pcs |
| BM-800X200 | 800x200 mm | blue | in foil | 10 pcs |
| BM-1000X200 | 1000x200 mm | blue | in foil | 10 pcs |



(Other sizes on request)





TAKEIT®-NORMAL PAD

A pad with many application possibilities: On the one hand, the takeit®-normal pad has an extremely high dirt and dust absorption capacity thanks to its open structure, so it's ideally suited as a dust storage pad for our multi-perforation Superpad P sanding discs on single-disc machines without dust extraction. It's also the ideal product for applying oil and wax to wooden surfaces. The oil or wax is evenly distributed on the surface during the procedure, minimizing staining, while the abrasive grain smoothes the wood surface during the sanding process, ensuring the best possible results.

| Part no. | Dimension | Color | Grit | Delivery form PU | |
|-----------------|------------------|--------------|-------------|-------------------------|--------|
| 46 ultra-fine | ø 410 mm | purple | ultra-fine | in carton | 10 pcs |
| 46 grob | ø 410 mm | green | coarse | in carton | 10 pcs |
| 47 ultra-fine | ø 430 mm | purple | ultra-fine | in carton | 10 pcs |
| 47 grob | ø 430 mm | green | coarse | in carton | 10 pcs |
| 48 ultra-fine | ø 460 mm | purple | ultra-fine | in carton | 10 pcs |
| 48 grob | ø 460 mm | green | coarse | in carton | 10 pcs |



| Part no. | Dimension | Color | Grit | Delivery form PU | |
|-----------------|------------------|--------------|-------------|-------------------------|--------|
| 52-ultra-fine | 190x340 mm | purple | ultra-fine | in polybag | 10 pcs |
| 52-grob | 190x340 mm | green | coarse | in polybag | 10 pcs |
| 50 ultra-fine | 335x485 mm | purple | ultra-fine | in polybag | 5 pcs |
| 50 grob | 335x485 mm | green | coarse | in polybag | 5 pcs |





SHEEP WOOL PADS

The sheep wool pad is suitable for polishing sealed oiled parquet, marble, granite and vinyl and for working polishing paste into matt marble, granite lacquer and wood surfaces to achieve a high gloss after polishing. It is made of pure new wool and is free of binding agents and synthetic fibers. Our sheep wool pad is bio-degradable and compostable. It creates a fantastic gloss and shiny surfaces. It is only to be used for finishing.

| Part no. | Dimension | Color | Delivery form | PU |
|-----------------|------------------|--------------|----------------------|-----------|
| WP-150 | ø 150 mm | beige | in carton | 15 pcs |
| WP-300 | ø 300 mm | beige | in carton | 15 pcs |
| WP-330 | ø 330 mm | beige | in carton | 15 pcs |
| WP-375 | ø 375 mm | beige | in carton | 15 pcs |
| WP-410 | ø 410 mm | beige | in carton | 15 pcs |
| WP-430 | ø 430 mm | beige | in carton | 15 pcs |
| WP-190/340 | 190x340 mm | beige | in polybag | 15 pcs |
| WP-335X485 | 335x485 mm | beige | in polybag | 15 pcs |




USEIT®-DUST PAD

Thanks to the useit® dust disc, the dust goes where it belongs - in the vacuum cleaner! Although our useit® abrasives provide a virtually dust-free environment in combination with a dust extraction system, antistatic charging can cause a very small amount of residual dust to be attracted to the sanded surfaces. Our useit®-dust disc removes this dust completely - yet another dust-free sanding process - thanks to JÖST abrasives.

| Part no. | Dimension | Color | Delivery form | PU |
|-------------|------------|-------|---------------|--------|
| STS-128 | Ø 128 mm | white | in carton | 25 pcs |
| STS-136 | Ø 136 mm | white | in carton | 25 pcs |
| STS-150 | Ø 150 mm | white | in carton | 25 pcs |
| STS-156 | Ø 156 mm | white | in carton | 25 pcs |
| STS-200 | Ø 200 mm | white | in carton | 25 pcs |
| STS-210 | Ø 210 mm | white | in carton | 25 pcs |
| STS-225 | Ø 225 mm | white | in carton | 25 pcs |
| STS-280 | Ø 280 mm | white | in carton | 25 pcs |
| STS-375 | Ø 375 mm | white | in carton | 25 pcs |
| STS-375/SB | Ø 375 mm | white | in carton | 10 pcs |
| STS-410 | Ø 410 mm | white | in carton | 30 pcs |
| STS-410/SB | Ø 410 mm | white | in carton | 10 pcs |
| STS-430 | Ø 430 mm | white | in carton | 30 pcs |
| STS-460 | Ø 460 mm | white | in carton | 30 pcs |
| STS-460/SB | Ø 460 mm | white | in carton | 10 pcs |
| STS-190X340 | 190x340 mm | white | in polybag | 10 pcs |
| STS-315X460 | 335x485 mm | white | in polybag | 10 pcs |





ABRAFLEX® SUPERPAD CLEANING PADS

Whether basic cleaning or maintenance cleaning, the Superpad cleaning nonwoven abrasives comes in several versions with different sizes. Longer lasting, faster in the application and an extended life of floor coverings.

| Part no. | Dimension | Color | Delivery form | PU |
|---------------|------------|-------|---------------|-------|
| SUP-410/W | Ø 410 mm | white | in carton | 5 pcs |
| SUP-410/B | Ø 410 mm | beige | in carton | 5 pcs |
| SUP-410/R | Ø 410 mm | red | in carton | 5 pcs |
| SUP-410/G | Ø 410 mm | green | in carton | 5 pcs |
| SUP-410/S | Ø 410 mm | black | in carton | 5 pcs |
| SUP-430/W | Ø 430 mm | white | in carton | 5 pcs |
| SUP-430/B | Ø 430 mm | beige | in carton | 5 pcs |
| SUP-430/R | Ø 430 mm | red | in carton | 5 pcs |
| SUP-430/G | Ø 430 mm | green | in carton | 5 pcs |
| SUP-430/S | Ø 430 mm | black | in carton | 5 pcs |
| SUP-190X340/W | 190x340mm | white | in polybag | 5 pcs |
| SUP-190X340/B | 190x340mm | beige | in polybag | 5 pcs |
| SUP-190X340/R | 190x340mm | red | in polybag | 5 pcs |
| SUP-190X340/G | 190x340mm | green | in polybag | 5 pcs |
| SUP-190X340/S | 190x340mm | black | in polybag | 5 pcs |
| SUP-335X485/W | 335x485 mm | white | in polybag | 5 pcs |
| SUP-335X485/B | 335x485 mm | beige | in polybag | 5 pcs |
| SUP-335X485/R | 335x485 mm | red | in polybag | 5 pcs |
| SUP-335X485/G | 335x485 mm | green | in polybag | 5 pcs |
| SUP-335X485/S | 335x485 mm | black | in polybag | 5 pcs |



Abraflex®-Maroon cleaning pads

| Part no. | Dimension | Color | Delivery form PU | |
|-----------------|------------------|--------------|-------------------------|-------|
| MP-190/340 | 190x340 mm | brown | in polybag | 5 pcs |
| MP-335/485 | 335x485 mm | brown | in polybag | 5 pcs |
| MP-410 | Ø 410 mm | brown | in polybag | 5 pcs |
| MP-430 | Ø 430 mm | brown | in polybag | 5 pcs |



Abraflex®-FX white cleaning pads

| Part no. | Dimension | Color | Delivery form PU | |
|-----------------|------------------|--------------|-------------------------|--------|
| 449-FX WEIß | 190x340 mm | white | in polybag | 10 pcs |
| 448-FX WEIß | 335x485 mm | white | in polybag | 10 pcs |





ABRAFLEX NOPP® CLEANING PAD

AbraflexNopp® has been specially developed to carry out basic cleaning on structured surfaces, using almost any cleaning chemistry. This patented, robust pad even penetrates into the deep zones of structured surface coverings and - just like the Abranopp® cleaning pads - gives you a truly thorough and deep cleaning of all hard coverings.

| Part no. | Dimension | Color | Delivery form | PU |
|---------------|------------|-------|---------------|-------|
| AFN-S410 | ø 410 mm | black | in carton | 5 pcs |
| AFN-G410 | ø 410 mm | green | in carton | 5 pcs |
| AFN-R410 | ø 410 mm | red | in carton | 5 pcs |
| AFN-B410 | ø 410 mm | beige | in carton | 5 pcs |
| AFN-W410 | ø 410 mm | white | in carton | 5 pcs |
| AFN-S430 | ø 430 mm | black | in carton | 5 pcs |
| AFN-G430 | ø 430 mm | green | in carton | 5 pcs |
| AFN-R430 | ø 430 mm | red | in carton | 5 pcs |
| AFN-B430 | ø 430 mm | beige | in carton | 5 pcs |
| AFN-W430 | ø 430 mm | white | in carton | 5 pcs |
| AFN-S190x340 | 190x340mm | black | in polybag | 5 pcs |
| AFN-G190x340 | 190x340mm | green | in polybag | 5 pcs |
| AFN-R190x340 | 190x340mm | red | in polybag | 5 pcs |
| AFN-B190x340 | 190x340mm | beige | in polybag | 5 pcs |
| AFN-W190x340 | 190x340mm | white | in polybag | 5 pcs |
| AFN-S335x485 | 335x485 mm | black | in polybag | 5 pcs |
| AFN-G335x485 | 335x485 mm | green | in polybag | 5 pcs |
| AFN-R335x485 | 335x485 mm | red | in polybag | 5 pcs |
| AFN-B335x485 | 335x485 mm | beige | in polybag | 5 pcs |
| AFN-W335x485S | 335x485 mm | white | in polybag | 5 pcs |



JÖST SANDING AND CLEANING SYSTEMS

The JÖST Floor Sander - the sanding and cleaning system of JÖST abrasives - is extremely easy to use. With its dust-free sanding and high-performance level thanks to its full-surface extraction system, the Floor Sander makes light work of edge sanding jobs, right into the corners. It is especially suitable for the treatment of structured surfaces - and the Floor Sander also excels in the processing of design floor coverings with lengthwise structures. The ultra-versatile Floor Sander can be used for both wet and dry sanding tasks. It combines five machines in one: a drum sander, an edge sander, a single-disc machine, a cleaning machine and a brushing machine. The Floor Sander is ideal for processing the smallest rooms and will give you the highest-quality surface finishing. This is a system you simply must get to know!

Jöst Floor Sander

| Part no. | Dimension | Delivery form | PU |
|------------|------------|---------------|----|
| FS-315/460 | 335x485 mm | pallet | 1 |

| | |
|----------------------------|--------------|
| power consumption: | 2500 Watt |
| motor speed: | 2800 1/min |
| sanding area: | 335 x 485 mm |
| supply voltage: | 230 V |
| network voltage frequency: | 50 Hz |
| weight: | 57 - 83 kg |
| additional weight each: | 6,5 kg* |
| sanding stroke: | 7 mm |

**4 additional weights of each 6.5 kg are included with delivery.
Can upgraded with up to 6 weights.*



Jöst Floor Sander MULTI

The Floor Sander Multi is a combination of our Floor Sander and cleaning machine. It is equipped with an integrated suction cup for wet and dry suction tasks. Whether you have to sand down old wooden floors, remove coatings, or wet-clean elastic hard coverings, the JÖST Floor Sander Multi cuts a fine figure no matter what you throw at it.

An additional water tank supports the wet cleaning operation, which is often indispensable when basic cleaning or a high degree of soiling is involved. A suction lip is also available as an accessory for retrofitting. It transforms the Floor Sander Multi into a multi-functional machine that can be used for both wet and dry tasks.

| Part no. | Dimension | Delivery form | PU |
|----------|-----------|---------------|----|
|----------|-----------|---------------|----|

| | | | |
|--------------|------------|--------|------|
| FSCM-315/460 | 335x485 mm | pallet | 1 pc |
|--------------|------------|--------|------|

| | |
|----------------------------|--------------|
| power consumption: | 2500 Watt |
| Motor speed: | 2800 1/min |
| sanding area: | 335 x 485 mm |
| supply voltage: | 230 V |
| network voltage frequency: | 50 Hz |
| weight: | 57 - 83 kg |
| additional weight je: | 6,5 kg |
| Sanding stroke: | 7 mm |

***4 additional weights of each 6.5 kg are included with delivery.**

Can upgraded with up to 6 weight



**suction hose not included*

Jöst Floor Sander Junior

The junior version of the JÖST Floor Sander is a true multifunctional solution for perfect floor treatment. With no integrated vacuum cleaner, the Floor Sander Junior is perfectly suited for narrow and low areas where space is tight. Edges, corners and stairs can be sanded with almost no effort. The machine for floor treatment is equipped with a tube connection for an external vacuum cleaner. Used in conjunction with the JÖST abrasives, the Floor Sander Junior guarantees dust-free working.

| Part no. | Dimension | Delivery form PU |
|-----------------|------------------|-------------------------|
| FSJ-180/330 | 190x340 mm | pallet 1 pc |

| | |
|----------------------------|------------------------------|
| power consumption: | 350 Watt |
| Motor speed: | 2800 1/min |
| sanding area: | 190 x 340 mm |
| supply voltage: | 230 V |
| network voltage frequency: | 50 Hz |
| weight: | 21 -26 kg |
| additional weight: | 5 kg (<i>not included</i>) |
| Sanding stroke: | 5 mm |
| tube connection: | 27 mm |



Jöst Floor Cleaner Junior battery version - FCJ 18

The robust and handy design of the Floor Cleaner Junior 18 immediately catches the eye. The FCJ 18 is designed for daily use in hard-to-reach areas and on a wide variety of surfaces. The global and powerful rechargeable battery system allows you to work independently of a power source and is compatible with many other battery-powered devices. We have not only found a high-quality battery system in the cross-manufacturer METABO Cordless Alliance System (CAS), we have gained a reliable and genuine partner with whom we will continue to develop more cordless grinding and cleaning systems in the future.

| Part no. | Dimension | Delivery form PU |
|-----------------|------------------|-------------------------|
| FCJ-18 | 190x340 mm | pallet 1 pc |
| FCJ-18 / heavy | 190x340 mm | pallet 1 pc |

| | |
|----------------------------|----------------------------------|
| power consumption: | 300 Watt |
| Motor speed: | 2800 - 3000 min-1 |
| sanding area: | 190 x 340 mm |
| supply voltage: | 230 V |
| battery voltage: | 18 V |
| network voltage frequency: | 50 Hz |
| weight: | 17,5 kg |
| weight heavy: | 20 kg |
| weight battery: | 1 kg |
| sanding stroke: | 5 mm |
| watertank volume: | 3 l |
| battery time: | 45 - 60 min. mit 18V LiHD 8.0 Ah |



Jöst Floor Cleaner

After the successful introduction of the Floor Sander and the Floor Sander Junior series, both versions are now available with an integrated water tank to wet down the surfaces to be cleaned. One of the outstanding features of these machines is their simple operation. One-step cleaning can be done right up to edges and into corners. The Floor Cleaner and Floor Cleaner Junior offer a wide range of applications - from simple maintenance work to basic cleaning and the removal of old coating.

| Part no. | Dimension | Delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| FC-315/460 | 335x485 mm | pallet | 1 pc |

| | |
|----------------------------|---|
| power consumption: | 1500 Watt |
| Motor speed: | 2800 1/min |
| cleaning area: | 335x485 mm |
| network voltage frequency: | 50 Hz |
| weight: | 48 kg |
| sanding stroke: | 7 mm |
| water tank volume: | 10 l |
| additional weight: | each set 2 x 6,5 kg (<i>not included</i>) |



Jöst Floor Cleaner Junior

| Part no. | Dimension | Delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| FCJ-180/330 | 190x340 mm | pallet | 1 pc |

| | |
|----------------------------|------------------------------|
| power consumption: | 350 Watt |
| motor speed: | 2800 1/min |
| cleaning area: | 190 x 340 mm |
| network voltage frequency: | 50 Hz |
| additional weight: | 22 kg |
| sanding stroke: | 5 mm |
| water tank volume: | 3 l |
| additional weight: | 5 kg (<i>not included</i>) |



Big Boy

The Big Boy orbital sander: the efficient, dust-free sanding system especially for large surfaces and stairs. Its sanding surface is 8 times higher than that of conventional 150 mm-diameter orbital sanders. It is perfectly suited for the efficient and high-quality sanding of large worktops, door panels and even small rooms. Thanks to the machine's own weight, hardly any energy is needed to run it easily over an entire surface. Its innovative suction system together with the useit® abrasives gives you a fast, cost-saving and dust-free sanding and the full processing is possible, from coarse sanding to polishing. We offer a large range of innovative abrasives for the sanding of many different materials, such as solid surface material, wood, lacquer, stainless steel and NF-metals

| Part no. | Dimension | Delivery form PU |
|-----------------|------------------|-------------------------|
| BB-315/460 | 335x485 mm | in carton 1 pc |

| | |
|----------------------------|--------------|
| power consumption: | 1100 Watt |
| motor speed: | 2800 1/min |
| sanding area: | 335 x 485 mm |
| supply voltage: | 230 V |
| network voltage frequency: | 50 Hz |
| weight: | 22 kg |
| sanding stroke: | 7 mm |
| tube connection: | 27 mm |



Big Boy Junior

Like its big brother the Big Boy Junior offers the full processing spectrum, from coarse sanding and polishing to the cleaning of almost any surface. It is especially suitable for the cleaning of stairs and the sanding of smaller surfaces. As for all other machines developed by JÖST, we offer a wide range of innovative sanding and cleaning pads. Processing solid surface materials, wood, lacquer, stainless steel, NF-metals, parquet/laminate surfaces and hard floorings is a breeze with the Big Boy Junior. Structured surfaces can also be worked effortlessly with the patented Abranopp® pads.

| Part no. | Dimension | Delivery form PU |
|-----------------------|------------------|-------------------------|
| BBJ-180/330 (light) | 190x340 mm | in carton 1 pc |
| BBJ-180/330/2 (heavy) | 190x340 mm | in carton 1 pc |


| | |
|----------------------------|--------------|
| power consumption: | 350 Watt |
| motor speed: | 2800 1/min |
| sanding area: | 190 x 340 mm |
| supply voltage: | 230 V |
| network voltage frequency: | 50 Hz |
| sanding stroke: | 5 mm |
| tube connection: | 27 mm |
| weight version light: | 10 kg |
| weight version heavy: | 18 kg |



machines accessories

suction hose for Floor Sander

| Part no. | Delivery form | PU |
|------------|---------------|------|
| SD-315/460 | in foil | 1 pc |



Discharge hose Floor Sander

| Part no. | Delivery form | PU |
|------------|---------------|------|
| AL-315/460 | in foil | 1 pc |



Water tank for Floor Cleaner

| Part no. | Delivery form | PU |
|----------|---------------|------|
| WT-FC | in carton | 1 pc |



Retaining plate water tank Floor Sander/Floor Cleaner

| Part no. | Delivery form | PU |
|----------|---------------|------|
| FS-HP | in carton | 1 pc |



Grinding wheel Floor Sander / Floor Cleaner

| Part no. | Delivery form | PU |
|----------|---------------|------|
| FS-SR | in carton | 1 pc |



additional weight für Floor Sander/Floor Cleaner (6,5 kg)

| Part no. | Delivery form | PU |
|-------------|---------------|------------------|
| 448-GEWICHT | in carton | 1 Set (2 pieces) |



Velcro base for Floor Sander/Floor Cleaner

| Part no. | Delivery form | PU |
|-----------|---------------|------|
| KP-FS/neu | in carton | 1 pc |
| KP-FS | in carton | 1 pc |

Velcro base for Floor Sander/Floor Cleaner

additional weight für Floor Sander Junior /Floor Cleaner Junior (5 kg)

| Part no. | Delivery form | PU |
|-------------|---------------|------|
| 449-GEWICHT | in carton | 1 pc |



Water tank Floor Cleaner Junior

| Part no. | Delivery form | PU |
|----------|---------------|------|
| WT-FCJ | in carton | 1 pc |



Velcro base for Junior/Floor Cleaner Junior

| Part no. | Delivery form | PU |
|------------|---------------|-----------------|
| KP-FSJ/neu | in carton | 1 pc (new) |
| KP-FSJ | in carton | 1 pc (exchange) |



Paper bag for Floor Sander

| Part no. | Delivery form | PU |
|-------------|---------------|--------|
| STB-315/460 | in foil | 10 pcs |

machines accessories

Battery 18V / 8.0 Ah for Floor Cleaner Junior

| Part no. | Delivery form | PU |
|----------|---------------|------|
| AK-18 | in carton | 1 pc |



Battery charger ASC 145 EU for battery, Floor Cleaner Junior

| Part no. | Delivery form | PU |
|----------|---------------|------|
| LA-18 | in carton | 1 pc |





P1 DUST-FREE SANDING SYSTEM

With the P1 dust-free sanding system, you can sand paints, varnishes and wood, you can process metals, plastics and solid surface material using any process from coarse sanding to high-gloss finishes, you can remove rust and also polish a wide variety of materials in combination with the useit®-Superpads P and the useit®-Superfinishing Pads – and all in the shortest possible time, with no dust pollution for humans and the environment. The unique design of the sanding plate unit guarantees a dust-free and high removal rate – with the best possible surface quality. The P1 dust-free sanding system for angle grinders offers a whole range of real advantages: it can be used on any electronically-adjustable angle grinders and angle polishers dust-free working in every sanding position precise, edge sanding with a perfect view of the workpiece, extremely high dust removal rate compared to orbital sanders and vibration grinding machines. The strengths of the P1 dust-free sanding system lie in the sanding of varnishes, paints and wood and in the processing of metals, plastics and solid surface material in every process from coarse sanding to high-gloss shines – and the dust-free removal of rust is child's play thanks to the system's innovative design.

Set MAX

Sanding large areas is a special challenge for any sanding machine – but thanks to its powerful motor and transmission, the MAX adjustable angular grinder is the ideal partner for the toughest jobs. And like its little brother MORITZ, it also has a constant electronic system with 'soft start'. The motor and gearbox bearings are dustproof and the additional anti-vibration handle reduces vibration by up to 45%.

Part no.**Delivery form PU**

P1-MAX/3

in case 1 pc

Set MAX:

angle grinder MAX, P1 backing plate 136 mm Ø

P1- backing plate 156 mm Ø, P1-backing plate 210 mm Ø



Set Moritz

Thanks to its special gearbox support, the MORITZ gives you high torque, even in the lower rpm range. Equipped with a constant electronics system with "soft start", it maintains a constant speed even under load. The restart protection prevents unintentional switching on after a power outage. MORITZ is equipped with a spindle lock for quick and easy tool changing. Its dustproof engine and gearbox bearing gives it a long service life and the vibration-damped additional handle reduces vibration by up to 45% thanks to thermoplastic elastomers and a special ergonomic grip.

Set MORITZ:

angle grinder MORITZ, P1 backing plate 136mm Ø

P1- backing plate 156mm Ø

**Part no.****Delivery form PU**

P1-MORITZ/2

in case 1 pc

EP 2 611 573
US 9,132,527

backing plate for P1 sanding system

| Part no. | Dimension | Color | Delivery form | PU |
|----------|-----------|-------|---------------|------|
| P1-136 | Ø 136 mm | grey | in carton | 1 pc |
| P1-156 | Ø 156 mm | grey | in carton | 1 pc |
| P1-210 | Ø 210 mm | grey | in carton | 1 pc |



Angle grinder MAX

Electrical power: 1200 W, Idle speed: 600 - 2800 min⁻¹, weight: 2,9 kg,
shaft turns: M14

| Part no. | Color | Delivery form | PU |
|----------|-------|---------------|------|
| MAX | blue | in carton | 1 pc |



Angle grinder MORITZ

Electrical power: 1200 W, Idle speed: 800 - 3600 min⁻¹, weight: 2,1 kg
shaft turns: M14

| Part no. | Color | Delivery form | PU |
|----------|-------|---------------|------|
| MORITZ | blue | in carton | 1 pc |



Angle grinder MORITZ 2

Electrical power: 1400 W, Idle speed: 700 - 3300 min⁻¹, weight: 2,4 kg
shaft turns: M14 - max. Ø 156 mm

| Part no. | Color | Delivery form | PU |
|----------|-------|---------------|------|
| MORITZ 2 | blue | in carton | 1 pc |

*delivery without
backing plate



PIPE SANDING SYSTEM 2000

The machining performance of the Pipe Sanding System 2000 of JÖST abrasives is unique in the world of sanders. Pipes and cylindrical bodies up to a diameter of 76 mm can be sanded all around in a cost-saving procedure that is fast, seamless and rational. Perfect for cleaning, rust and paint removal, smoothing, roughening, fine sanding and the satin finishing and polishing of stainless steel and NF metals. Operating the Pipe Sanding System 2000 is simple, fast and comfortable - compared to other systems, the workload is reduced by up to 50%. The cost of the abrasive materials is also reduced, generating major savings for the entire pipe sanding process.

The sanding tool is placed around the workpiece and rotate by an electrically or pneumatically-driven drive unit. The propulsive force required to rotate the sanding collar is transmitted by a toothed belt, also developed by JÖST abrasives. The belt can be easily and quickly opened and closed by means of a patented locking system - absolutely essential when working on closed pipe systems.

Kit with complete set with sanding collars size 1 + 2

Part no. **delivery form** PU

2000-1 set 1 pc



Kit with complete set with sanding collars size 2

Part no. **delivery form** PU

2000-2 set 1 pc

Protective cover for driving machine

Part no. **delivery form** PU

2010 in polybag 1 pc



Sanding collars

Part no. **dimension**

2001-1 size 1 for 48 - 76 mm pipe diameter in polybag 1 pc

2001-2 size 2 for 25 - 48 mm pipe diameter in polybag 1 pc



Sanding segments

Sanding segments suitable for both sanding collars

Part no. **dimension**

2002 35 - 76 mm pipe diameter in polybag 1 pc

2003 25 - 65 mm pipe diameter in polybag 1 pc

Cog belt

Cog belt for driving wheel

| Part no. | delivery form | PU |
|-----------------|----------------------|-----------|
| 2004 | in polybag | 1 pc |



Driving wheel

| Part no. | dimension | delivery form | PU |
|-----------------|----------------------------------|----------------------|-----------|
| 2005 | with M14 bushing | in polybag | 1 pc |
| 2005-1 | with 5/8 inch bushing | in polybag | 1 pc |
| 2006 | with borehole for satin finisher | in polybag | 1 pc |

| Part no. | dimension | delivery form | PU |
|-----------------|----------------------------------|----------------------|-----------|
| 2005 | with M14 bushing | in polybag | 1 pc |
| 2005-1 | with 5/8 inch bushing | in polybag | 1 pc |
| 2006 | with borehole for satin finisher | in polybag | 1 pc |



Spacing tube for driving wheel

Suitable for satin finishing machine

| Part no. | delivery form | PU |
|-----------------|----------------------|-----------|
| 2006-1 | in polybag | 1 pc |



Spiral spring for sanding segments

Suitable for satin finishing machine

| Part no. | delivery form | PU |
|-----------------|----------------------|-----------|
| 2007 | in polybag | 4 pc |



Fastening segments for sanding collar

| Part no. | delivery form | PU |
|-----------------|----------------------|-----------|
| 2008 | in polybag | 1 pc |



Sanding collar set size 1

For pipes of 50-76 mm diameter, comprising sanding collar (2001-1), sanding segment (2002), sanding segment (2003), spiral springs (2007), fastening segment (2008), cog belt (2004)

| Part no. | delivery form | PU |
|-----------------|----------------------|-----------|
| 2011-1 | in polybag | 1 pc |



Sanding collar set size 2

For pipes of 25-48 mm diameter, comprising sanding collar (2001-2), sanding segment (2002), sanding segment (2003), spiral springs (2007), fastening segment (2008), cog belt (2004).

| Part no. | delivery form | PU |
|-----------------|----------------------|-----------|
| 2011-2 | in polybag | 1 pc |



Spare Velcro fastener for sanding collar, self-adhesive

For fixing the abrasives

| Part no. | delivery form | PU |
|-----------------|----------------------|---------------|
| 2009 | in polybag | 2 x 4 = 8 pcs |



Cleaning and finishing abrasive S-1000, fitting black sanding segments

Fitting the black sanding segments, suitable for satin finishing and polishing stainless steel pipes.

| Part no. | dimension | delivery form | PU |
|-----------|-----------|---------------|--------|
| 2002/1000 | 35x40 mm | in polybagl | 40 pcs |



Texflex® nonwoven A-80, fitting black sanding segments

Suitable for removing rust and cleaning pipes, for smoothing grated hand rails, for smoothing and satin finishing black pipes

| Part no. | dimension | delivery form | PU |
|----------|-----------|---------------|--------|
| 2002T80 | 35x40 mm | in polybag | 40 pcs |



Texflex® nonwoven A-180, fitting black sanding segments

Suitable for removing rust and to clean pipes, for smoothing grated hand rails, to clean aluminium pipes and for finish sanding.

| Part no. | dimension | delivery form | PU |
|----------|-----------|---------------|--------|
| 2002T180 | 35x40 mm | in polybag | 40 pcs |



abrasive paper K40, fitting black sanding segments

Suitable for removing paint and varnish from pipes, and to smooth and to satin finish black pipes.

| Part no. | dimension | delivery form | PU |
|----------|-----------|---------------|--------|
| 2002K40 | 35x40 mm | in polybag | 40 pcs |



useit® Superfinishing Pad SG 1500, fitting black sanding segments

Suitable for satinining and polishing stainless steel pipes, to clean and to finish aluminium pipes.

| Part no. | dimension | delivery form | PU |
|----------|-----------|---------------|--------|
| 2002SG | 35x40 mm | in polybag | 40 pcs |



Cleaning and finishing abrasives A-100 + A180, grey sanding segments

For derusting and cleaning of pipes, to smooth and to satin black pipes, to clean aluminium pipes, for fine sanding and smoothing grated hand rails.

| Part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 2003/100 | 27x40 mm | in polybag | 40 pcs |
| 2003/180 | 27x40 mm | in polybag | 40 pcs |



Cleaning and finishing abrasives S-1000, grey sanding segments

For satining, finishing and polishing of high grade steel pipes and for smoothing grated hand rails.

| Part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 2003/1000 | 27x40 mm | in polybag | 40 pcs |



Texflex® Surface conditioning pads A-80, fitting grey sanding segments

For derusting and cleaning of pipes, for sanding welds, for smoothing grated hand rails, for smoothing and satining black pipes.

| Part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 2003T80 | 27x40 mm | in polybag | 40 pcs |



Texflex® Surface conditioning A-180, fitting grey sanding segments

Suitable for derusting and cleaning pipes, to smooth grated hand rails, to clean and to finish aluminium pipes.

| Part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 2003T180 | 27x40 mm | in polybag | 40 pcs |



Sanding paper K40, fitting grey sanding segments

Suitable for removeing and varnish from pipes, to sand welds and to smooth and satin block pipes.

| Part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 2003K40 | 27x40 mm | in polybag | 40 pcs |



useit®-Superfinishing Pad SG 1500, fitting grey sanding segments

Suitable for satining and polishing stainless steel pipes, to clean and to finish aluminium pipes.

| Part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 2003SG | 27x40 mm | in polybag | 40 pcs |





ABRASIVE ACCESSORIES

For the application of our innovative abrasives, we offer a wide range of accessories, for example the CLINI abrasive pad holder, the HANDI sanding glove, the JÖST profile sander, etc.

CLINI abrasive pad holder

The CLINI abrasive holder for surface sanding. The CLINI is equipped with a Haftfix® Velcro fastener for the fast application of nonwoven abrasive or suitable sandpaper. Its handy shape and the low weight makes it easy and pleasant to handle.

| part no. | dimension | color | delivery form | PU |
|----------|-----------|-------|---------------|--------|
| 05-10 | 80x140 mm | blue | in foil | 10 pcs |
| 05-20 | 80x140 mm | blue | in foil | 1 pc |
| 05-11 | 80x230 mm | white | in foil | 2 pcs |



HANDI sanding glove

With Haftfix® Velcro fastener for nonwoven abrasives and hand-sized sandpapers. It is particularly suitable for the sensitive sanding of curved surfaces, profiles, curves, edges, etc. The abrasive is easily guided, is gentle on the hand and protects against injuries.

| part no. | dimension | color | delivery form | PU |
|----------|------------|--------|---------------|--------|
| 05-30/l | hand shape | yellow | in foil | 10 pcs |
| 05-30/r | hand shape | yellow | in foil | 10 pcs |



Haftfix® sanding plate

Haftfix® sanding plate with Velcro fastener for angle grinders and drills.


| Part no. | Dimension | Color | Delivery form PU | |
|-----------------|----------------------|--------------|-------------------------|--------|
| 05-60 | ø 115 mm, shaft 6 mm | black | in foil | 10 pcs |
| 05-50 | ø 115 mm M10 | black | in foil | 10 pcs |
| 05-51 | ø 115 mm M14 | black | in foil | 10 pcs |
| 05-52 | ø 115 mm 5/8" | black | in foil | 10 pcs |
| 05-53 | ø 150 mm M14 | black | in foil | 10 pcs |
| 05-54 | ø 178 mm M14 | black | in foil | 10 pcs |



Adapter (Interface Pad) for Jöst eccentric floor machines

Adapter/Interface Pads in various designs and thicknesses. For Jöst random orbital sanders, the P1 dust-free sanding system and the edging system. The adapters are available in a range of different thicknesses to better adapt the abrasive to curved, textured and uneven surfaces.

| part no. | dimension | delivery form PU | |
|-----------------|-------------------------|-------------------------|------|
| AD-136/15 | ø 136 mm, height 15 mm | in polybag | 1 pc |
| AD-136/5 | ø 136 mm, height 5 mm | in polybag | 1 pc |
| AD-156/15 | ø 156 mm, height 15 mm | in polybag | 1 pc |
| AD-156/5 | ø 156 mm, height 5 mm | in polybag | 1 pc |
| AD-210/15 | ø 210 mm, 15 mm height | in polybag | 1 pc |
| AD-210/5 | ø 210 mm, 5 mm height | in polybag | 1 pc |
| AD-160/20 | 160x20 mm, 5 mm height | in polybag | 1 pc |
| AD-190/15 | 190x340 mm height 15 mm | in polybag | 1 pc |
| AD-190/5 | 190x340 mm height 5 mm | in polybag | 1 pc |
| AD-335/15 | 335x485 mm height 15 mm | in polybag | 1 pc |
| AD-335/5 | 335x485 mm height 5 mm | in polybag | 1 pc |



Adapter (Interface Pad) for long-neck sander

| Part no. | Dimension | Color | Delivery form PU | |
|-----------------|------------------|--------------|-------------------------|------|
| 05-55 | ø 215 mm x 15 mm | white | in foil | 1 pc |



Haftfix® polishing cap

Polishing caps for polishing machines.

| Part no. | Dimension | Color | Delivery form | PU |
|----------|-----------|-------|---------------|--------|
| PK-120 | Ø 120 mm | white | in foil | 10 pcs |
| PK-160 | Ø 160 mm | white | in foil | 10 pcs |
| PK-200 | Ø 200 mm | white | in foil | 10 pcs |



Haftfix® polishing sponge

Haftfix® polishing sponge. High-quality polishing sponge with a very high density

| Part no. | Dimension | Color | Delivery form | PU |
|----------|------------|-------|---------------|--------|
| P-120/30 | Ø 120 mm | white | in foil | 10 pcs |
| P-160/30 | Ø 160 mm | white | in foil | 10 pcs |
| P-200/30 | Ø 200 mm | white | in foil | 10 pcs |
| P-225/5 | Ø 225x5 mm | white | in foil | 2 pcs |



Pad holder with Velcro fastener

For Velcro sanding discs and especially for sanding surfaces, edges and curves – a very good supplement for the random orbital sander.

| part no. | dimension | color | grit | delivery form | PU |
|-----------|-----------|--------|------|---------------|------|
| 05-12/125 | Ø 125 mm | yellow | | in foil | 1 pc |
| 05-12/150 | Ø 150 mm | yellow | | in foil | 1 pc |
| 05-15/125 | Ø 125 mm | black | | in foil | 1 pc |
| 05-15/150 | Ø 150 mm | black | | in foil | 1 pc |



Corian® sponge

The Jöst Corian sponge consists of an easy-grip foam block, laminated with a useit®-Superfinishing Pad SG or an Abraflex® nonwoven abrasive A-very fine. It can be used to remove slight damages or scratches from panels made of solid surface material and to adjust gloss levels.

| part no. | dimension | color | grit | delivery form | PU |
|------------|-----------|-------|---------|---------------|------|
| CS-A280 | 60x130 mm | white | A-280 | in foil | 1 pc |
| CS-S/G1200 | 60x130 mm | white | SG-1200 | in foil | 1 pc |
| CS-S/G1500 | 60x130 mm | white | SG-1500 | in foil | 1 pc |
| CS-S1000 | 60x130 mm | white | S-1000 | in foil | 1 pc |



Velcro fastener self-adhesive

Velcro fastener, self-adhesive

| part no. | dimension | color | delivery form | PU |
|----------|------------|-------|---------------|--------|
| 06-10/1 | 115x225 mm | black | in foil | 10 pcs |
| 06-10/2 | 93x175 mm | black | in foil | 10 pcs |
| 06-10/3 | Ø 150 mm | black | in foil | 10 pcs |

Starter kit for Jöst eccentric floor machines

Starter sets for Jöst random orbital sanders. Depending on the application and your requirements, you can choose between starter sets for wood, renovation, cleaning, hard surfaces and mineral materials.

Starter kit hard surfaces

Abrafilm® Z40, Z60, Z80, Z150, Z220, C500, C800, C1500, C2000, useit®-dust-disc

| part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 449-HART | 190x340 mm | in polybag | 1 pc |
| 448-HART | 335x485 mm | in polybag | 1 pc |



Starter Kit wood

useit®-Superpad P yellow 40, 60, 80, 120, 150. useit® dust-disc, takeit® normal pad purple (ultra-fine)
useit®-Superfinishing Pad SG 600

| part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 449-WOOD | 190x340 mm | in polybag | 1 pc |
| 448-WOOD | 335x485 mm | in polybag | 1 pc |



Starter kit renovation

useit®-Superfinishing Pad SG 240, SG 600, SG 1500, SG2 1800, useit®-dust-disc,
useit®-Abrafilm®, C240, C500


| part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 449-RENO | 190x340 mm | in polybag | 1 pc |
| 448-RENO | 335x485 mm | in polybag | 1 pc |



Starter kit cleaning

Abrafilopp® purple, white, green, grey, Abraflex® Superpad
cleaning pad red 25 mm thickness, Blue Wave melamine pad

| part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 449-REINIGEN | 190x340 mm | in polybag | 1 pc |
| 448-REINIGEN | 335x485 mm | in polybag | 1 pc |



Starter kit solid surface material

useit®-Superpad P gold 150, 220, 320, 400, useit®-Superfinishing Pad SG 600, 1500, SG 2 1800,
2500, useit® dust-disc

| part no. | dimension | delivery form | PU |
|-----------------|------------------|----------------------|-----------|
| 449-CORIAN | 190x340 mm | in polybag | 1 pc |
| 448-CORIAN | 335x485 mm | in polybag | 1 pc |



INNOVATIVE
CLEANING SOLUTION
FOR FRESH WATER
AND SALT WATER
AQUARIUMS



WWW.JOEST-AQUARISTIC.COM

JÖST
aquaristic





Jöst GmbH


Beerfeldener Str. 77
D-69483 Wald-Michelbach

+49 (0) 6207 / 9410-0

+49 (0) 6207 / 2463

www.joest-abrasives.de

info@joest-abrasives.de



Haftfix®

Abraflex soft®

Texflex®

Green Cut®

pipe sanding system2000

Abranopp®

www.joest-abrasives.com