

## Sanding and cleaning systems



The right machine for every usage scenario  
**The perfect pad for every type of flooring**



# Floor Sander







## The Allrounder - from dry sanding to wet cleaning

The JÖST Floor Sander combines high-quality workmanship with easy handling. Thanks to its quiet running performance and the ergonomically adjustable steering handle, it can be used continuously without any shoulder or arm tension afterwards. Other benefits include its rectangular shape and off-centre effect, which allows sanding into any edge or corner and saves more laborious work steps. Despite the high removal rate, the full-surface extraction system gives users practically dust-free grinding. The ultra-versatile Floor Sander can be used for both wet and dry sanding tasks. It combines five machines in one – a drum sander, an edge sander, a single-disc machine, a cleaning machine and a brushing machine. An all-rounder designed to give users the best possible surface results.

### FS-315/460 eccentric floor machine

Power consumption:	1500 watts
Vacuum cleaner:	1000 watts
Motor speed:	2800 1/min
Work surface:	335x485mm
Supply voltage:	230 V
Weight:	57-83 kg
Network voltage frequency:	50 Hz
Stroke:	7 mm
Additional weights:	6,5 kg
<i>(4 additional weights included in the scope of delivery. Up to 6 weights can be added)</i>	

4 additional weights included in the scope of delivery

 Work right into the corners	 User-friendly	 Working area 335x485 mm
 Ergonomically adjustable	 Ideal for structured surfaces	 Variable machine weight



### Available accessories:

							
STB-315/460 Dust bag	KP-FS u. KP-FS/NEU Velcro backing plate	FS-HP Retaining plate	448-GEWICHT Additional weight	SD-315/460 Suction lip with suction hose	293744 Star knob screw	FS-SR Guiding wheel	AL-315/460 Drain hose

# Floor Sander Junior







The multifunctional solution for floor processing and maintenance

The multifunctional solution for floor cleaning, processing and maintenance. Thanks to its compact dimensions, the Floor Sander Junior is particularly suitable for working on smaller surfaces, steps and the areas under radiators and stairways. Equipped with an additional weight of 5 kg, it has an excellent removal rate. Virtually dust-free working is possible when an external vacuum cleaner is connected to the integrated suction nozzles.

## FSJ-180/330 eccentric floor machine

Power consumption:	350 watts
Motor speed:	2800 1/min
Work surface:	190x340mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	21-26 kg
Additional weight: <i>(not included in delivery)</i>	5 kg
Stroke:	5 mm
Tube connection:	27 mm

The additional weight is **not** included in the scope of delivery

 Work right into the corners	 User-friendly	 Working area 190x340 mm
 Suitable for wet and dry sanding	 Ideal for structured surfaces	 Perfect for staircase processing

### Available accessories:

		
449-GEWICHT Additional weight	KP-FSJ Velcro backing plate	2903743 Star knob screw









# Floor Cleaner Junior 18

The battery-powered multifunctional solution

The Floor Cleaner Junior 18 catches the eye with its robust and handy design. Designed for daily use in hard-to-reach areas and on a wide variety of surfaces. The powerful rechargeable battery system (used all over the world) allows you to work without a power source – and it's also compatible with many other battery-powered devices. With the cross-manufacturer METABO Cordless Alliance System (CAS), Jöst has not only found a high-quality battery system, we have also gained a reliable and genuine partner with whom we will continue to develop more cordless grinding and cleaning systems in the future.

## FSJ-18 eccentric floor machine

Power consumption:	300 watts
Motor speed:	2800-3000 1/min
Work surface:	190x340mm
Battery life: <i>(depending on floor conditions and pads)</i>	45-60 min.
Water tank capacity:	3 l
Weight:	17,5 kg
Weight heavy:	20 kg
Stroke:	5 mm
Tube connection:	27 mm
Working height:	14cm
Weight 18-V-Battery:	1 kg
attery voltage:	18V

 45 minutes Battery life	 User-friendly	 Working area 190x340 mm
 Only 14 cm Working height	 Fast charging: 80% in 20 minutes	 Work right into the corners

### Available accessories:

				
La18 Charger ASC 145 EU	LA18/2 Charger ASC Duo 145 EU	AK-18 Battery 18V/8.0 Ah	KP-FSJ Velcro backing plate	WT-FCJ18 Water tank 3l



# Floor Cleaner


The optimal solution for wet cleaning

In addition to the Floor Sander and Floor Sander Junior, we also have two other models with integrated water tanks for wetting or pre-wetting the surface to be cleaned – The Floor Cleaner and Floor Cleaner Junior. The machines' main feature is their ease of operation – edge cleaning can be done right into really tight corners in one single operation. The Floor Cleaner and Floor Cleaner Junior offer a wide range of uses, from simple maintenance cleaning to basic cleaning and the removal of old coatings.


## FC-315/460 eccentric floor machine

Power consumption:	1500 watts
Motor speed:	2800 1/min
Work surface:	335x485mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	48 kg
Additional weight: <i>(not included in delivery)</i>	6,5 kg
Stroke:	7 mm
Water tank capacity:	10 l


The additional weights are **not** included in the scope of delivery.




Work right into the corners




User-friendly




Working area 35x485 mm



With integrated 10 l water tank



Ideal for structured surfaces



Variable machine weight

### Available accessories:



KP-FS  
Velcro backing plate



WT-FC  
Water tank 10l



448-GEWICHT  
Additional weight



293744  
Star knob screw



# Floor Cleaner Junior

The optimal solution for wet cleaning

In addition to the Floor Cleaner and Floor Cleaner Junior, the ideal supplement for cleaning soiled surfaces. Here too, an integrated water tank offers the possibility of wetting or pre-wetting the surface to be cleaned. Easy handling and professional processing are two of these machines' outstanding features. The Floor Cleaner Junior offers a wide range of uses, from simple maintenance cleaning to basic cleaning and the removal of old coatings. It is also particularly suitable for the smallest rooms, stairs and low working heights.

## FCJ-180/330 eccentric floor machine

Power consumption:	350 watts
Motor speed:	2800 1/min
Work surface:	190x340mm
Supply voltage:	230 V
Network voltage frequency:	50 Hz
Weight:	22-27 kg
Additional weight: <i>(not included in delivery)</i>	5 kg
Stroke:	5 mm
Tube connection:	27 mm
Water tank capacity:	3 l

The additional weight is **not** included in the scope of delivery.



Work right into the corners



User-friendly



Working area 190x340 mm



Suitable for wet and dry sanding




With integrated 3 l water tank




Perfect for staircase processing


### Available accessories:



KP-FSJ  
Velcro backing plate



WT-FCJ  
Water tank 3l



449-GEWICHT  
Additional weight



# Big Boy

A strong partner for large areas – powerful, efficient, and reliable

The Big Boy random orbital sander is particularly suitable for machining large-area surfaces. Thanks to its abrasive surface, which is more than 8 times larger than the 150 mm of a conventional random orbital sander, large worktops, door panels, stairs and small rooms can be processed efficiently while maintaining a high surface quality.

The machine's weight alone is sufficient to guide it effortlessly over surfaces with a minimum of effort. Its innovative suction system used together with useit® abrasives makes fast, cost-saving and dust-free processing possible, from coarse sanding to polishing. A wide range of sanding and polishing abrasives is available for sanding many different materials, such as mineral materials, wood, varnish, paints, stainless steel and non-ferrous metals.

## BB-315/460

orbital sander

Power consumption:	1500 watts
Motor speed:	2800 1/min
Work surface:	335x485mm
Supply voltage:	230 V
Weight:	22 kg
Network voltage frequency:	50 Hz
Stroke:	7 mm
Tube connection:	27mm



# Big Boy Junior

The compact class for perfect surfaces

The Big Boy Junior random orbital sander is ideal for processing solid surfaces. As in the case of its big brother, this sander's work spectrum ranges from coarse to fine sanding and to cleaning almost any surface. A wide range of abrasives and cleaning agents is available for all Jöst machines. Processing solid (mineral) materials, wood, lacquer, stainless steel, non-ferrous metals, parquet & laminate surfaces and hard floor coverings is child's play for the Big Boy Junior. Available in two weight classes: The "light" version of 10 kg is particularly suitable for cleaning work. At 18 kg, the "heavy" version delivers excellent surface sanding results.

## BBJ-180/330

orbital sander

Power consumption:	350 watts
Motor speed:	2800 1/min
Work surface:	190x340mm
Supply voltage:	230 V
Weight:	10 kg
Weight heavy:	18 kg
Network voltage frequency:	50 Hz
Stroke:	5 mm
Tube connection:	27mm



# The NEW JÖST AiO



## AiO *all-in-one* scrubbing suction machine

Random orbital technology instead of the single disk format


**Jöst's new AiO system** is designed for versatility, providing a comprehensive solution for maintenance and basic deep cleaning. It utilizes advanced random orbital technology, enhancing its appeal to specialist cleaning personnel.

The AiO's water management system automatically adjusts the amount of water that's delivered to the three-way adjustable drive – and the galvanized steel chassis ensures exceptional stability. The fresh and dirty water tanks are freely accessible, easy to clean and can be emptied by simply tipping them over. The AiO is also user-friendly, thanks to its height-adjustable handle for ergonomic working and an intuitive user interface with just two buttons. Combining innovative technology, a high level of efficiency and ease of use in a single unit, the Jöst AiO gives users the best possible cleaning results with maximum ergonomic comfort.

### AiO

scrubbing suction machine

Work surface:	335x585 mm
Suction bar width:	870 mm
Fresh water tank:	40 l
Dirty water tank:	40 l
Machine dimensions:	137x81,5x113 cm
Net weight without batteries:	149 kg
Number of batteries:	2
Battery voltage:	24 V
Battery amperage:	105 Ah
Theoretical hourly output:	3135 m/h
Maximum speed:	5,5 km/h
Max. pad pressure:	29 kg
Motor speed:	3100 1/min.
Power cleaning motor:	500 watts
Rated power drive motor:	200 watts
Total oscillation value:	<2,5 m/s <sup>2</sup>
Drive:	Elektronisch
Suction motor power:	410 watts
Sound pressure level:	83 dB(A)
Drive roller:	Ø 230 mm



## P1 dust-free Sanding System

Sanding without dust - no dust pollution for people or the environment

The P1 dust-free Sanding System enables dust-free sanding, polishing, and rust removal on a wide variety of materials—from paint, wood, and metal to plastics and mineral materials. In combination with the useit® Superpads P and Superfinishing pads, the innovative design ensures maximum removal performance and perfect surface quality—without any dust exposure. Ideal for angle grinders, it makes grinding work faster, cleaner, and more efficient. Advantages at a glance:



P1-136  
Sanding disc for angle grinders



P1-156  
Sanding disc for angle grinders




P1-210  
Sanding disc for angle grinders

## P1 dust-free Sanding System for natural stone

- P1 dust-free sanding system for processing granite, marble and ceramics – without exposing people and the environment to dust
- The unique design of the sanding disc ensures a dust-free and high removal rate
- Edge-precise sanding/grinding with a perfect view of the workpiece
- Optimum dry sanding results are achieved in combination with the perforated useit®-Multi-Perforation abrasives
- Diamond sanding discs guarantee best results with a maximum service life

The P1 dust-free sanding system has been included in the promotion of the BG Bau (Professional Association of the German Construction Industry) for manual sanding/grinding machines. The purchase of a system is subsidised with a grant of 25% of the purchase price.



# NO CHANCE FOR DUST

EP 2 611 573 / US 9,132,527

# Overview of accessories for Jöst machines

## Machine accessories sanding and cleaning systems

There is a wide range of accessories available for our innovative sanding systems – from high-quality sanding and cleaning agents in various grit sizes and designs to special equipment for the JÖST Floor Sander/Cleaner, Floor Sander/Cleaner Junior and our battery-powered machine, the Floor Cleaner Junior 18.



**Part No.** AK-18  
**Description:** Battery 18V/8.0 Ah  
**Dimensions:** 123x83x74 mm




**Part No.** LA18  
**Description:** Charger ASC 145 EU  
**Dimensions:** 175x160x85 mm



**Part No.** LA18/2  
**Description:** Charger ASC DUO 145 EU  
**Dimensions:** 340x115x70 mm



**Part No.** 449-GEWICHT  
**Description:** Additional weight  
**Dimensions:** 330x135x35 mm



**Part No.** 448-GEWICHT  
**Description:** Additional weight FS  
**Dimensions:** 310x135x35 mm



**Part No.** FS-SR  
**Description:** Guiding wheel  
**Dimensions:** 220x100x90 mm



**Part No.** FS-HP  
**Description:** Retaining plate  
**Dimensions:** 75x130 mm



**Part No.** WT-FC  
**Description:** Water tank 10 l  
**Dimensions:** 490x240x220 mm



**Part No.** 2903743  
**Description:** Star knob screw  
**Dimensions:** FM-M6, 40 mm



**Part No.** 2903744  
**Description:** Star knob screw  
**Dimensions:** FM-M6, 80 mm



**Part No.** WT-FCJ  
**Description:** Water tank for FCJ  
**Dimensions:** 420x200x100 mm



**Part No.** KP-FSJ  
**Description:** Velcro backing plate in exchange  
**Dimensions:** 190x340 mm



**Part No.** KP-FS  
**Description:** Velcro backing plate in exchange  
**Dimensions:** 335x485 mm



**Part No.** KP-FS/neu  
**Description:** Velcro backing plate new  
**Dimensions:** 335x485 mm



**Part No.** WT-FCJ18  
**Description:** Water tank for FCJ  
**Dimensions:** 420x200x100 mm



**Part No.** P1-136  
**Description:** Grinding wheel P1  
**Dimensions:** Ø136mm



**Part No.** KP-FSJ/neu  
**Description:** Velcro backing plate new  
**Dimensions:** 190x340 mm



**Part No.** SD-315/460  
**Description:** Suction lip with suction hose  
**Dimensions:** 1100x700x70 mm



**Part No.** AL-315/460  
**Description:** Drain hose  
**Dimensions:** 670x90x50 mm



**Part No.** STB-315/460  
**Description:** Dust bag for FS  
**Dimensions:** -



**Part No.** P1-156  
**Description:** Grinding wheel P1  
**Dimensions:** Ø156 mm



**Part No.** P1-210  
**Description:** Grinding wheel P1  
**Dimensions:** Ø210 mm


# Sanding pads for Jöst machines

useit® Superpad P Gold and Yellow for Floor Sander/Cleaner & Floor Sander/Cleaner Junior

Part No.	Description	Grain	Dimension	Delivery form	PU
549-A 40	● useit®-Superpad gold	P-40	190x340 mm	in carton	10 pcs
549-A 60	● useit®-Superpad gold	P-60	190x340 mm	in carton	10 pcs
549-A 80	● useit®-Superpad gold	P-80	190x340 mm	in carton	10 pcs
549-A100	● useit®-Superpad gold	P-100	190x340 mm	in carton	10 pcs
549-A120	● useit®-Superpad gold	P-120	190x340 mm	in carton	10 pcs
549-A150	● useit®-Superpad gold	P-150	190x340 mm	in carton	10 pcs
549-A180	● useit®-Superpad gold	P-180	190x340 mm	in carton	10 pcs
549-A220	● useit®-Superpad gold	P-220	190x340 mm	in carton	10 pcs
549-A240	● useit®-Superpad gold	P-240	190x340 mm	in carton	10 pcs
549-A280	● useit®-Superpad gold	P-280	190x340 mm	in carton	10 pcs
549-A320	● useit®-Superpad gold	P-320	190x340 mm	in carton	10 pcs
549-A400	● useit®-Superpad gold	P-400	190x340 mm	in carton	10 pcs
549-A500	● useit®-Superpad gold	P-500	190x340 mm	in carton	10 pcs
549-A600	● useit®-Superpad gold	P-600	190x340 mm	in carton	10 pcs
549-A800	● useit®-Superpad gold	P-800	190x340 mm	in carton	10 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
548-A 40	● useit®-Superpad gold	P-40	335x485 mm	in carton	10 pcs
548-A 60	● useit®-Superpad gold	P-60	335x485 mm	in carton	10 pcs
548-A 80	● useit®-Superpad gold	P-80	335x485 mm	in carton	10 pcs
548-A100	● useit®-Superpad gold	P-100	335x485 mm	in carton	10 pcs
548-A120	● useit®-Superpad gold	P-120	335x485 mm	in carton	10 pcs
548-A150	● useit®-Superpad gold	P-150	335x485 mm	in carton	10 pcs
548-A180	● useit®-Superpad gold	P-180	335x485 mm	in carton	10 pcs
548-A220	● useit®-Superpad gold	P-220	335x485 mm	in carton	10 pcs
548-A240	● useit®-Superpad gold	P-240	335x485 mm	in carton	10 pcs
548-A280	● useit®-Superpad gold	P-280	335x485 mm	in carton	10 pcs
548-A320	● useit®-Superpad gold	P-320	335x485 mm	in carton	10 pcs
548-A400	● useit®-Superpad gold	P-400	335x485 mm	in carton	10 pcs
548-A500	● useit®-Superpad gold	P-500	335x485 mm	in carton	10 pcs
548-A600	● useit®-Superpad gold	P-600	335x485 mm	in carton	10 pcs
548-A800	● useit®-Superpad gold	P-800	335x485 mm	in carton	10 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
449-K 36	● useit®-Superpad blue	K-36	190x340 mm	in carton	10 pcs
449-A 40	● useit®-Superpad yellow	P-40	190x340 mm	in carton	10 pcs
449-A 60	● useit®-Superpad yellow	P-60	190x340 mm	in carton	10 pcs
449-A 80	● useit®-Superpad yellow	P-80	190x340 mm	in carton	10 pcs
449-A100	● useit®-Superpad yellow	P-100	190x340 mm	in carton	10 pcs



Part No.	Description	Grain	Dimension	Delivery form	PU
449-A120	● useit®-Superpad yellow	P-120	190x340 mm	in carton	10 pcs
449-A150	● useit®-Superpad yellow	P-150	190x340 mm	in carton	10 pcs
449-A180	● useit®-Superpad yellow	P-180	190x340 mm	in carton	10 pcs
449-A220	● useit®-Superpad yellow	P-220	190x340 mm	in carton	10 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
448-K 36	● useit®-Superpad blue	K-36	335x485 mm	in carton	10 pcs
448-A 40	● useit®-Superpad yellow	P-40	335x485 mm	in carton	10 pcs
448-A 60	● useit®-Superpad yellow	P-60	335x485 mm	in carton	10 pcs
448-A 80	● useit®-Superpad yellow	P-80	335x485 mm	in carton	10 pcs
448-A100	● useit®-Superpad yellow	P-100	335x485 mm	in carton	10 pcs
448-A120	● useit®-Superpad yellow	P-120	335x485 mm	in carton	10 pcs
448-A150	● useit®-Superpad yellow	P-150	335x485 mm	in carton	10 pcs
448-A180	● useit®-Superpad yellow	P-180	335x485 mm	in carton	10 pcs
448-A220	● useit®-Superpad yellow	P-220	335x485 mm	in carton	10 pcs

## useit®-Abrafilm®

Part No.	Description	Grain	Dimension	Delivery form	PU
649-Z 40	● useit®-Abrafilm®	Z-40	190x340 mm	in carton	10 pcs
649-Z 60	● useit®-Abrafilm®	Z-60	190x340 mm	in carton	10 pcs
649-Z 80	● useit®-Abrafilm®	Z-80	190x340 mm	in carton	10 pcs
649-Z100	● useit®-Abrafilm®	Z-100	190x340 mm	in carton	10 pcs
649-Z120	● useit®-Abrafilm®	Z-120	190x340 mm	in carton	10 pcs
649-Z150	● useit®-Abrafilm®	Z-150	190x340 mm	in carton	10 pcs
649-Z180	● useit®-Abrafilm®	Z-180	190x340 mm	in carton	10 pcs
649-C240	● useit®-Abrafilm®	C-240	190x340 mm	in carton	10 pcs
649-C320	● useit®-Abrafilm®	C-320	190x340 mm	in carton	10 pcs
649-C400	● useit®-Abrafilm®	C-400	190x340 mm	in carton	10 pcs
649-C500	● useit®-Abrafilm®	C-500	190x340 mm	in carton	10 pcs
649-C600	● useit®-Abrafilm®	C-600	190x340 mm	in carton	10 pcs
649-C800	● useit®-Abrafilm®	C-800	190x340 mm	in carton	10 pcs
649-C1200	● useit®-Abrafilm®	C-1200	190x340 mm	in carton	10 pcs
649-C1500	● useit®-Abrafilm®	C-1500	190x340 mm	in carton	10 pcs
649-C2000	● useit®-Abrafilm®	C-2000	190x340 mm	in carton	10 pcs
649-C2500	● useit®-Abrafilm®	C-2500	190x340 mm	in carton	10 pcs
649-C3000	● useit®-Abrafilm®	C-3000	190x340 mm	in carton	10 pcs



Part No.	Description	Grain	Dimension	Delivery form	PU
648-Z 40	● useit®-Abrafilm®	Z-40	335x485 mm	in carton	10 pcs
648-Z 60	● useit®-Abrafilm®	Z-60	335x485 mm	in carton	10 pcs
648-Z 80	● useit®-Abrafilm®	Z-80	335x485 mm	in carton	10 pcs
648-Z100	● useit®-Abrafilm®	Z-100	335x485 mm	in carton	10 pcs
648-Z120	● useit®-Abrafilm®	Z-120	335x485 mm	in carton	10 pcs
648-Z150	● useit®-Abrafilm®	Z-150	335x485 mm	in carton	10 pcs
648-Z180	● useit®-Abrafilm®	Z-180	335x485 mm	in carton	10 pcs
648-C240	● useit®-Abrafilm®	C-240	335x485 mm	in carton	10 pcs
648-C320	● useit®-Abrafilm®	C-320	335x485 mm	in carton	10 pcs
648-C400	● useit®-Abrafilm®	C-400	335x485 mm	in carton	10 pcs
648-C500	● useit®-Abrafilm®	C-500	335x485 mm	in carton	10 pcs
648-C600	● useit®-Abrafilm®	C-600	335x485 mm	in carton	10 pcs
648-C800	● useit®-Abrafilm®	C-800	335x485 mm	in carton	10 pcs
648-C1200	● useit®-Abrafilm®	C-1200	335x485 mm	in carton	10 pcs
648-C1500	● useit®-Abrafilm®	C-1500	335x485 mm	in carton	10 pcs
648-C2000	● useit®-Abrafilm®	C-2000	335x485 mm	in carton	10 pcs
648-C2500	● useit®-Abrafilm®	C-2500	335x485 mm	in carton	10 pcs
648-C3000	● useit®-Abrafilm®	C-3000	335x485 mm	in carton	10 pcs

### useit®-Superfinishing pad SG

Part No.	Description	Grain	Dimension	Delivery form	PU
149-SG240	● useit®-Superfinishing pad SG	SG 240	190x340 mm	in carton	10 pcs
149-SG320	● useit®-Superfinishing pad SG	SG 320	190x340 mm	in carton	10 pcs
149-SG600	● useit®-Superfinishing pad SG	SG 600	190x340 mm	in carton	10 pcs
149-SG800	● useit®-Superfinishing pad SG	SG 800	190x340 mm	in carton	10 pcs
149-SG1200	● useit®-Superfinishing pad SG	SG 1200	190x340 mm	in carton	10 pcs
149-SG1500	● useit®-Superfinishing pad SG	SG-1500	190x340 mm	in carton	10 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
148-SG240	● useit®-Superfinishing pad SG	SG 240	335x485 mm	in carton	10 pcs
148-SG320	● useit®-Superfinishing pad SG	SG 320	335x485 mm	in carton	10 pcs
148-SG600	● useit®-Superfinishing pad SG	SG 600	335x485 mm	in carton	10 pcs
148-SG800	● useit®-Superfinishing pad SG	SG 800	335x485 mm	in carton	10 pcs
148-SG1200	● useit®-Superfinishing pad SG	SG 1200	335x485 mm	in carton	10 pcs
148-SG1500	● useit®-Superfinishing pad SG	SG-1500	335x485 mm	in carton	10 pcs

### useit®-Superfinishing-pad SG2

Part No.	Description	Grain	Dimension	Delivery form	PU
149-SG2 800	● useit®-Superfinishing pad SG	SG2 800	190x340 mm	in carton	10 pcs
149-SG2 1600	● useit®-Superfinishing pad SG	SG2 1600	190x340 mm	in carton	10 pcs
149-SG2 1800	● useit®-Superfinishing pad SG	SG2 1800	190x340 mm	in carton	10 pcs
149-SG2 2000	● useit®-Superfinishing pad SG	SG2 2000	190x340 mm	in carton	10 pcs



Part No.	Description	Grain	Dimension	Delivery form	PU
149-SG2 2500	● useit®-Superfinishing pad SG	SG2 2500	190x340 mm	in carton	10 pcs
149-SG2 3000	● useit®-Superfinishing pad SG	SG2 3000	190x340 mm	in carton	10 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
148-SG2 800	● useit®-Superfinishing pad SG	SG2 800	335x485 mm	in carton	10 pcs
148-SG2 1600	● useit®-Superfinishing pad SG	SG2 1600	335x485 mm	in carton	10 pcs
148-SG2 1800	● useit®-Superfinishing pad SG	SG2 1800	335x485 mm	in carton	10 pcs
148-SG2 2000	● useit®-Superfinishing pad SG	SG2 2000	335x485 mm	in carton	10 pcs
148-SG2 2500	● useit®-Superfinishing pad SG	SG2 2500	335x485 mm	in carton	10 pcs
148-SG2 3000	● useit®-Superfinishing pad SG	SG2 3000	335x485 mm	in carton	10 pcs

## Sanding pads for Jöst P1 dust-free sanding system

For dust-free sanding when working with a wide variety of materials

### useit®-Superpad P yellow for P1


Part No.	Description	Grain	Dimension	Delivery form	PU
733-A 40	● useit®-Superpad P yellow	P-40	Ø 136 mm	in carton	25 pcs
733-A 60	● useit®-Superpad P yellow	P-60	Ø 136 mm	in carton	25 pcs
733-A 80	● useit®-Superpad P yellow	P-80	Ø 136 mm	in carton	25 pcs
733-A120	● useit®-Superpad P yellow	P-120	Ø 136 mm	in carton	25 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
743-A 40	● useit®-Superpad P yellow	P-40	Ø 156 mm	in carton	25 pcs
743-A 60	● useit®-Superpad P yellow	P-60	Ø 156 mm	in carton	25 pcs
743-A 80	● useit®-Superpad P yellow	P-80	Ø 156 mm	in carton	25 pcs
743-A120	● useit®-Superpad P yellow	P-120	Ø 156 mm	in carton	25 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
744-A 40	● useit®-Superpad P yellow	P-40	Ø 210 mm	in carton	25 pcs
744-A 60	● useit®-Superpad P yellow	P-60	Ø 210 mm	in carton	25 pcs
744-A 80	● useit®-Superpad P yellow	P-80	Ø 210 mm	in carton	25 pcs
744-A120	● useit®-Superpad P yellow	P-120	Ø 210 mm	in carton	25 pcs

### useit®-Abrafilm® for P1

Part No.	Description	Grain	Dimension	Delivery form	PU
633-Z 40	● useit®-Abrafilm®	Z-40	Ø 136 mm	in carton	25 pcs
633-Z 60	● useit®-Abrafilm®	Z-60	Ø 136 mm	in carton	25 pcs
633-Z 80	● useit®-Abrafilm®	Z-80	Ø 136 mm	in carton	25 pcs
633-Z120	● useit®-Abrafilm®	Z-120	Ø 136 mm	in carton	25 pcs





## useit®-Superfinishing pad SG3 for P1

Part No.	Description	Grain	Dimension	Delivery form	PU
133-SG3 360	● useit®-Superfinishing pad SG3	SG3 360	Ø 136 mm	in carton	20 pcs
133-SG3 500	● useit®-Superfinishing pad SG3	SG3 500	Ø 136 mm	in carton	20 pcs
133-SG3 600	● useit®-Superfinishing pad SG3	SG3 600	Ø 136 mm	in carton	20 pcs
133-SG3 1000	● useit®-Superfinishing pad SG3	SG3 1000	Ø 136 mm	in carton	20 pcs
133-SG3 2000	● useit®-Superfinishing pad SG3	SG3 2000	Ø 136 mm	in carton	20 pcs
133-SG3 3000	● useit®-Superfinishing pad SG3	SG3 3000	Ø 136 mm	in carton	20 pcs
133-SG3 4000	● useit®-Superfinishing pad SG3	SG3 4000	Ø 136 mm	in carton	20 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
143-SG3 360	● useit®-Superfinishing pad SG3	SG3 360	Ø 156 mm	in carton	20 pcs
143-SG3 500	● useit®-Superfinishing pad SG3	SG3 500	Ø 156 mm	in carton	20 pcs
143-SG3 600	● useit®-Superfinishing pad SG3	SG3 600	Ø 156 mm	in carton	20 pcs
143-SG3 1000	● useit®-Superfinishing pad SG3	SG3 1000	Ø 156 mm	in carton	20 pcs
143-SG3 2000	● useit®-Superfinishing pad SG3	SG3 2000	Ø 156 mm	in carton	20 pcs
143-SG3 3000	● useit®-Superfinishing pad SG3	SG3 3000	Ø 156 mm	in carton	20 pcs
143-SG3 4000	● useit®-Superfinishing pad SG3	SG3 4000	Ø 156 mm	in carton	20 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
144-SG3 360	● useit®-Superfinishing pad SG3	SG3 360	Ø 210 mm	in carton	20 pcs
144-SG3 500	● useit®-Superfinishing pad SG3	SG3 500	Ø 210 mm	in carton	20 pcs
144-SG3 600	● useit®-Superfinishing pad SG3	SG3 600	Ø 210 mm	in carton	20 pcs
144-SG3 1000	● useit®-Superfinishing pad SG3	SG3 1000	Ø 210 mm	in carton	20 pcs
144-SG3 2000	● useit®-Superfinishing pad SG3	SG3 2000	Ø 210 mm	in carton	20 pcs
144-SG3 3000	● useit®-Superfinishing pad SG3	SG3 3000	Ø 210 mm	in carton	20 pcs
144-SG3 4000	● useit®-Superfinishing pad SG3	SG3 4000	Ø 210 mm	in carton	20 pcs

## Diamond abrasives for P1






Part No.	Description	Grain	Dimension	Delivery form	PU
833-DS60	● Diamond Star	60	Ø 136 mm	in carton	1 pc
833-DS100	● Diamond Star	100	Ø 136 mm	in carton	1 pc
833-DS200	● Diamond Star	200	Ø 136 mm	in carton	1 pc
833-DS400	● Diamond Star	400	Ø 136 mm	in carton	1 pc
833-DS600	● Diamond Star	600	Ø 136 mm	in carton	1 pc






Part No.	Description	Grain	Dimension	Delivery form	PU
833-DS800	● Diamond Star	800	Ø 136 mm	in carton	1 pc
833-DS1500	● Diamond Star	1500	Ø 136 mm	in carton	1 pc
833-DS3000	● Diamond Star	3000	Ø 136 mm	in carton	1 pc
833-DS5000	● Diamond Star	5000	Ø 136 mm	in carton	1 pc








# Cleaning pads for Jöst machines





For Floor Sander/Cleaner & Floor Sander/Cleaner Junior and Jöst AiO





Part No.	Description	Grain	Dimension	Delivery form	PU
949-WHITE	 Abranopp® pad white	without	190x340 mm	in carton	5 pcs
949-PURPLE	 Abranopp® pad purple	fine	190x340 mm	in carton	5 pcs
949-GREY	 Abranopp® pad grey	medium	190x340 mm	in carton	5 pcs
949-GREEN	 Abranopp® pad green	coarse	190x340 mm	in carton	5 pcs
AN-SPEZIAL	 Abranopp® pad special	very coarse	190x340 mm	in carton	5 pcs





Part No.	Description	Grain	Dimension	Delivery form	PU
948-WHITE	 Abranopp® pad white	without	335x485 mm	in carton	5 pcs
948-PURPLE	 Abranopp® pad purple	fine	335x485 mm	in carton	5 pcs
948-GREY	 Abranopp® pad grey	medium	335x485 mm	in carton	5 pcs
948-GREEN	 Abranopp® pad green	coarse	335x485 mm	in carton	5 pcs
AN-SPEZIAL	 Abranopp® pad special	very coarse	335x485 mm	in carton	5 pcs


Part No.	Description	Grain	Dimension	Delivery form	PU
947-WHITE	 Abranopp® pad white	without	335x585 mm	in carton	5 pcs
947-PURPLE	 Abranopp® pad purple	fine	335x585 mm	in carton	5 pcs
947-GREY	 Abranopp® pad grey	medium	335x585 mm	in carton	5 pcs
947-GREEN	 Abranopp® pad green	coarse	335x585 mm	in carton	5 pcs
AN-SPEZIAL	 Abranopp® pad special	very coarse	335x585 mm	in carton	5 pcs

## Microfiber pads



Part No.	Description	Grain	Dimension	Delivery form	PU
MF-BM190x340	 Microfiber pad blue/melange	without	190x340 mm	in carton	5 pcs
MF-P190x340	 Microfiber pad white/blue	without	190x340 mm	in carton	5 pcs
MF-G190x340	 Microfiber pad grey	without	190x340 mm	in carton	5 pcs
MF-W190x340	 Microfiber pad white	without	190x340 mm	in carton	5 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
MF-BM335x485	 Microfiber pad blue/melange	without	335x485 mm	in carton	5 pcs
MF-P335x485	 Microfiber pad white/blue	without	335x485 mm	in carton	5 pcs
MF-G335x485	 Microfiber pad grey	without	335x485 mm	in carton	5 pcs
MF-W335x485	 Microfiber pad white	without	335x485 mm	in carton	5 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
MF-BM335x585	 Microfiber pad blue/melange	without	335x585 mm	in carton	5 pcs
MF-P335x585	 Microfiber pad white/blue	without	335x585 mm	in carton	5 pcs
MF-G335x585	 Microfiber pad grey	without	335x585 mm	in carton	5 pcs
MF-W335x585	 Microfiber pad white	without	335x585 mm	in carton	5 pcs













## Blue Wave melamine pad

Part No.	Description	Grain	Dimension	Delivery form	PU
BW-190x34	 useit®-Superfinishing pad SG3	without	190x340 mm	in carton	5 pcs
BW-335x485	 useit®-Superfinishing pad SG3	without	335x485 mm	in carton	5 pcs
BW-335x585	 useit®-Superfinishing pad SG3	without	335x585 mm	in carton	5 pcs








## Abraflex® Superpads




Part No.	Description	Grain	Dimension	Delivery form	PU
SUP-190x340/W	 Abraflex® Superpad white	without	190x340 mm	in carton	5 pcs
SUP-190x340/B	 Abraflex® Superpad beige	very fine abrasive	190x340 mm	in carton	5 pcs
SUP-190x340/R	 Abraflex® Superpad red	low abrasive	190x340 mm	in carton	5 pcs
SUP-190x340/G	 Abraflex® Superpad green	medium abrasive	190x340 mm	in carton	5 pcs
SUP-190x340/S	 Abraflex® Superpad black	highly abrasive	190x340 mm	in carton	5 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
SUP-335x485/W	 Abraflex® Superpad white	without	335x485 mm	in carton	5 pcs
SUP-335x485/B	 Abraflex® Superpad beige	very fine abrasive	335x485 mm	in carton	5 pcs
SUP-335x485/R	 Abraflex® Superpad red	low abrasive	335x485 mm	in carton	5 pcs
SUP-335x485/G	 Abraflex® Superpad green	medium abrasive	335x485 mm	in carton	5 pcs
SUP-335x485/S	 Abraflex® Superpad black	highly abrasive	335x485 mm	in carton	5 pcs



Part No.	Description	Grain	Dimension	Delivery form	PU
SUP-335x585/W	 Abraflex® Superpad white	without	335x585 mm	in carton	5 pcs
SUP-335x585/B	 Abraflex® Superpad beige	very fine abrasive	335x585 mm	in carton	5 pcs
SUP-335x585/R	 Abraflex® Superpad red	low abrasive	335x585 mm	in carton	5 pcs
SUP-335x585/G	 Abraflex® Superpad green	medium abrasive	335x585 mm	in carton	5 pcs
SUP-335x585/S	 Abraflex® Superpad black	highly abrasive	335x585 mm	in carton	5 pcs

## Wimbledon lawn pad

Part No.	Description	Grain	Dimension	Delivery form	PU
JW-210x36	 Wimbledon lawn pad	without	210x360 mm	in carton	5 pcs
JW-355x505	 Wimbledon lawn pad	without	355x505 mm	in carton	5 pcs
JW-355x605	 Wimbledon lawn pad	without	355x605 mm	in carton	5 pcs






## Abraflex® Maroon pad






Part No.	Description	Grain	Dimension	Delivery form	PU
MP-190/340	 Abraflex® Maroon pad	fine	190x340 mm	in carton	5 pcs
MP-335/485	 Abraflex® Maroon pad	fine	335x485 mm	in carton	5 pcs
MP-335x585	 Abraflex® Maroon pad	fine	335x585 mm	in carton	5 pcs













## Abraflex® FX cleaning non-woven

Part No.	Description	Grain	Dimension	Delivery form	PU
449-FX white	 Abraflex® FX white	without	190x340 mm	in carton	10 pcs
448-FX white	 Abraflex® FX white	without	335x485 mm	in carton	10 pcs
447-FX white	 Abraflex® FX white	without	335x585 mm	in carton	10 pcs




## AbraflexNopp®

Part No.	Description	Grain	Dimension	Delivery form	PU
AFN-W190x340	 AbraflexNopp® white	without	190x340 mm	in carton	5 pcs
AFN-B190x340	 AbraflexNopp® beige	very fine abrasive	190x340 mm	in carton	5 pcs
AFN-R190x340	 AbraflexNopp® red	low abrasive	190x340 mm	in carton	5 pcs
AFN-G190x340	 AbraflexNopp® green	medium abrasiv	190x340 mm	in carton	5 pcs
AFN-S190x340	 AbraflexNopp® black	highly abrasive	190x340 mm	in carton	5 pcs





Part No.	Description	Grain	Dimension	Delivery form	PU
AFN-W335x485	 AbraflexNopp® white	without	335x485 mm	in carton	5 pcs
AFN-B335x485	 AbraflexNopp® beige	very fine abrasive	335x485 mm	in carton	5 pcs
AFN-R335x485	 AbraflexNopp® red	low abrasive	335x485 mm	in carton	5 pcs
AFN-G335x485	 AbraflexNopp® green	medium abrasiv	335x485 mm	in carton	5 pcs
AFN-S335x485	 AbraflexNopp® black	highly abrasive	335x485 mm	in carton	5 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
AFN-W335x585	 AbraflexNopp® white	without	335x585 mm	in carton	5 pcs
AFN-B335x585	 AbraflexNopp® beige	very fine abrasive	335x585 mm	in carton	5 pcs
AFN-R335x585	 AbraflexNopp® red	low abrasive	335x585 mm	in carton	5 pcs
AFN-G335x585	 AbraflexNopp® green	medium abrasiv	335x585 mm	in carton	5 pcs
AFN-S335x585	 AbraflexNopp® black	highly abrasive	335x585 mm	in carton	5 pcs








## Sheep wool pads







Part No.	Description	Grain	Dimension	Delivery form	PU
WP-190x340	 Sheep wool pad	without	190x340 mm	in carton	15 pcs
WP-335x485	 Sheep wool pad	without	335x485 mm	in carton	15 pcs
WP-335x585	 Sheep wool pad	without	335x585 mm	in carton	15 pcs




## Takeit® Normal pad

Part No.	Description	Grain	Dimension	Delivery form	PU
52 ultra fine	 Takeit® Normal pad violet	ultra fine	190x340 mm	in polybag	10 pcs
52-coarse	 Takeit® Normal pad green	coarse	190x340 mm	in polybag	10 pcs
50 ultra fine	 Takeit® Normal pad violet	ultra fine	335x485 mm	in polybag	5 pcs
5 coarse	 Takeit® Normal pad green	coarse	335x485 mm	in polybag	5 pcs



## Jöst Diamond® pads

Part No.	Description	Grain	Dimension	Delivery form	PU
DP1-190x340	 Jöst Diamond® pad	K-180	190x340 mm	in carton	2 pcs
DP2-190x340	 Jöst Diamond® pad	K-260	190x340 mm	in carton	2 pcs
DP3-190x340	 Jöst Diamond® pad	K-400	190x340 mm	in carton	2 pcs
DP4-190x340	 Jöst Diamond® pad	K-600	190x340 mm	in carton	2 pcs
DP5-190x340	 Jöst Diamond® pad	K-1200	190x340 mm	in carton	2 pcs
DP6-190x340	 Jöst Diamond® pad	K-2000	190x340 mm	in carton	2 pcs
DP7-190x340	 Jöst Diamond® pad	K-3000	190x340 mm	in carton	2 pcs
DP8-190x340	 Jöst Diamond® pad	K-5000	190x340 mm	in carton	2 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
DP1-335x485	 Jöst Diamond® pad	K-180	335x485 mm	in carton	2 pcs
DP2-335x485	 Jöst Diamond® pad	K-260	335x485 mm	in carton	2 pcs
DP3-335x485	 Jöst Diamond® pad	K-400	335x485 mm	in carton	2 pcs
DP4-335x485	 Jöst Diamond® pad	K-600	335x485 mm	in carton	2 pcs
DP5-335x485	 Jöst Diamond® pad	K-1200	335x485 mm	in carton	2 pcs
DP6-335x485	 Jöst Diamond® pad	K-2000	335x485 mm	in carton	2 pcs
DP7-335x485	 Jöst Diamond® pad	K-3000	335x485 mm	in carton	2 pcs
DP8-335x485	 Jöst Diamond® pad	K-5000	335x485 mm	in carton	2 pcs

Part No.	Description	Grain	Dimension	Delivery form	PU
DP1-335x585	 Jöst Diamond® pad	K-180	335x585 mm	in carton	2 pcs
DP2-335x585	 Jöst Diamond® pad	K-260	335x585 mm	in carton	2 pcs
DP3-335x585	 Jöst Diamond® pad	K-400	335x585 mm	in carton	2 pcs
DP4-335x585	 Jöst Diamond® pad	K-600	335x585 mm	in carton	2 pcs
DP5-335x585	 Jöst Diamond® pad	K-1200	335x585 mm	in carton	2 pcs
DP6-335x585	 Jöst Diamond® pad	K-2000	335x585 mm	in carton	2 pcs
DP7-335x585	 Jöst Diamond® pad	K-3000	335x585 mm	in carton	2 pcs
DP8-335x585	 Jöst Diamond® pad	K-5000	335x585 mm	in carton	2 pcs

## useit®-dust pad

Part No.	Description	Grain	Dimension	Delivery form	PU
STS-190x340	 useit®-dust pad	without	190x340 mm	in carton	10 pcs
STS-315x485	 useit®-dust pad	without	335x585 mm	in carton	10 pcs

# Starter sets and adapters for Jöst machines

For Floor Sander/Cleaner & Floor Sander/Cleaner Junior and Jöst AiO

## Starterset Hard surfaces



Artikel-Nr.	Dimension	Delivery form	PU
-------------	-----------	---------------	----

449-HART	190x340 mm	in polybag	1 set
448-HART	335x485 mm	in polybag	1 set

**Content PU = useit®-Abrafilm®** Z40, Z60, Z80, Z150, Z220, C500, C800, C1500, C2000, useit®-dust pad

## Starterset Woodworking




Artikel-Nr.	Dimension	Delivery form	PU
-------------	-----------	---------------	----

449-HOLZ	190x340 mm	in polybag	1 set
448-HOLZ	335x485 mm	in polybag	1 set

**Content PU = useit®-Superpad P yellow** 40, 60, 80, 120, 150, useit®-dust pad, useit® Superfinishing pads SG 600

## Starterset Renovate



Artikel-Nr.	Dimension	Delivery form	PU
-------------	-----------	---------------	----

449-RENO	190x340 mm	in polybag	1 set
448-RENO	335x485 mm	in polybag	1 set

**Content PU = useit®-Superfinishing pad** SG 240, SG 600, SG 1500, SG2 1800, useit®-dust pad, useit®-Abrafilm®, C240, C50

## Starterset Cleaning



Artikel-Nr.	Dimension	Delivery form	PU
-------------	-----------	---------------	----

449-REINIGEN/2	190x340 mm	in carton	1 set
448-REINIGEN/2	335x485 mm	in carton	1 set

**Content PU = Abraflex®** Superpad red, Blue Wave melamine pad, Microfiber pad grey, Abraflex® Maroon pad

## Starterset Cleaning AiO



Artikel-Nr.	Dimension	Delivery form	PU
-------------	-----------	---------------	----

AIO-START	335x585 mm	in carton	1 set
-----------	------------	-----------	-------

**Content PU = Abraflex®** Superpad red, Blue Wave melamine pad, Wimbledon lawn pad Abraflex® Maroon pad

## Starterset Solid surface materials (Corian)




Artikel-Nr.	Dimension	Delivery form	PU
-------------	-----------	---------------	----

449-CORIAN	190x340 mm	in polybag	1 set
448-CORIAN	335x485 mm	in polybag	1 set

**Content PU = useit®-Superpad P** gold 150, 220, 320, 400, useit®-dust pad, useit®-Superfinishing pad SG 600, 1500, SG2 1800, SG2 2500

## Adapter for Jöst machines



Artikel-Nr.	Dimension	Delivery form	PU
-------------	-----------	---------------	----

AD-190/5	190x340 mm, 5mm high	in polybag	1 pc
AD-190/15	190x340 mm, 15mm high	in polybag	1 pc
AD-335/5	335x485mm, 5mm high	in polybag	1 pc
AD-335/15	335x485mm, 15mm high	in polybag	1 pc
AD-190/HK	190x340mm, for Superpads	in polybag	1 pc
AD-335/HK	335x485mm, for Superpads	in polybag	1 pc
AD-335x585/5	335x585 mm, 5mm high	in polybag	1 pc



## You are interested in practical training courses on sustainable floor maintenance and cleaning?

In our seminars, we share our in-depth expertise in professional floor maintenance and cleaning—directly from practice for practice. Our seminars help to optimize cleaning processes, conserve materials, and achieve the best results.

We've been working continuously on expanding and optimizing our product range for more than 40 years. Thanks to our close cooperation with users from industry, trade and specialized trade partners, our customers benefit from reliable expertise and recognized professional quality. Anyone who shares our passion for floor care and cleaning can participate in our training courses. Our seminars aim to teach participants how to analyze the nature of the floor covering and select the best possible procedure for the task at hand. This saves

time in daily work, increases the floor's life and significantly reduces the use of cleaning chemicals. We want our courses to support our customers in their practical training of their employees – and to show customers how they can save time and achieve better cleaning results at the same time. Training objectives and topics are defined in advance and can be customized to match any flooring, such as elastic, wooden and stone floors.

### Find the right contact person in your region:



**Thomas Bertram**  
Sales Germany north  
ZIP code areas: 2 / 3  
+49 151 25400680  
thomas.bertram@joest-abrasives.de



**Stefan Glawe**  
Sales Germany east  
ZIP code arease: 0 / 1  
+49 151 20748452  
stefan.glawe@joest-abrasives.de



**Markus Lutz**  
Sales Germany south  
ZIP code areas: 7 / 8 / 9  
+49 171 9043713  
markus.lutz@joest-abrasives.de



**Tobias Vogelpoth**  
Sales Germany west  
ZIP code arease: 4 / 5 / 6  
+49 160 96402134  
tobias.vogelpoth@joest-abrasives.de



# JÖST

abrasives

**Jöst GmbH**

Beerfeldener Str. 77  
D-69483 Wald-Michelbach

Tel. +49 (0) 6207 / 9410-0  
Fax. +49 (0) 6207 / 2463  
[www.joest-abrasives.de](http://www.joest-abrasives.de)  
[info@joest-abrasives.de](mailto:info@joest-abrasives.de)

